



DETAIL - EXHAUST FAN F-46
SCALE NTS

GENERAL NOTES

1. PERFORM ALL WORK IN ACCORDANCE WITH ALL APPLICABLE CODES, STANDARDS AND CITY INSPECTIONS REQUIREMENTS.
2. COORDINATE WORKS WITH OTHER SUB-TRADES. REFER TO SPECIFIC DETAILS FOR CUTTING AND SEALING PENETRATIONS THROUGH OPENINGS & FIRE SEPARATIONS.
3. REFER TO TECHNICAL SPECIFICATIONS FOR EQUIPMENT AND MATERIAL SPECIFICATIONS AND INSTALLATION AND CONSTRUCTION REQUIREMENTS.
4. INSULATE PLUMBING PIPES AND DUCTWORK WHERE INDICATED AND AS SPECIFIED.
5. SUPPORT ALL PLUMBING LINES AND DUCTWORK TO MEET CODE REQUIREMENTS & ESTABLISHED INDUSTRY TRADE PRACTICES, (SMACNA, ASHRAE).
6. INVESTIGATE SITE PRIOR TO CONSTRUCTION TO CONFIRM ALL DIMENSIONS AND INSTALLATION REQ'S.
7. PERFORM ALL CUTTING & PATCHING NECESSARY FOR ANY REQUIRED OPENINGS THRU WALLS, ROOF AND FLOOR.
8. PROVIDE TAB TO ENSURE AIR DISTRIBUTION TO VOLUMES INDICATED.
9. NOT ALL EQUIPMENT/PIPING, ETC. IS SHOWN.
10. PROVIDE FIRE STOPS AT ALL FIRE RATED WALLS/FLOOR OPENINGS TO MATCH EXISTING RATING
11. ALL NEW SUPPLY AND EXHAUST DUCT INSULATED, SEE SPECIFICATIONS FOR DETAILS.

ALLIANCE
Engineering Services Inc.

<p>Certificate of Authorization Alliance Engineering Services Inc. No.2906 Date: _____</p>	B.M. ELEV.	FIELD BOOK #:	<p>LM Architectural Group 505-136 Market Ave Winnipeg, Manitoba, Canada R3B 0P4 t: (204) 942.0681 f: (204) 943.8676 www.lm-architects.com</p>		<p>THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT</p> <p>NORTH END WATER POLLUTION CONTROL CENTRE - LAB RENOVATIONS</p>	<p>SHEET 3 OF 3 CITY DRAWING NUMBER 1-0101M-H0005-001-01</p>
	POSTED TO LBIS					
			DRAWN BY AS	APPROVED BY		
			HOR. SCALE VERTICAL	RELEASED FOR CONSTRUCTION		
			NO. REVISIONS	DATE BY	DATE	
					CONSULTANT DRAWING NO. M2.3	