



CONC POUR SEQUENCE LIMITS	
ITEM	DESCRIPTION
POUR 1	NEW 90± CONC DECK SLAB 1.1, 1.2, 1.3 & 1.4
POUR 2	NEW CONC DECK OVERHANG 2.1, 2.2, 2.3 & 2.4
POUR 3	NEW CONC SHOULDER BARRIER 3.1, 3.2, REFER TO SPECIFICATION FOR DETAILS

SEQUENCE OF PHASE 1 DECK CONSTRUCTION:

- COMPLETE STRUCTURAL REMOVALS (PHASE 1).
- REPLACE BRIDGE BEARINGS OVER PIERS AND ABUTMENTS AND REPAIR EXISTING PT TENDONS OVER THE PIERS PRIOR TO THE CONSTRUCTION OF ANY NEW CONCRETE.
- PLACE TOP MAT OF DECK SLAB REINFORCING.
- CAST NEW 90± CONCRETE DECK SLAB IN THE SPECIFIED POUR SEQUENCE.
- CAST THE NEW CONCRETE OVERHANG IN THE SPECIFIED POUR SEQUENCE.
- CONSTRUCT NEW CONCRETE SHOULDER BARRIERS IN SPECIFIED POUR SEQUENCE.
- CAST NEW 50 MIN HPC OVERLAY TO ACHIEVE THE DESIGN DECK PROFILE.
- CAST NEW 50 MIN SIDEWALK WSC OVERLAY TO ACHIEVE THE DESIGN SIDEWALK PROFILE.
- INSTALL NEW ALUMINUM PEDESTRIAN HANDRAIL.
- INSTALL NEW STREET LIGHTS (BY MB HYDRO).

- 2 PHASE 1 DECK AND SIDEWALK CONCRETE POUR SEQUENCE**
1 : 250
- THE CONTRACTOR SHALL PLACE THE CONCRETE DECK AND SIDEWALK SLAB IN ACCORDANCE WITH THE POUR SEQUENCE AND DIRECTION SHOWN IN THE ABOVE PLAN.
 - THE CONTRACTOR MAY VARY FROM THE SEQUENCE SHOWN ONLY IF APPROVED BY THE CONTRACT ADMINISTRATOR.
 - PIER ZONE CONCRETE SHALL NOT BE PLACED UNTIL THE ADJACENT MIDSPAN AND END SPAN ZONE CONCRETE IS PLACED.
 - ARROWS SHOW DIRECTION OF CONCRETE POURS.



B.M. ELEV.	F.B.	WARDROP A TETRA TECH COMPANY	DESIGNED BY V.B.	CHECKED BY E.F.S.
			DRAWN BY B.M.	APPROVED BY R.H.W.
00 ISSUED FOR TENDER 11.02.18 EFS		HOR. SCALE: AS NOTED	RELEASED FOR CONSTRUCTION ORIGINAL SIGNED 11.02.18	DATE 11.02.18
NO. REVISIONS		DATE 10.10.13	MATT CHISLETT, P.ENG BRIDGE PROJECTS ENGINEER	



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

OSBORNE STREET BRIDGE
REHABILITATION & RELATED WORKS

BRIDGE DECK
PHASE 1 CONSTRUCTION

CITY DRAWING NUMBER
B109-11-065
SHEET 60 OF 131

CONSULTANT DRAWING NO.
0900070502-DWG-S0060

90