



- CONSTRUCTION NOTES FOR ROADWAY:**
1. BASE LINE = SOUTHBOUND (MEDIAN) CONTROL LINE. SEE SHEET 101 FOR CONTROL LINE GEOMETRY.
  2. FINAL CURB HEIGHT TYPICALLY 150 mm.
  3. ALL DIMENSIONS ARE TO BACK OF CURB.
  4. ADJUST OR REPLACE EXISTING DRAINAGE INLETS WITH NEW SD-024 OR SD-023 AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
  5. ISOLATE MISCELLANEOUS ITEMS IN NEW CONCRETE WORKS AS PER SD-228C.
  6. PLANE HEADERS AT ALL INTERSECTING PUBLIC STREETS.
  7. LEGAL PLAN AND UNDERGROUND INFORMATION FROM CITY OF WINNIPEG LBIS.
  8. TRAFFIC SIGNAL POLES, CONTROLLERS AND UNDERGROUND APPURTENANCES IN PROJECT AREA TO BE UPGRADED BY OTHERS.
  9. CONTRACTOR TO TAKE PRECAUTIONARY STEPS TO AVOID DAMAGE FROM CONSTRUCTION ACTIVITIES TO TREES WITHIN THE LIMITS OF CONSTRUCTION.
  10. LOCATION OF EXISTING SERVICES TO BE CONFIRMED IN THE FIELD BY THE CONTRACTOR.
  11. PLANE EXISTING ASPHALT OVERLAY WITHIN CONTRACT LIMITS TO DEPTH INDICATED BY THE CONTRACT ADMINISTRATOR.
  12. LIMITS OF CURB AND GUTTER REPLACEMENT, JOINT AND SLAB REPAIRS, GRANULAR SHOULDER REGRADING, AND TIE INS TO BE FINALIZED IN THE FIELD BY THE CONTRACT ADMINISTRATOR.
  13. ADJUST ALL WATER VALVES AND MANHOLES WITHIN THE CONSTRUCTION LIMITS OF PROJECT.
  14. CONTRACTOR SHALL TAKE PRECAUTIONARY STEPS TO AVOID EXISTING SPRINKLER SYSTEM ON MANITOBA LEGISLATURE AND GREAT WEST LIFE PROPERTIES. CONTRACTOR SHALL BE RESPONSIBLE TO RESTORE OR REPAIR SPRINKLER SYSTEM DAMAGED BY CONSTRUCTION.

**METRIC**  
WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES

- WARNING**
- IF POWER EQUIPMENT OR EXPLOSIVES ARE TO BE USED FOR EXCAVATION ON THIS PROJECT THE CONTRACTOR MUST:
1. NOTIFY THE GAS COMPANY OF THE PROPOSED LOCATION OF EXCAVATION.
  2. TAKE PRECAUTION TO AVOID DAMAGE TO GAS COMPANY INSTALLATIONS SEE PROVINCIAL REGULATION 210/72 FOR DETAILS.

**APEGM**  
Certificate of Authorization  
Dillon Consulting Limited (MB)  
No. 1789 Date: 2011.02.16

B.M. 35-076 (N: 5527196 E: 633022.129) ELEV. 232.401	
DESIGNED BY	RTP
CHECKED BY	DBW
DRAWN BY	PMW
APPROVED BY	DPK
HOR. SCALE:	1 : 250
VERTICAL:	1 : 10
ISSUED FOR TENDER	11.02.18 DBW
NO. REVISIONS	DATE BY
00	11.02.18 DBW
01	2011.02.18

**DILLON CONSULTING**

DESIGNED BY RTP  
CHECKED BY DBW  
DRAWN BY PMW  
APPROVED BY DPK

HOR. SCALE: 1 : 250  
VERTICAL: 1 : 10

RELEASED FOR CONSTRUCTION ORIGINAL SIGNED DATE  
11.02.18

MAY ORSHETT P. ENG.  
BRIDGE PROJECTS ENGINEER

PROVINCE OF MANITOBA  
REGISTERED PROFESSIONAL ENGINEER  
**D.B. WIEBE**  
2011.02.16  
Member 22480

**THE CITY OF WINNIPEG**  
PUBLIC WORKS DEPARTMENT  
ENGINEERING DIVISION

**OSBORNE STREET BRIDGE**  
REHABILITATION & RELATED WORKS

PAVING & GRADING  
STA: 1+580 TO 1+755

CITY DRAWING NUMBER  
B109-11-128  
SHEET 123 OF 131

123