



## Bid Opportunity 227-2012 ADDENDUM NO. 2

2012 WATERMAIN RENEWALS CONTRACT NO. 6

### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: April 19, 2012  
BY: Stacy Cournoyer, P. Eng  
TELEPHONE NO. (204) 986-2142

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20120228

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.**

---

### **PART A – BID SUBMISSION**

Replace: 227-2012 Bid Submission with 227-2012 Addendum 2- Bid Submission.

### **PART E – SPECIFICATIONS**

Revise: E6 to read:

#### **E6 Sewer Inspection**

- E6.1 Inspect sewers in accordance with CW 2145 and as directed by the Contract Administrator.
- E6.2 No cleaning or coding of sewer inspection videos will be required.
- E6.3 The length of sewer to be inspected shall be the distance between the location of service crossing and the nearest manhole.
- E6.4 Sewer inspection shall be measured on a length basis and paid for at the Contract Unit Price for "Sewer Inspection" in Form B of the Bid Submission.