APEGN

Certificate of Authorization Tower Engineering Group

No. 4156 Expiry: April 30, 2013

GALVANIZED IRON CULVERT SCHEDULE

3/4"-2"(20mm-50mm) 10"(250mm) 4"-6"(100mm-150mm) 14"(350mm) 8"(200mm) 16"(400mm)

* CULVERT ONLY REQUIRED WITHIN 5'-0" (1500mm) OF EXTERIOR WALL

GATE VALVE

FLOOR SLAB

2" (50mm) REMOVABLE

CONCRETE THRUST BLOCK

UNDISTURBED EARTH

12" (300mm) MAX.

EXPANDED METAL OR

WIRE MESH SCREEN

WATER PIPE DIA. CULVERT DIA.

4TH FLOOR - 185 KING STREET Project: Mayfair Recreation Centre


40 MAYFAIR PLACE


Project Number: 2011-112 Bid Opportunity Number: 556-2012 Drawing Title: MECHANICAL DETAILS


Issue/Revision Date

Issued For 66% Review Oct. 19/12 Reissued For 66% Review Nov. 28/12 99% Review Feb. 22/13
ISSUED FOR TENDER APR. 12/13

Sheet No: M4.1







ALL VALVES TO BE FULL LINE SIZE



NOTE: PROVIDE EXPANSION TANK AS REQUIRED BY CODE AND/OR AUTHORITIES HAVING JURISDICTION.

DOMESTIC



TRAP PRIMER DETAIL

M4.1 SCALE: N.T.S.

THRUST

BLOCK

CONCRETE \ THRUST BLOCK

2"x6"x3" <

VERTICAL

HORIZONTAL

4"x4" STRUT ~

CONCRETE \ THRUST BLOCK

2"x6"x3" \

VERTICAL

HORIZONTAL

4"x4" STRUT <

4"x4" ~

4"x4" ~

1.4 x A —

BALL VALVE CHECK VALVE

S-----DHW-----

5-----DC W------

CHECK VALVE C/W/

1/8" (3.2mm) HOLE IN FLAPPER

PRESSURE RELIEF

PIPE TO FLOOR


THERMOMETER /

GAS COCK 🤍 DIRT LEG ~

UNION /


S-DHWR-DEHIRDIH


RECIRCULATION PUMP

















PIPE SLEEVE DETAIL

NOTE: REFER TO SPECIFICATIONS

FOR BEDDING AND BACKFILL REQUIREMENTS.

FLOOR PLAN FOR

CONTINUATION.

EXTERIOR WALL <

BACKFILL

12" (300mm MINIMUM *

WATER SERVICE FROST BOX DETAIL

M4.1 SCALE: N.T.S.

THRUST BLOCK

VERTICAL

HORIZONTAL

- 4"x4" STRUT

- WATER MAIN

CONCRETE

✓ WATER MAIN

BLOCK

~ 3/4"(20mm)

ANCHOR

(2.0 x A) BOLTS

VALVE SUPPORT

THRUST BLOCK BEARING AREA (A) PIPE SIZE SQ. FT. SQ. M.

PIPE SUPPORT AND THRUST BLOCK DETAIL

THRUST

BLOCK

SANITARY DRAIN WALL CLEANOUT DETAIL M4.1 SCALE: N.T.S.

M4.1 SCALE: N.T.S.

TYPICAL FLOOR CLEANOUT SCALE: N.T.S.



M4.1 SCALE: N.T.S.

