


**NOTES:**

1. ALLOWABLE LOAD ON ACCESS PLATFORM = 4.8 kPa.
2. SEE DWG WX-S0404 FOR ACCESS PLATFORM DETAILS.
3. MAX ALLOWABLE LL ON EXISTING FLOOR = 12 kPa.
4. T.O.C. ELEVATION OF EQUIPMENT PADS PER EQUIPMENT REQUIREMENTS. CROSSCHECK WITH PROCESS EQUIPMENT PRIOR TO FORMING.



**REFERENCE DRAWINGS:**

- 1-0601R-S0014-001-02 STRUCTURAL RESIDUALS HANDLING AREA SECOND FLOOR PLAN
- 1-0601R-M0005-001-04 PROCESS MECHANICAL SECOND FLOOR PLAN



B.M. ELEV.			
CONSTRUCTION COMPLETION DATE: YYYY MM DD			
DESIGNED BY	KS	CHECKED BY	RP
DRAWN BY	JBC	APPROVED BY	BW
SCALE: HORIZONTAL	1:50	RELEASED FOR CONSTRUCTION	
SCALE: VERTICAL	-	DATE	2014 01 21
NO.	ISSUED FOR TENDER	DATE	14-01-21
	REVISIONS	DATE	BY

**CH2MHILL**

ENGINEER'S SEAL

CONSULTANT DRAWING NUMBER  
**WX-S0121**

**THE CITY OF WINNIPEG**  
WATER AND WASTE DEPARTMENT  
ENGINEERING DIVISION

MEZZANINE, WALKWAY AND EQUIPMENT SUPPORTS  
FOR A WATER TREATMENT RESEARCH AND  
PROCESS OPTIMIZATION FACILITY  
STRUCTURAL  
PLAN AT 239.410

SHEET 2 OF 9  
CITY DRAWING NUMBER  
1-0601X-S0001-001-00