FORM A: BID (See B8)

| 1. | Contract Title | CENTURY STREET NORTHBOUND MILL AND FILL AND NEW CONSTRUCTION – SASKATCHEWAN AVENUE TO 200M SOUTH |
|----|--------------------------------|---|
| 2. | Bidder | Name of Bidder |
| | | Usual Business Name of Bidder as it appears on Invoice (if different from above) |
| | | Street |
| | | City Province Postal Cod |
| | (Mailing address if different) | Email Address of Bidder |
| | | Facsimile Number |
| | | Street or P.O. Box |
| | (Choose one) | City Province Postal Cod |
| | | The Bidder is: |
| | | a sole proprietor |
| | | a partnership |
| | | a corporation |
| | | carrying on business under the above name. |
| 3. | Contact Person | The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid. |
| | | Contact Person Title |
| | | Telephone Number Facsimile Number |
| 4. | Definitions | All capitalized terms used in the Contract shall have the meaning ascribed to them in the General Conditions and D2. |
| 5. | Offer | The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form E Prices, appended hereto. |

| 6. | Bid Security | In accordance with B11.1, the Bidder encloses bid security in the form of: | | | | |
|-----|--------------------------|---|--|--|--|--|
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) | | | | |
| | | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) | | | | |
| | | a certified cheque or draft | | | | |
| | | and agrees that it shall be held by the City in accordance with the Contract. | | | | |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. | | | | |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. | | | | |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. | | | | |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: | | | | |
| | | No Dated | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline. | | | | |

| 12. | Signatures | The Bidder or the Bidder's authorized official or officials have signed this |
|-----|------------|---|
| | | , 20 |
| | | Signature of Bidder or Bidder's Authorized Official or Officials |
| | | (Print here name and official capacity of individual whose signature appears above) |
| | | (Print here name and official capacity of individual whose signature appears above) |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|--------|---------------------|------------|--------|
| Α | CENTURY STREET NORTHBOUND MILL AND SASKATCHEWAN AVENUE TO 200M SOUTH | | EW CON | ISTRUCTION - | | |
| | EARTH AND BASE WORKS | <u></u> | | | | |
| A.1 | Excavation | CW 3110-R18 | m³ | 1550 | | |
| A.2 | Sub-Grade Compaction | CW 3110-R18 | m² | 2000 | | |
| A.3 | Crushed Sub-base Material | CW 3110-R18 | | | | |
| i) | 50 mm | | tonne | 600 | | |
| ii) | 100 mm | | tonne | 1500 | | |
| A.4 | Supplying and Placing Base Course Material | CW 3110-R18 | m³ | 150 | | |
| A.5 | Grading of Boulevards | CW 3110-R18 | m² | 2800 | | |
| A.6 | Boulevard Excavation | CW 3110-R18 | m³ | 150 | | |
| A.7 | Separation Geotextile Fabric | CW 3130-R4 | m² | 1450 | | |
| A.8 | Supply and Install Geogrid | CW 3135-R1 | m² | 1450 | | |
| A.9 | Fill Material | CW 3170-R3 | | | | |
| i) | Placing Suitable Site Material | | m³ | 150 | | |
| | ROADWORKS - REMOVALS / RENEWALS | | | | | |
| B.1 | Pavement Removal | CW 3110-R18 | | | | |
| i) | Concrete Pavement | | m² | 740 | | |
| B.2 | Slab Replacement | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Reinforced) | | m² | 40 | | |
| B.3 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 60 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 80 | | |
| iii) | 200 mm Concrete Pavement (Type D) | | m² | 60 | | |
| B.4 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 245 | | |
| B.5 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 20 M Deformed Tie Bar | | each | 185 | | |

| ITEM | | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|----|---|--------------------|------|---------------------|------------|--------|
| B.6 | | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | | 100 mm Sidewalk | SD-228A | | | | |
| | a) | Less than 5 sq.m. | | m² | 10 | | |
| | b) | 5 sq.m. to 20 sq.m. | | m² | 35 | | |
| | c) | Greater than 20 sq.m. | | m² | 320 | | |
| B.7 | | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | | Barrier Integral | | m | 50 | | |
| B.8 | | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | | Barrier (180 mm reveal ht, Integral) | SD-204 | m | 30 | | |
| ii) | | Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width) | SD-223A | m | 330 | | |
| iii) | | Splash Strip (150 mm reveal ht, Monolithic Modified Barrier Curb, 750 mm width) | SD-223A | m | 85 | | |
| B.9 | | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | | Barrier (150 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| | a) | Less than 3 m | 05 200/1 | m | 10 | | |
| | b) | 3 m to 30 m | | m | 20 | | |
| ii) | | Modified Barrier (150 mm reveal ht, Dowelled) | SD-203B | m | 10 | | |
| iii) | | Curb Ramp (8-12 mm reveal ht, Integral) | SD-229C,D | m | 65 | | |
| B.10 | | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 15 | | |
| B.11 | | Planing of Pavement | CW 3450-R5 | | | | |
| i) | | 50 - 100 mm Depth (Asphalt) | | m² | 3690 | | |
| B.12 | | Detectable Warning Surface Tiles | CW 3326-R1 | | | | |
| i) | | 610 mm X 1220 mm | | each | 10 | | |
| | | ROADWORKS - NEW CONSTRUCTION | | | | | |
| C.1 | | Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians | CW 3310-R15 | | | | |
| i) | | Construction of Concrete Median Slabs | SD-227A | m² | 275 | | |
| ii) | | Construction of Monolithic Concrete Bull- noses | SD-227C | m² | 10 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|-------|---------------------|------------|--------|
| C.2 | Concrete Pavements for Early Opening | CW 3310-R15 | | | | |
| i) | Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled) | | m² | 1400 | | |
| C.3 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R15 | | | | |
| i) | Construction of Splash Strip (180 mm ht, Monolithic Barrier Curb, 750 mm width) | SD-223A | m | 80 | | |
| ii) | Construction of Splash Strip (180 mm ht, Monolithic Modified Barrier Curb, 750 mm width) | SD-223A | m | 280 | | |
| C.4 | Supply and Installation of Dowel Assemblies | CW 3310-R15 | m | 350 | | |
| C.5 | Construction of Asphaltic Concrete Pavements | CW 3410-R10 | | | | |
| i) | Main Line Paving | | | | | |
| a) | Type IA | | tonne | 1150 | | |
| ii) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 70 | | |
| | JOINT AND CRACK SEALING | | | | | |
| D.1 | Joint Sealing | CW 3250-R7 | m | 350 | | |
| D.2 | Reflective Crack Maintenance | CW 3250-R7 | m | 850 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| E.1 | Remove and Replace Existing Catch Basin | CW 2130-R12 | | | | |
| i) | SD-024 | | each | 4 | | |
| E.2 | Remove and Replace Existing Catch Pit | CW 2130-R12 | | | | |
| i) | SD-023 | | each | 1 | | |
| E.3 | Sewer Service | CW 2130-R12 | | | | |
| i) | 300 mm, PVC | | | | | |
| a) | In a Trench, Class B Type Sand Bedding, Class 3 Backfill | | m | 25 | | |
| E.4 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 2 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|---------|---------------------|------------|--------|
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 2 | | |
| E.5 | Connecting to Existing Catch Basin | CW 2130-R12 | | | | |
| i) | 300 mm Drainage Connection Pipe | | each | 3 | | |
| E.6 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R12 | | | | |
| i) | 300 mm | | each | 3 | | |
| E.7 | Removal of Existing Catch Pit | CW 2130-R12 | each | 2 | | |
| E.8 | Installation of Subdrains | CW 3120-R4 | m | 36 | | |
| | ADJUSTMENTS | | | | | |
| F.1 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 5 | | |
| F.2 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 3 | | |
| F.3 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 38 mm | | each | 2 | | |
| ii) | 51 mm | | each | 4 | | |
| F.4 | Adjustment of Valve Boxes | CW 3210-R7 | each | 9 | | |
| F.5 | Valve Box Extensions | CW 3210-R7 | each | 3 | | |
| F.6 | Abandonment of Hydrant Tee on Watermains in Service | CW 2110-R11 | each | 1 | | |
| F.7 | New Hydrant Assembly on Existing Watermain | CW 2110-R11 | | | | |
| a) | SD-006 | | each | 1 | | |
| | LANDSCAPING | | | | | |
| G.1 | Salt Tolerant Grass Seeding | E10 | m² | 2710 | | |
| | MISCELLANEOUS | | | | | |
| H.1 | Supply and Install Crash Attenuation Barrier | E12 | each | 2 | | |
| H.2 | Removal of Existing Fence | E14 | m | 55 | | |
| H.3 | Chain Link Fence | CW 3550-R3 | | | | |

UNIT PRICES

| CIVITITION | 320 | | | | | |
|--|-----------------------------------|---------------|--------|--------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT PRICE | AMOUNT |
| | | REF. | | QUANTITY | | |
| i) | 1.83m Height | | m | 50 | | |
| | | | | | | |
| H.4 | Removal of Trees | E15 | each | 3 | | |
| | | | | | | |
| | CENTURY STREET NORTHBOUND MILL A | ND FILL AND N | EW CON | ISTRUCTION - | | |
| Α | SASKATCHEWAN AVENUE TO 200M SOUTH | | | | Subtotal: | |
| | | | | | | |
| TOTAL BID PRICE (GST extra) (in figures) | | | | | | |
| TOTAL BII | DI MOL (OUI EXIIA) | | (1 | iringures) | | |

Name of Bidder

(Seal)

Template Version: C420131129 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

| KNOW ALL MEN BY THESE PRESENTS | THAT | | |
|---|--|---|--------|
| (hereinafter called the "Principal") and | | | |
| (hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per described, for the payment of which sum administrators, successors and assigns, jo | ercent (10%) of the Total B the Principal and Surety bi | id Price set out in the Bid herein nd themselves, their heirs, execu | nafte |
| WHEREAS the Principal has submitted a I | 3id to the Obligee for | | |
| BID OPPORTUNITY NO. 516-2014 | | | |
| CENTURY STREET NORTHBOUND MILI AVENUE TO 200M SOUTH | _ AND FILL AND NEW CO | NSTRUCTION – SASKATCHEW | 'AN |
| as more fully set out in the Bid Opportunity | <i>1</i> . | | |
| NOW THEREFORE the condition of this of is aid Bid is accepted and the Principal, in the said Obligee and furnishes the require of the Contract, this obligation shall be voice. | a accordance with the terms ad performance security for | of the Bid, enters into a Contrac guaranteeing the faithful perform | t with |
| IN WITNESS WHEREOF the Principal and | d Surety have signed and s | ealed this bond the | |
| day of | , 20 | · | |
| SIGNED AND SEALED in the presence of: | (Name of Principal) | | |
| (Witness as to Principal if no seal) | | (Se | al) |
| | | | |

(Name of Surety)

(Attorney-in-Fact)

By:

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______ , 20____ for BID OPPORTUNITY NO. 516-2014 CENTURY STREET NORTHBOUND MILL AND FILL AND NEW CONSTRUCTION - SASKATCHEWAN AVENUE TO 200M SOUTH in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______, 20_____. (Name of Surety) (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

| (Date) |
|---|
| The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1 |
| RE: BID SECURITY – BID OPPORTUNITY NO. 516-2014 |
| CENTURY STREET NORTHBOUND MILL AND FILL AND NEW CONSTRUCTION – SASKATCHEWAN AVENUE TO 200M SOUTH |
| Pursuant to the request of and for the account of our customer, |
| (Name of Bidder) |
| (Address of Bidder) WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate |
| Canadian dollars. |
| This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us. |
| The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made. |
| Partial drawings are permitted. |
| We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at: |
| (Address) |
| and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us. |

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 12, 2014

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

| (Name of bank or financial institution) | | | | |
|---|------------------------------|--|--|--|
| Per: | | | | |
| | (Authorized Signing Officer) | | | |
| Per: | | | | |
| | (Authorized Signing Officer) | | | |