

FORM A: BID
(See B8)

1. Contract Title Lagimodiere Boulevard Northbound – Cottonwood Road to Dugald Road and Archibald Street – Plinguet Street to #80 Archibald Street Mill and Fill/ Lagimodiere Boulevard Northbound and Southbound Shoulder Paving

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

(Mailing address if different)

Email Address of Bidder

Facsimile Number

Street or P.O. Box

(Choose one)

City Province Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>Northbound Lagimodiere Blvd. - Cottonwood to Duquald - Regional Street Minor Asphalt Repair</u>					
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R18	m ³	142		
A.2	Grading of Boulevards	CW 3110-R18	m ²	1300		
	ROADWORKS - RENEWALS					
A.3	Pavement Removal	CW 3110-R18				
i)	Concrete Pavement		m ²	820		
ii)	Asphalt Pavement		m ²	100		
A.4	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Plain-Dowelled)		m ²	220		
A.5	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	30		
ii)	200 mm Concrete Pavement (Type B)		m ²	560		
iii)	200 mm Concrete Pavement (Type C)		m ²	30		
iv)	200 mm Concrete Pavement (Type D)		m ²	50		
A.6	Partial Depth Planing of Existing Joints	E15	m ²	56		
A.7	Asphalt Patching of Partial Depth Joints	E15	m ²	56		
A.8	Asphalt Patching of Full Depth Joints	E13	tonne	70		
A.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	840		
A.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1520		

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	55		
b)	5 sq.m. to 20 sq.m.		m ²	20		
c)	Greater than 20 sq.m.		m ²	25		
ii)	Bullnose	SD-227C	m ²	10		
A.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	52		
b)	3 m to 30 m		m	125		
c)	Greater than 30 m		m	30		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		
iii)	Mountable Curb (150 mm reveal ht Integral)	SD-201	m	104		
A.13	Supply and Installation of Dowel Assemblies	CW 3310-R15	m	52		
A.14	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	3900		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	600		
A.15	Construction of Asphalt Patches	CW 3410-R10	m ²	100		
A.16	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	15550		
ii)	50 - 100 mm Depth (Asphalt)		m ²	15550		
iii)	0 - 50 mm Depth (Concrete)		m ²	100		
A.17	Detectable Warning Surface Tiles	CW 3326-R1				
i)	610 mm X 1220 mm		each	22		
	JOINT AND CRACK SEALING					
A.18	Reflective Crack Maintenance	CW 3250-R7	m	10200		

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	3		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
vi)	AP-011 - Mountable Curb and Gutter Inlet		each	8		
ADJUSTMENTS						
A.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	15		
A.21	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
ii)	Brick Risers		vert. m	1		
A.22	Lifter Rings	CW 3210-R7				
i)	38 mm		each	3		
ii)	51 mm		each	6		
iii)	64 mm		each	4		
iv)	76 mm		each	3		
A.23	Adjustment of Valve Boxes	CW 3210-R7	each	5		
A.24	Valve Box Extensions	CW 3210-R7	each	2		
LANDSCAPING						
A.25	Salt Tolerant Grass Seeding	E12	m ²	1200		
MISCELLANEOUS						
A.26	Removal of Trees	E14	each	33		
A	<u>Northbound Lagimodiere Blvd. - Cottonwood to Dugald - Regional Street Minor Asphalt Repair</u>				Subtotal:	

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Archibald St. - Plinquet to #80 Archibald - Regional Street Minor Asphalt Repairs and Plinquet Intersection Improvement</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R18	m ³	100		
B.2	Crushed Sub-base Material	CW 3110-R18				
i)	50 mm		tonne	40		
ii)	100 mm		tonne	40		
B.3	Supplying and Placing Base Course Material	CW 3110-R18	m ³	135		
B.4	Grading of Boulevards	CW 3110-R18	m ²	525		
	ROADWORKS - RENEWALS					
B.5	Pavement Removal	CW 3110-R18				
i)	Concrete Pavement		m ²	75		
ii)	Asphalt Pavement		m ²	200		
B.6	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Plain-Dowelled)		m ²	300		
B.7	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	30		
ii)	200 mm Concrete Pavement (Type B)		m ²	190		
iii)	200 mm Concrete Pavement (Type D)		m ²	28		
B.8	Partial Depth Planing of Existing Joints	E15	m ²	20		
B.9	Asphalt Patching of Partial Depth Joints	E15	m ²	20		
B.10	Asphalt Patching of Full Depth Joints	E13	tonne	25		
B.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	320		
B.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	690		

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m ²	135		
ii)	100 mm Sidewalk		m ²	45		
B.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	60		
b)	5 sq.m. to 20 sq.m.		m ²	120		
c)	Greater than 20 sq.m.		m ²	40		
ii)	Bullnose	SD-227C	m ²	10		
B.15	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	125		
B.16	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	40		
b)	3 m to 30 m		m	154		
c)	Greater than 30 m		m	30		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	40		
B.17	Supply and Installation of Dowel Assemblies	CW 3310-R15	m	68		
B.18	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	2100		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	200		

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.19	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	8800		
ii)	50 - 100 mm Depth (Asphalt)		m ²	3800		
iii)	0 - 50 mm Depth (Concrete)		m ²	1000		
B.20	Detectable Warning Surface Tiles	CW 3326-R1				
i)	610 mm X 1220 mm		each	35		
ROADWORK - NEW CONSTRUCTION						
B.21	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R15				
i)	Construction of Monolithic Concrete Median Slabs	SD-226A	m ²	70		
ii)	Construction of Monolithic Curb and Sidewalk	SD-228B	m ²	240		
iii)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	4		
B.22	Concrete Pavements for Early Opening	CW 3310-R15				
i)	Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m ²	85		
B.23	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	20		
ii)	Construction of Barrier (150 mm ht, Separate)	SD-203A	m	65		
iii)	Construction of Barrier (150 mm ht, Integral)	SD-204	m	16		
iv)	Construction of Modified Barrier (150 mm ht, Integral)	SD-203B	m	65		
v)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	33		
B.24	100 mm Concrete Sidewalk	CW 3325-R5	m ²	43		
JOINT AND CRACK SEALING						
B.25	Reflective Crack Maintenance	CW 3250-R7	m	3500		

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.26	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	1		
B.27	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type Sand Bedding, Class 3 Backfill		m	23		
B.28	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	9		
ii)	300 mm					
a)	Class 3 Backfill		each	1		
B.29	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		m	3		
B.30	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	4		
B.31	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 200 mm Sewer		each	1		
B.32	Removal of Existing Catch Basins	CW 2130-R12	each	1		

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
B.33	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	18		
B.34	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
ii)	Brick Risers		vert. m	1		
B.35	Lifter Rings	CW 3210-R7				
i)	38 mm		each	7		
ii)	51 mm		each	15		
iii)	64 mm		each	11		
iv)	76 mm		each	3		
B.36	Adjustment of Valve Boxes	CW 3210-R7	each	16		
B.37	Valve Box Extensions	CW 3210-R7	each	4		
	LANDSCAPING					
B.38	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	10		
ii)	width > or = 600 mm		m ²	10		
B.39	Salt Tolerant Grass Seeding	E12	m ²	750		
B	<u>Archibald St. - Plinquet to #80 Archibald - Regional Street Minor Asphalt Repairs and Plinquet Intersection Improvement</u>				Subtotal:	

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>Archibald St. and Mission St. Intersection - East Side Improvements</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R18	m ³	1350		
C.2	Sub-Grade Compaction	CW 3110-R18	m ²	1860		
C.3	Crushed Sub-base Material	CW 3110-R18				
i)	50 mm		tonne	690		
ii)	100 mm		tonne	1420		
C.4	Supplying and Placing Base Course Material	CW 3110-R18	m ³	325		
C.5	Grading of Boulevards	CW 3110-R18	m ²	230		
C.6	Removal of Existing Concrete Bases	CW 3110-R18				
i)	600 mm Diameter or Less		each	2		
C.7	Separation Geotextile Fabric	CW 3130-R4	m ²	1860		
C.8	Supply and Install Geogrid	CW 3135-R1	m ²	186		
	ROADWORKS - RENEWALS					
C.9	Pavement Removal	CW 3110-R18				
i)	Asphalt Pavement		m ²	635		
C.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	267		
C.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	75		
C.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	70		
C.13	Detectable Warning Surface Tiles	CW 3326-R1				
i)	610 mm X 1220 mm		each	5		

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
C.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R15				
i)	Construction of Concrete Median Slabs	SD-227A	m ²	80		
ii)	Construction of Monolithic Concrete Median Slabs	SD-226A	m ²	50		
iii)	Construction of Monolithic Curb and Sidewalk	SD-228B	m ²	25		
iv)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	4		
C.15	Concrete Pavements for Early Opening	CW 3310-R15				
i)	Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m ²	1460		
C.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	40		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	140		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	17		
iv)	Construction of Safety Curb (330 mm ht)	SD-206B	m	27		
C.17	100 mm Concrete Sidewalk	CW 3325-R5	m ²	80		
C.18	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	20		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.19	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	3		
C.20	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 3 Backfill		m	22		

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.21	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
C.22	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
C.23	Removal of Existing Catch Basins	CW 2130-R12	each	1		
C.24	Installation of Subdrains	CW 3120-R4	m	24		
ADJUSTMENTS						
C.25	Relocating Existing Hydrant - Type B	CW 2110-R11	each	1		
C.26	Watermain Installation	CW 2110-R11				
i)	Trenchless Installation, Class B Type Sand Bedding, Class 3 Backfill		m	9		
LANDSCAPING						
C.27	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	5		
ii)	width > or = 600 mm		m ²	25		
C.28	Salt Tolerant Grass Seeding	E12	m ²	90		
C	<u>Archibald St. and Mission St. Intersection - East Side Improvements</u>				Subtotal:	

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Lagimodiere Blvd. - Cottonwood to Dugald - Asphalt Shoulder Paving</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R18	m ³	3200		
D.2	Sub-Grade Compaction	CW 3110-R18	m ²	1000		
D.3	Crushed Sub-base Material	CW 3110-R18				
i)	50 mm		tonne	3200		
D.4	Supplying and Placing Base Course Material	CW 3110-R18	m ³	800		
D.5	Grading of Boulevards	CW 3110-R18	m ²	5500		
D.6	Separation Geotextile Fabric	CW 3130-R4	m ²	10000		
	ROADWORK - NEW CONSTRUCTION					
D.7	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	2100		
	JOINT AND CRACK SEALING					
D.8	Reflective Crack Maintenance	CW 3250-R7	m	1000		
	LANDSCAPING					
D.9	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	35		
ii)	width > or = 600 mm		m ²	310		
D.10	Salt Tolerant Grass Seeding	E12	m ²	7300		
D	<u>Lagimodiere Blvd. - Cottonwood to Dugald - Asphalt Shoulder Paving</u>				Subtotal:	

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>Lagimodiere Blvd. - Paterson St. Intersection and Leveque Improvements</u>					
E.1	Excavation	CW 3110-R18	m ³	230		
E.2	Sub-Grade Compaction	CW 3110-R18	m ²	1160		
E.3	Crushed Sub-base Material	CW 3110-R18				
i)	50 mm		tonne	820		
E.4	Supplying and Placing Base Course Material	CW 3110-R18	m ³	105		
E.5	Grading of Boulevards	CW 3110-R18	m ²	340		
E.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1200		
E.7	Common Excavation- Suitable site material	CW 3170-R3	m ³	450		
E.8	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m ³	470		
	ROADWORK - REMOVALS/RENEWALS					
E.9	Pavement Removal	CW 3110-R18				
i)	Asphalt Pavement		m ²	530		
E.10	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m ²	8		
E.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	9		
E.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	11		
E.13	Concrete Curb Removal	CW 3240-R10				
i)	Barrier 180 mm		m	240		
E.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	230		

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORK - NEW CONSTRUCTION						
E.15	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R15				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m ²	430		
ii)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	405		
E.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	231		
ii)	Construction of Mountable Curb 120mm (Integral)	SD-201	m	62		
E.17	Supply and Installation of Dowel Assemblies	CW 3310-R15	m	103		
E.18	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	205		
JOINT AND CRACK SEALING						
E.19	Reflective Crack Maintenance	CW 3250-R7	m	200		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
E.20	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	1		
E.21	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	1		
E.22	Sewer Service Risers	CW 2130-R12				
i)	250 mm					
a)	SD-015		vert m	2		

FORM B (R1): PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.23	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 1050 mm (Type Concrete) Sewer		each	1		
E.24	Abandoning Existing Catch Basins	CW 2130-R12	each	1		
LANDSCAPING						
E.25	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	100		
ii)	width > or = 600 mm		m ²	300		
MISCELLANEOUS						
E.26	Removal of Trees	E14	each	1		
E	<u>Lagimodiere Blvd. - Paterson St. Intersection and Leveque Improvements</u>				Subtotal:	
SUMMARY						
A	<u>Northbound Lagimodiere Blvd. - Cottonwood to Dugald - Regional Street Minor Asphalt Repair</u>				Subtotal:	
B	<u>Archibald St. - Plinquet to #80 Archibald - Regional Street Minor Asphalt Repairs and Plinquet Intersection Improvement</u>				Subtotal:	
C	<u>Archibald St. and Mission St. Intersection - East Side Improvements</u>				Subtotal:	
D	<u>Lagimodiere Blvd. - Cottonwood to Dugald - Asphalt Shoulder Paving</u>				Subtotal:	
E	<u>Lagimodiere Blvd. - Paterson St. Intersection and Leveque Improvements</u>				Subtotal:	
TOTAL BID PRICE (GST extra)			(in figures)		_____	

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 520-2014

Lagimodiere Boulevard Northbound – Cottonwood Road to Dugald Road and Archibald Street – Plinguet Street to #80 Archibald Street Mill and Fill/ Lagimodiere Boulevard Northbound and Southbound Shoulder Paving

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 520-2014

Lagimodiere Boulevard Northbound – Cottonwood Road to Dugald Road and Archibald Street – Plinguet Street to #80 Archibald Street Mill and Fill/ Lagimodiere Boulevard Northbound and Southbound Shoulder Paving

In an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 520-2014

Lagimodiere Boulevard Northbound – Cottonwood Road to Dugald Road and Archibald Street –
Plinguet Street to #80 Archibald Street Mill and Fill/ Lagimodiere Boulevard Northbound and
Southbound Shoulder Paving

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on January 13, 2015.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)