FORM A: BID (See B9)

1.	Contract Title	2014 SEWER RENEWAL	S BY CIPP LINING, CONTRA	CT 11
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different fr	om above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if ap	plicable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	rizes the following contact per f the Bid.	rson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		ed in the Contract shall haveneral Conditions and D3.	re the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES

(See B:10)

2014 SEWER RENEWALS BY CIPP LINING, CONTRACT 11

TEM	PRICES DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
10.	BESSIAII HOIV	OI EO. KEI .	Olvil	QUANTITY	ONTTRIOL	711100111
	Mobilization and Demobilization	E2	each	1.0		
	Sewer Cleaning	CW 2140				
	a) 200-300mm					
	i) Pre-Lining (23 sewers)		m	1,552.0		
	ii) Warranty (5 sewers)		m	394.0		
	b) 375-600mm					
	i) Pre-Lining (19 sewers)		m	1,667.9		
	ii) Warranty (4 sewers)		m	391.0		
	c) 750-900mm					
	i) Pre-Lining (14 sewers)		m	984.5		
	ii) Warranty (3 sewers)		m	285.0		
	d) 1200x925 to 1350x1050mm					
	i) Pre-Lining (4 sewers)		m	488.7		
	ii) Warranty (2 sewers)		m	256.0		
	e) 1575x1200mm					
	i) Pre-Lining (1 sewer)		m	57.2		
	ii) Warranty (1 sewer)		m	57.2		
	Sewer Inspection	CW 2145				
	a) 200-300mm					
	i) Pre-Lining (23 sewers)		m	1,552.0		
	ii) Post-Lining (23 sewers)		m	1,552.0		
	iii) Warranty (5 sewers)		m	394.0		
	b) 375-600mm					
	i) Pre-Lining (19 sewers)		m	1,667.9		
	ii) Post-Lining (19 sewers)		m	1,667.9		
	iii) Warranty (4 sewers)		m	391.0		
	c) 750-900mm					
	i) Pre-Lining (14 sewers)		m	984.5		
	ii) Post-Lining (14 sewers)		m	984.5		
	iii) Warranty (3 sewers)		m	285.0		
	d) 1200x925 to 1350x1050mm					
	i) Pre-Design (4 sewers)		m	488.7		
	ii) Pre-Lining (4 sewers)		m	488.7		
	iii) Post-Lining (4 sewers)		m	488.7		
	iv) Post-Design (4 sewers)		m	488.7		
	v) Warranty (2 sewers)		m	256.0		

Bid Submission Page 5 of 11

FORM B: PRICES (See B:10)

2014 SEWER RENEWALS BY CIPP LINING, CONTRACT 11

UNIT F	PRICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	e) 1575x1200mm					
	i) Pre-Design (1 sewers)		m	57.2		
	ii) Pre-Lining (1 sewers)		m	57.2		
	iii) Post-Lining (1 sewers)		m	57.2		
	iv) Post-Design (1 sewers)		m	57.2		
	v) Warranty (1 sewer)		m	57.2		
٠.	Full Segment CIPP Lining	E2				
	a) 200mm					
	i) 7.00m - 12.00m deep (1 sewer)		m	78.1		
	b) 250mm					
	i) 2.00 - 5.00m deep (8 sewers)		m	431.7		
	c) 300mm					
	i) 2.00-5.00m deep (12 sewers)		m	867.1		
	ii) 5.01-7.00m deep (3 sewers)		m	174.4		
	d) 375mm					
	i) 2.00-5.00m deep (12 sewers)		m	929.1		
	ii) 5.01-7.00m deep (3 sewers)		m	346.6		
	e) 450mm					
	i) 2.00-5.00m deep (12 sewers)		m	95.2		
	f) 600mm					
	i) 2.00-5.00m deep (3 sewers)		m	209.2		
	ii) 5.01-7.00m deep (1 sewers)		m	87.8		
	g) 750mm					
	i) 5.00 - 7.00m deep (8 sewers)		m	566.1		
	h) 900mm					
	i) 5.00 - 8.00m deep (6 sewers)		m	418.4		
	i) 1200x925mm					
	i) 5.00 - 8.00m deep (2 sewers)		m	91.0		
	j) 1350x1050mm					
	i) 2.50-5.00m deep (2 sewers)		m	398.0		
	k) 1575x1200mm					
	i) 5.00 - 8.00m deep (1 sewer)		m	57.2		
	Flow Control (by Sewer Segment)	E2				
	a) 200-300mm		each	23.0		
	b) 375-600mm		each	19.0		
	c) 750-900mm		each	14.0		
	d) Larger than 900mm (Including Egg Shape)		each	5.0		

FORM B: PRICES (See B:10)

2014 SEWER RENEWALS BY CIPP LINING, CONTRACT 11

UNIT F	PRICES					
ITEM NO.		SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.	Reinstatement of Sewer Services	E2	each	654		
G.	Solid Debris Cutting a) First 3 metres (4 sewers) b) Longer than 3 Metres (1 sewers) c) At Pipe Joints and Services (1 sewers)	E2	each m each	52.0 196.2 8.0		
H.	Removal of Excessive Grease and or Roots per Sewer Segment	E6	each	17.0		
I.	Removal of Intruding Sewer Services a) 100-250mm (20 sewers)	E2	each	52		
J.	Internal Sewer Repairs a) Concrete Patching (>600mm Sewers) i) Up to 1.0 metre long (9 sewers) ii) In excess of 1.0 metre (9 sewers)	E3/CW 2130	each m	26.0 85.1		
K.	Sewer Service Grouting i) man entry > 750mm host pipe		each	1		
L.	Provisional Items					
L.1	Manhole and Catch Basin Repairs a) Replace Existing 750mm Risers i) Pre-Cast Concrete Risers ii) Cast-In-Place Concrete Risers b) Grout i) Risers ii) Benching c) Replacing Standard Covers i) AP-004 - Standard Manhole Frame ii) AP-005 - Standard Solid Cover	CW 2130 E3/CW 2130 CW 2130	vert. m vert. m vert. m each each	2.0 2.0 3.0 3.0 2.0 2.0		
L.2	Pavement Removal a) 150mm Concrete Pavement	CW 2130	m²	100.0		
L.3	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement	E4	m²	100.0		
L.4	Construction of Asphalt Patches - Type 1A a) Patching	CW 2130	m²	100.0		
L.5	Manhole Inspections	CW 2145	each	8.0		
L.6	Catchbasin Lead Cleaning a) 150mm-250mm Ø	E4/CW 2140	m	120.0		

FORM B: PRICES (See B:10)

2014 SEWER RENEWALS BY CIPP LINING, CONTRACT 11

PRICES		Ť.		-	
DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Catchbasin Lead Inspection a) 150mm-250mm Ø	E4/CW 2145	m	120.0		
Grouting Services in 900-1325mm Sewers After Lining a) 150mm-250mm Ø	E3	each	2.0		
Manhole Removal & Replacement for CIPP Install a) Remove Existing Manhole for CIPP Installation i) 750mm-900mm Ø Risers	E2/CW 2130	each	17.0		
b) Install New Manhole after CIPP Installation i) 900mm Ø Risers		each	13.0		
ii) 900mm Ø Risers, 1800 mm Ø Base iii) 900mm Ø Risers, 2100 mm Ø Base iv) 900mm Ø Risers, 2400 mm Ø Base		each each each	1.0 2.0 1.0		
New Manhole on Existing Sewer SD-010	CW 2130				
a)1200mm diameter base (1 manhole)		vert. m	5.6		
New Manhole on Existing Sewer SD-010	CW 2130				
a)1200mm diameter base (1 manhole)		vert. m	1.0		
SD-011 a) 1500mm diameter base (2 manholes) b) 2100mm diameter base (1 manhole) c) 2400mm diameter base (1 manhole)	CW 2130	vert. m vert. m vert. m	13.9 5.3 7.3		
	Catchbasin Lead Inspection a) 150mm-250mm Ø Grouting Services in 900-1325mm Sewers After Lining a) 150mm-250mm Ø Manhole Removal & Replacement for CIPP Install a) Remove Existing Manhole for CIPP Installation i) 750mm-900mm Ø Risers b) Install New Manhole after CIPP Installation i) 900mm Ø Risers ii) 900mm Ø Risers, 1800 mm Ø Base iii) 900mm Ø Risers, 2100 mm Ø Base iii) 900mm Ø Risers, 2400 mm Ø Base iv) 900mm Ø Risers, 2400 mm Ø Base New Manhole on Existing Sewer SD-010 a)1200mm diameter base (1 manhole) New Manhole on Existing Sewer SD-010 a)1500mm diameter base (2 manholes) b) 2100mm diameter base (2 manholes) b) 2100mm diameter base (1 manhole)	Catchbasin Lead Inspection a) 150mm-250mm Ø Grouting Services in 900-1325mm Sewers After Lining a) 150mm-250mm Ø Manhole Removal & Replacement for CIPP Install a) Remove Existing Manhole for CIPP Installation i) 750mm-900mm Ø Risers b) Install New Manhole after CIPP Installation i) 900mm Ø Risers ii) 900mm Ø Risers, 1800 mm Ø Base iii) 900mm Ø Risers, 2100 mm Ø Base iii) 900mm Ø Risers, 2400 mm Ø Base iv) 900mm Ø Risers, 2400 mm Ø Base iv) 900mm disers, 2400 mm Ø Company of the c	Catchbasin Lead Inspection a) 150mm-250mm Ø Grouting Services in 900-1325mm Sewers After Lining a) 150mm-250mm Ø Grouting Services in 900-1325mm Sewers After Lining a) 150mm-250mm Ø E3 Manhole Removal & Replacement for CIPP Install a) Remove Existing Manhole for CIPP Installation i) 750mm-900mm Ø Risers b) Install New Manhole after CIPP Installation i) 900mm Ø Risers, 1800 mm Ø Base ii) 900mm Ø Risers, 2100 mm Ø Base iii) 900mm Ø Risers, 2400 mm Ø Base iv) 900mm Ø Risers, 2400 mm Ø Base veach iv) 900mm Ø Risers, 2400 mm Ø Base cach iv) 900mm Ø Risers CW 2130 SD-010 a) 1200mm diameter base (1 manhole) CW 2130 SD-011 a) 1500mm diameter base (2 manholes) b) 2100mm diameter base (1 manhole)	DESCRIPTION SPEC. REF. UNIT APPROX. QUANTITY Catchbasin Lead Inspection a) 150mm-250mm Ø Grouting Services in 900-1325mm Sewers After Lining a) 150mm-250mm Ø Manhole Removal & Replacement for CIPP Install a) Remove Existing Manhole for CIPP Install a) Remove Existing Manhole for CIPP Install a) Remove Existing Manhole after CIPP Installation i) 750mm-900mm Ø Risers b) Install New Manhole after CIPP Installation i) 900mm Ø Risers, 1800 mm Ø Base ii) 900mm Ø Risers, 2100 mm Ø Base iii) 900mm Ø Risers, 2400 mm Ø Base iv) 900mm Ø Risers, 2400 mm Ø Base v) 900mm Ø Risers, 2400 mm Ø Base ceach 1.0 CW 2130 New Manhole on Existing Sewer SD-010 a)1200mm diameter base (1 manhole) SD-011 a) 1500mm diameter base (2 manholes) b) 2100mm diameter base (1 manhole) Vert. m 13.9	Catchbasin Lead Inspection a) 150mm-250mm Ø Grouting Services in 900-1325mm Sewers After Lining a) 150mm-250mm Ø Manhole Removal & Replacement for CIPP Install a) Remove Existing Manhole for CIPP Installation i) 750mm-900mm Ø Risers b) Install New Manhole after CIPP Installation i) 900mm Ø Risers ii) 900mm Ø Risers, 2100 mm Ø Base iii) 900mm Ø Risers, 2400 mm Ø Base iiv) 900mm Ø Risers, 2400 mm Ø Base iv) 900mm Ø Risers, 2400 mm Ø Base CW 2130 New Manhole on Existing Sewer SD-010 a) 1200mm diameter base (1 manhole) SD-011 a) 1500mm diameter base (2 manholes) b) 2100mm diameter base (1 manhole) Vert. m 13.9 vert. m 5.3

Name of Bidder

(Seal)

Template Version: C020140606- Main C

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

after after ors,
d, or with ince
J)

(Name of Surety)

(Attorney-in-Fact)

Ву:

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 557-2014 2014 SEWER RENEWALS BY CIPP LINING, CONTRACT 11 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)	
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1	
RE: BID SECURITY - BID OPPO	ORTUNITY NO. 557-2014
2014 SEWER RENEWALS	BY CIPP LINING, CONTRACT 11
Pursuant to the request of and for the	ne account of our customer,
(Name of Bidder)	,
(Address of Bidder)	
WE HEREBY ESTABLISH in your fain the aggregate	avour our irrevocable Standby Letter of Credit for a sum not exceeding
	Canadian dollars.
demand for payment made upon us Letter of Credit for the payment of n payment without inquiring whether y	be drawn on by you at any time and from time to time upon written by you. It is understood that we are obligated under this Standby nonies only and we hereby agree that we shall honour your demand for you have a right as between yourself and our customer to make such by claim of our customer or objection by the customer to payment by us.
	of Credit may be reduced from time to time only by amounts drawn uponing given to us by you if you desire such reduction or are willing that it be
Partial drawings are permitted.	
We engage with you that all demandent Letter of Credit will be duly honoure	ds for payment made within the terms and currency of this Standby d if presented to us at:
(Address)	
and we confirm and hereby underta	ike to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on March 9, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		