

- REFERENCE NOTES**
- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - B. BASELINE IS CENTRE LINE RIGHT-OF-WAY
 - C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - D. REFER TO AECOM FIELD BOOK NO. 4807

- CONSTRUCTION NOTES**
1. REMOVE EXISTING ASPHALTIC PAVEMENT AND PLACE NEW ASPHALTIC PAVEMENT TYPE1A (AVG THICKNESS 85mm)
 2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w 85mm ASPHALT OVERLAY
 3. REMOVE EXISTING FRAME AND COVER AND INSTALL NEW FRAME AND COVER (AP-005 AND AP-004)
 4. ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
 5. INSTALL NEW CAST IRON RISER RING
 6. RENEW EXISTING BARRIER CURB (100mm REVEAL HT. DOWELLED)
 7. REMOVE EXISTING CURB AND CONSTRUCT NEW MODIFIED BARRIER CURB (100mm REVEAL HT. DOWELLED)
 8. CONSTRUCT NEW CURB RAMP(10mm HT. MPNOLITHIC)
 9. REMOVE EXISTING PATIO BLOCK BUS PAD AND CONSTRUCT NEW 100mm CONCRETE SIDEWALK
 10. RENEW EXISTING 100mm CONCRETE SIDEWALK
 11. ADJUST EXISTING WATER VALVE TO GRADE
 12. ADJUST EXISTING CURB STOP
 13. REMOVE EXISTING INLET AND INSTALL NEW CURB AND GUTTER INLET c/w CATCHPIT (SD-023) AND CONNECT TO EXISTING LEAD
 14. REMOVE EXISTING INLET AND INSTALL NEW CURB AND GUTTER INLET c/w CATCHPIT (SD-023) AND CONNECT TO EXISTING CATCHBASIN
 15. REMOVE EXISTING CATCHBASIN AND INSTALL NEW CURB AND GUTTER INLET c/w CATCHBASIN (SD-024) AND CONNECT TO EXISTING LEADS



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
	WATERMAIN HYDRANT			HYDRO M.T.S.			C PROFILE	
	VALVE			CONCRETE			NORTH/WEST GUTTER	
	LAND DRAINAGE SEWER			ASPHALT			SOUTH/EAST GUTTER	
	WASTEWATER SEWER			PROPERTY LINE			N/W PROPERTY LINE	
	MANHOLE			SURVEY BAR			S/E PROPERTY LINE	
	CATCH BASIN			ELEVATION				
	CATCH PIT			TREE				
	JUNCTIONS			SIDEWALK RAMP				
	CULVERT			CONCRETE SIDEWALK				
	GAS			FENCE				


LOCATION APPROVED UNDERGROUND STRUCTURES

SUPPLY U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE, BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 1236-C	Tilt in E conc foundation of bungalow with attached garage, #23 Burnaby Bay, 3.2m N of SE corner of building
ELEV. 233.016	
DESIGNED BY BC/SS	CHECKED BY KWR
DRAWN BY PB/RT	APPROVED BY
0 ISSUED FOR TENDER	03/04/14 BC
A ISSUED FOR REVIEW	02/07/14 BC
NO. REVISIONS	DATE BY

AECOM	
DESIGNED BY BC/SS	CHECKED BY KWR
DRAWN BY PB/RT	APPROVED BY
HOR. SCALE: 1:250	RELEASED FOR CONSTRUCTION BY
VERTICAL: 1:10	DATE Mar 4/14
DATE MARCH 2014	DATE



THE CITY OF WINNIPEG
Winnipeg PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2014 LOCAL STREET RENEWAL PROGRAM

KILDARE AVENUE WEST - BREWSTER STREET - DAY STREET REHABILITATION STATION 9+40 TO STATION 1+050

CITY DRAWING NUMBER SHEET 24 OF 27

CONSULTANT DRAWING NO. CT-24