#### FORM A: BID (See B9)

1.	Contract Title	FERRY ROAD – RIVERBI CONTRACT NO. 4	END COMBINED SEWER RE	LIEF
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different fro	om above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if app	licable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	r the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	izes the following contact per the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms use ascribed to them in the Ge	d in the Contract shall hav neral Conditions.	e the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.					
6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.					
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.					
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.					

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

				APPROX.	UNIT						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT					
Α	St. Matthews Avenue - King Edward Street to Madison Street										
A.1	Sewers	CW 2130-R12									
,	450mm C76 - CL IV trenchless installation, Class B Type 3	SP E 8	m	15							
b) i)	1050mm C76 - CL III trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	335							
	750mm C76 - CL IV (Combined Sewer) trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	90							
A.2	Manholes	CW 2130-R12									
a)	SD-010										
i)	2400mm Diam 1800 high base S401		vt.m	4							
ii)	2400mm Diam x 1800 high base S402		vt.m	4							
iii)	2400mm Diam x 1800 high base S404		vt.m	4							
iv)	2400mm Diam x 1800 high base S406		vt.m	4							
v)	1800mm Diam x 1800 high base D401		vt.m	5							
b) i)	Special Manhole on Existing Sewer 1500mm Diam (Saddle Manhole) S410		vt.m	10							
A.3	Remove and Replace Existing Manhole (AP 004 Frame and AP 005 Cover)	CW 2130-R12									
a)	1500mm Diam X 1800 high base D403		vt.m	5							
A.4	Remove and Replace Existing Catch Basin / Catch Pit (AP 008 Frame and AP 009 Cover)	CW 2130-R12 SP E 18									
a)	SD-024 1800mm deep		each	1							
A.5	Catch Basin Lead	CW 2130-R12									

				\ DDD \\	LINIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a) i)	250mm SDR 35 trenchless installation, Class B sand bedding, Class 3 backfill	6. 26. 1(2)	m	10		74.000.11
i)	300mm SDR 35 trenchless installation, Class B sand bedding, Class 3 backfill		m	15		
A.6	Catch Basin Lead Riser	CW 2130-R12				
· '	SD-015 250mm		each	3		
ii)	300mm		each	1		
A.7	Connecting Existing Sewer Service to New Sewer	CW 2130-R12 SP E 18				
a)	250mm		each	1		
A.8	Sewer Service					
a)	250mm		m	10		
A.9	Abandoning Existing Sewers With Cement- Stabilized Flowable Fill	CW 2130-R12				
a)	750mm		m³	40		
A.10	Abandoning Existing Manhole	CW 2130-R12	each	1		
A.11	Abandoning Existing Catch Basin Lead Under Pavement	CW 2130-R12	each	1		
	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130-R12	each	1		
A.13	Sewer Inspection	CW 2145-R3				
a)	300mm c/b lead		m	15		
b)	450mm		m	15		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
c)	750mm		m	90		
d)	1050mm		m	335		
A.14	Concrete Pipe - Three Edge Bearing Test	CW 2130-R12				
a)	450mm C76-IV		each	1		
b)	750mm C76-IV		each	1		
c)	1050mm C76-III		each	1		
A.15	250mm Watermain Relocation c/w vert. bends, joint harness, connections and Class 3 Backfill	CW 2110-R11	each	2		
Α	St. Matthews Avenue - King Edward Stre	SUBT	TOTAL			

В	Queen Street				
B.1	Sewers	CW 2130-R12			
· ′	600mm C76 - CL IV trenchless installation, Class B Type 3 bedding, Class 3 backfill	SP E 8	m	40	
B.2	Manholes	CW 2130-R12			
,	SD-010 1200mm Diam S409		vt.m	4	
B.3	Remove and Replace Existing Catch Basin / Catch Pit (AP 008 Frame and AP 009 Cover)	CW 2130-R12 SP E 18			
a)	SD-024 1800mm deep		each	1	
B.4	Abandoning Existing Catchbasin	CW 2130-R12	each	1	
B.5	Catch Basin Lead	CW 2130-R12			
a)	250mm SDR 35				

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
i)	trenchless installation, Class B sand		m	15		
	bedding, Class 3 backfill					
B.6	Connecting to Existing Catchbasin	CW 2130-R12				
a)	250mm	SP E 18	each	1		
B.7	Abandoning Existing Catch Basin Lead Under Pavement	CW 2130-R12	each	2		
B.8	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130-R12	each	1		
B.9	Sewer Inspection	CW 2145-R3				
a)	600mm		m	40		
B.10	Concrete Pipe - Three Edge Bearing Test	CW 2130-R12				
a)	600mm C76-IV		each	1		
В	Queen Street			SUBT	OTAL	

С	Kensington Street					
C.1	Sewers	CW 2130-R12				
	750mm C76 - CL IV trenchless installation, Class B Type 3 bedding, Class 3 backfill	SP E 8	m	35		
C.2	Sewer Inspection	CW 2145-R3				
a)	750mm		m	35		
С	Kensington Street			SUB	ΓΟΤΑL	

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT

D	<u>Madison Street</u>			
D.1	Sewers	CW 2130-R12		
a) i)	450mm C76 - CL IV In a trench, Class B sand bedding, Class 3 backfill	SP E 8		
	a) 3 - 4 m Deep		m	5
b) i)	450mm C76 - CL IV (Combined Sewer) trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	45
c) i)	750mm C76 - CL IV (Combined Sewer) In a trench, Class B Type 3 bedding, Class 3 backfill			
	a) 4 - 5 m Deep		m	20
d) i)	750mm C76 - CL IV trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	35
D.2	Manholes	CW 2130-R12		
a) i)	SD-010 1200mm Diam S408		vt.m	4
D.3	New Manhole on Existing Sewer	CW 2130-R12		
a)	1500mm Diam x 1800 high base D402		vt.m	5
D.4	Remove and Replace Existing Catch Basin / Catch Pit (AP 008 Frame and AP 009 Cover)	CW 2130-R12 SP E 18		
a)	SD-024 1800mm deep		each	1
D.5	Remove and Replace Existing Catch Basin / Catch Pit (AP 004 Frame and AP 006 Cover)	CW 2130-R12 SP E 18		
a)	SD-025 1800mm deep		each	1

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
D.6	Removal of Existing Manholes	CW 2130-R12	each	1		
D.7	Abandon Existing Catch Basin / Catch Pit	CW 2130-R12	each	1		
D.8	Catch Basin Lead	CW 2130-R12				
,	250mm SDR 35 trenchless installation, Class B sand bedding, Class 3 backfill		m	15		
D.9	Connecting to Existing Sewer	CW 2130-R12				
a)	450mm		each	1		
D.10	Abandoning Existing Catch Basin Lead Under Pavement	CW 2130-R12	each	2		
D.11	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130-R12	each	1		
D.12	Sewer Inspection	CW 2145-R3				
a)	450mm		m	50		
b)	750mm		m	20		
D.13	Misc. Sewer Inspection (Existing Sewers)	CW 2130-R12 SP E 17				
a)	750mm CS (Post Construction)		m	115		
D	Madison Street	•		SUBT	TOTAL	

Е	King Edward Street East				
E.1	Sewers	CW 2130-R12			
i)	375mm PVC SDR35 trenchless installation, Class B Type 3 bedding, Class 3 backfill	SP E 8	m	10	

				APPROX.	UNIT	1
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
	600mm C76 - CL IV					
i)	trenchless installation, Class B Type 3		m	70		
	bedding, Class 5 backfill					
- N	750mm C76 - CL IV				' 	
· ′	trenchless installation, Class B Type 3		m	25		
	bedding, Class 3 backfill		'''	20		
	-					
E.2	Manholes	CW 2130-R12				
a)	SD-010					
,	1500mm Diam x 1800 high base S421		vt.m	5	' 	
'				_		
ii)	1500mm Diam x 1800 high base S422		vt.m	4		
:::\	1500mm Diam x 1800 high base S423		vt.m	4		
"")	1000 High base 3423		vt.111	+		
b)	Special Manhole On Existing Sewer					
i)	1500mm Diam (Saddle Manhole) S420		vt.m	10	' 	
	Remove and Replace Fulction C. 1.1	CW 0400 D40				
E.3	Remove and Replace Existing Catch Basin / Catch Pit (AP 008 Frame and AP	CW 2130-R12 SP E 18			' 	
	009 Cover)				' 	
	CD 004 4000 4		65.1	_		
a)	SD-024 1800mm deep		each	2		
E.4	Catch Basin	CW 2130-R12				
a)	SD-024 1800mm deep		each	1		
E.5	Abandoning Existing Sewers With Cement-	CW 2130-P12				
	Stabilized Flowable Fill	217 210U1NIZ				
					' 	
a)	375mm		m³	3		
E.6	Abandon Existing Catch Basin / Catch Pit	CW 2130-R12	each	1	'	
0	A Danison Existing Caton Dasim/ Caton Pil	OVV 410U-N14	CaUII	'		
E.7	Catch Basin Lead	CW 2130-R12				
2)	250mm SDP 25					
,	250mm SDR 35 trenchless installation, Class B sand		m	75	' 	
'	bedding, Class 3 backfill		'''	, 5		
	l				'	
		· ·				-

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.8	Connect to Existing Catch Basin	CW 2130-R12				
a)	250mm	SP E 18	each	2		
E.9	Abandoning Existing Catch Basin Lead Under Pavement	CW 2130-R12	each	3		
E.10	Sewer Inspection	CW 2145-R3				
a)	250mm c/b lead		m	35		
b)	375mm		m	10		
c)	600mm		m	70		
d)	750mm		m	25		
E	King Edward East	·		SUBT	OTAL	

F	Century Street Near Split				
F.1	Sewers	CW 2130-R12			
a) i)	900mm C76 - CL IV trenchless installation, Compacted sand bedding, Class 5 backfill	SP E 8	m	10	
F.2	Manholes	CW 2130-R12			
a) i)	Special Manhole on Existing Sewer 1500mm Diam (Saddle Manhole) S430		vt.m	11	
F.3	Catch Basin	CW 2130-R12			
a)	SD-025 1800mm deep (AP 005 Cover)		each	3	
b)	SD-025 1800mm deep (AP 006 Cover)		each	1	
F.4	Catch Basin Lead	CW 2130-R12			
a)	250mm SDR 35				

ITEM	DESCRIPTION	SPEC. REF.	LINIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	trenchless installation, Class B sand bedding, Class 5 backfill	SFLO. KLI	m	100	TRIOL	AMOUNT
F.5	Connect to Existing Manhole	CW 2130-R12				
a)	250mm	SP E 18	each	1		
F.6	Connect to Existing Catch Pit	CW 2130-R12				
a)	250mm	SP E 18	each	3		
F.7	Abandoning Existing Catch Basin Lead Under Pavement	CW 2130-R12	each	2		
F.8	Sewer Inspection	CW 2145-R3				
a)	250mm c/b lead		m	85		
b)	900mm		m	10		
F.9	Ditch Grading	CW 3110 R18	m²	50		
F	Century Street			SUBT	TOTAL	

G	Provisional Items					
G.1	Exploration of Existing Services	SP E 15	hour	12		
G.2	Trenchless Obstructions	SP E 11	Allow ance	1	\$50,000.00	\$50,000.00
G.3	Dewatering Brooklyn-Rosser Land Drainage Trunk Sewer	SP E 7	Lump Sum	1		
G.4	Replacing Existing Risers	CW 2130-R12				
a)	900mm Diam on New C/B		vt.m	2		
b)	900mm Diam on Existing C/B		vt.m	2		
c)	1200mm Diam on Existing Manholes		vt.m	2		

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
G.5	Remove and Replace Existing Catch Basin / Catch Pit (AP 008 Frame and AP 009 Cover)	CW 2130-R12 SP E 18				
a)	SD-023		each	5		
G.6	Connecting Existing Sewer Service To New Sewer	CW 2130-R12 SP E 18				
a)	Catch Basin Lead		each	5		
G.7	Abandoning Existing Sewers With Cement Stabilized Flowable Fill	CW 2130-R12				
a)	300mm and larger		m³	10		
G.8	Regrading of Existing Sewer Service	CW 2110-R11				
a) i)	100 or 150 mm Up to 1.5 m long	SP E 14	each	5		
ii)	Longer than 1.5 m		m	45		
G.9	Misc. Sewer Inspection (Existing Sewers)	CW 2130-R12 SP E 17				
a)	250mm		m	20		
G.10	Drainage Inlet Cleaning and Inspection	CW 2140-R3 SP E 16	each	5		
G.11	Water Service Replacement	CW 2110-R11				
a) i)	19mm trenchless installation, Class B sand bedding, Class 3 backfill	SP E 14	m	20		
b) i)	25mm trenchless installation, Class B sand bedding, Class 3 backfill		m	20		
c) i)	38mm trenchless installation, Class B sand bedding, Class 3 backfill		m	20		
d) i)	50mm trenchless installation, Class B sand bedding, Class 3 backfill		m	20		

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
G.12	Corporation Stops	CW 2110-R11				
a)	19mm	SP E 14	each	3		
b)	25mm		each	3		
c)	38mm Saddle		each	1		
d)	50mm Saddle		each	1		
G.13	Curb Stops	CW 2110-R11				
a)	19mm	SP E 14	each	3		
b)	25mm		each	3		
c)	38mm		each	1		
d)	50mm		each	1		
G.14	Curb Stop Boxes	CW 2110-R11				
a)	19mm	SP E 14	each	3		
b)	25mm		each	3		
c)	38mm		each	1		
d)	50mm		each	1		
G.15	10.9 Kilogram Zinc Anodes	CW 2110-R11				
a)	On water service	SP E 14	each	10		
G.16	Watermain and Water Service Insulation	CW 2110-R11 SP E 20	m²	15		
G.17	Manhole Lifter Rings (AP-007)	CW 3210-R7				
a)	38mm		each	3		
b)	51mm		each	3		
G.18	Replacing Standard Frames and Covers	CW 2130-R12				
a)	AP-004 Frame	SP E 19	each	2		

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
b)	AP-005 Solid Cover		each	2		
G.19	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	5		
G.20	Replacing Existing Catch Basin Hoods	CW 2130-R12	each	2		
G.21	Patching Existing Manhole or Catch Basin	CW 2130-R12	each	2		
G.22	Foundation, Bedding and Backfill	CW 2030-R7				
a)	Cement Stabilzed Backfill Material		m³	50		
G.23	150mm Sacrifical Concrete Pavement	SP E 12	m²	40		
G.24	Partial Slab Patches	CW 3230-R7				
a)	150mm Reinforced Concrete Pavement		m²	50		
b)	200mm Reinforced Concrete Pavement		m²	25		
G.25	Concrete Curb Installation	CW 3240-R10				
a)	Barrier Curb (SD-204)		m	20		
b)	Ramp Curb (SD-229B)		m	10		
G.26	Detectable Warning Surface Tiles	CW 3326				
a)	610mm x 1210mm tile		each	2		
G.27	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
a)	100mm Sidewalk (SD-228A)		m²	25		
G.28	Asphalt Planing 0-50mm depth	CW 3410-R9	m²	100		
G.29	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
a)	Main Line Paving Type 1A		tonne	25		
G.30	Construction of Asphalt Patches	CW 3410-R9	m²	100		
G.31	Supplying and Placing Base Course Material	CW 3110-R17				
a)	Limestone		m³	25		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.32	Regrading Existing	CW 3330-R5				
a)	Interlocking Paving Stone Installations		m²	10		
b)	Sidewalk Blocks		m²	10		
G.33	Sodding	CW 3510-R9	m²	100		
F	Provisional Items			SUBT	TOTAL	

Summary	
Part A St. Matthews Avenue - King Edward Street to Madison Street Part B Queen Street Part C Kensington Street Part D Madison Street	
Part E King Edward Street East	
Part F Century Street Near Split	
Part G Provisional Items	-
TOTAL BID PRICE (GST extra) (in figures)	
TOTAL BID PRICE (GST extra) (III rigures)	

(Seal)

Template Version: C120140606- C BCivil

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

#### **BID BOND**

(hereinafter called the "Principal") and
(hereinafter called the "Surety"), are held and firmly bound unto <b>THE CITY OF WINNIPEG</b> (hereinafte called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafte described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors administrators, successors and assigns, jointly and severally, firmly by these presents.
WHEREAS the Principal has submitted a Bid to the Obligee for
BID OPPORTUNITY NO. 961-2014
FERRY ROAD – RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 4
as more fully set out in the Bid Opportunity.
NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, o if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.
IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the
day of , 20
SIGNED AND SEALED in the presence of:  (Name of Principal)  Per: (Seal)
Per:

(Name of Surety)

(Attorney-in-Fact)

Ву:

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 961-2014 FERRY ROAD - RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 4 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_, 20\_\_\_\_\_. (Name of Surety)

(Attorney-in-Fact)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)	
Corpo Mater 185 K	city of Winnipeg prate Finance Department ials Management Division ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 961-2014
	FERRY ROAD – RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 4
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
WE H	es of Bidder)  EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter paym	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be .
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	os)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on January 3, 2015.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	e of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)