

REFERENCE NOTES

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. BASELINE IS CENTRE LINE RIGHT-OF-WAY
- C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- D. REFER TO AECOM FIELD BOOK NO. 4850

CONSTRUCTION NOTES

- 1. PLACE NEW TYPE 1A ASPHALTIC PAVEMENT (85mm AVG)
- 2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
- 3. CONSTRUCT BARRIER CURB (100mm REVEAL HT, SEPARATE)
- 4. CONSTRUCT BARRIER CURB (100mm REVEAL HT, DOWELED)
- 5. REMOVE EXISTING MOUNTABLE CURB
- 6. CONSTRUCT NEW RAMP CURB (10mm REVEAL HT, INTEGRAL)
- 7. CONSTRUCT NEW MODIFIED BARRIER CURB (150mm REVEAL HT, DOWELED)
- 8. INSTALL NEW CURB AND GUTTER INLET c/w CATCH PIT (SD-023) AND CONNECT TO EXISTING CATCH BASIN
- 9. INSTALL NEW CURB AND GUTTER INLET c/w CATCHBASIN (SD-024) AND CONNECT TO EXISTING LEAD
- 10. RENEW EXISTING 100mm CONCRETE SIDEWALK
- 11. INSTALL NEW DETECTABLE WARNING SURFACE TILE
- 12. ADJUST EXISTING WATER VALVE TO GRADE
- 13. ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
- 14. REMOVE EXISTING FRAME AND COVER AND PLACE NEW FRAME AND COVER (AP-004/AP-005)
- 15. INSTALL NEW CAST IRON RISER RING
- 16. CONSTRUCT NEW MOUNTABLE CURB (INTEGRAL)



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
	WATERMAIN HYDRANT			HYDRO M.T.S.			NORTH/WEST GUTTER	
	VALVE			CONCRETE			SOUTH/EAST GUTTER	
	LAND DRAINAGE SEWER			ASPHALT			N/W PROPERTY LINE	
	WASTEWATER SEWER			PROPERTY LINE			S/E PROPERTY LINE	
	MANHOLE			SURVEY BAR				
	CATCH BASIN			ELEVATION				
	CATCH PIT			TREE				
	JUNCTIONS			SIDEWALK RAMP				
	CULVERT			CONCRETE SIDEWALK				
	GAS			FENCE				

LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE, BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 14 - 25	S. side Athlone Dr. @ Prairie View Rd., Tbl. in N. Conc. foundation of Athlone School, 43.5m E. & 0.2 m below brick of N.W. Cor. of school.	ELEV. 240.636
0	ISSUED FOR TENDER	04/21/2015 BC
A	ISSUED FOR REVIEW	04/14/2015 BC
NO.	REVISIONS	DATE BY

AECOM


DESIGNED BY: BC/SS CHECKED BY: KWR

DRAWN BY: PB/RT APPROVED BY: *[Signature]*

HOR. SCALE: 1:250
VERTICAL: 1:10

RELEASED FOR CONSTRUCTION BY: *[Signature]*

DATE: APRIL 21, 2015



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2015 LOCAL STREET RENEWAL PROGRAM

PRAIRIE VIEW ROAD - ATHLONE DRIVE TO NESS AVENUE
PAVEMENT REHABILITATION
ATHLON DRIVE TO NESS AVENUE

CITY DRAWING NUMBER: SHEET 15 OF 20

CONSULTANT DRAWING NO. CT-15