

FORM A: BID
(See B8)

1. Contract Title 2015 Multi-Use Pathway New Construction and Associated Works – Chancellor Matheson Road; 2015 Multi-Use Pathway Resurfacing and Associated Works – Dunkirk Drive

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

(Mailing address if different)

Email Address of Bidder

Facsimile Number

Street or P.O. Box

(Choose one)

City

Province

Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>DUNKIRK DRIVE - MULTI-USE PATHWAY</u>					
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	225		
A.2	Grading of Boulevards	CW 3110-R19	m ²	1400		
A.3	Ditch Grading	CW 3110-R19	m ²	1200		
	ROADWORKS - RENEWALS					
A.4	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m ²	3310		
A.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	10		
b)	Greater than 20 sq.m.		m ²	175		
	ROADWORKS - NEW CONSTRUCTION					
A.6	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	800		
	JOINT AND CRACK SEALING					
A.7	Reflective Crack Maintenance	CW 3250-R7	m	150		
	LANDSCAPING					
A.8	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	1400		
	MISCELLANEOUS					
A.9	Pavement Repair Fabric	E.7	m ²	3160		
A	<u>DUNKIRK DRIVE - MULTI-USE PATHWAY</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>CHANCELLOR MATHESON ROAD - NORTH ROADWAY SHOULDER AND BUS PAD</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m ³	505		
B.2	Sub-Grade Compaction	CW 3110-R19	m ²	750		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	100 mm		tonne	565		
B.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	125		
B.5	Grading of Boulevards	CW 3110-R19	m ²	325		
B.6	Separation Geotextile Fabric	CW 3130-R4	m ²	750		
B.7	Imported Fill Material	CW 3110-R19	m ³	300		
	ROADWORKS - RENEWALS					
B.8	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m ²	690		
B.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	270		
B.10	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m ²	530		
	ROADWORKS - NEW CONSTRUCTION					
B.11	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	675		
ii)	Construction of Monolithic Barrier Curb and Sidewalk	SD-228B	m ²	1135		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	20		
B.12	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	120		
ii)	Tie-ins and Approaches					

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Type IA		tonne	10		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.13	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2		
B.14	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
B.15	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
B.16	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		
B.17	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
B.18	Drainage Connection Pipe	CW 2130-R12	m	65		
B.19	Installation of Subdrains	CW 3120-R4	m	24		
	ADJUSTMENTS					
B.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
B.21	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2		
	LANDSCAPING					
B.22	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	325		
	MISCELLANEOUS					
B.23	Tree removal	E10	each	12		
B.24	Grouted rip-rap removal	E11	m ²	8		
B	<u>CHANCELLOR MATHESON ROAD - NORTH ROADWAY SHOULDER AND BUS PAD</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>CHANCELLOR MATHESON ROAD - 3.5 m WIDE ASPHALT MULTI-USE PATHWAY</u>					
	EARTH AND BASE WORKS					
	C.1	Excavation	CW 3110-R19	m ³	600	
	C.2	Crushed Sub-base Material	CW 3110-R19			
	i)	50 mm		tonne	925	
	C.3	Supplying and Placing Base Course Material	CW 3110-R19	m ³	205	
	C.4	Grading of Boulevards	CW 3110-R19	m ²	2030	
	C.5	Imported Fill Material	CW 3110-R19	m ³	290	
	C.6	Separation Geotextile Fabric	CW 3130-R4	m ²	2530	
	ROADWORKS - RENEWALS					
	C.7	Pavement Removal	CW 3110-R19			
	i)	Asphalt Pavement		m ²	45	
	C.8	Drilled Tie Bars	CW 3230-R8			
i)	20 M Deformed Tie Bar		each	70		
C.9	Concrete Curb Removal	CW 3240-R10				
i)	Barrier 180mm		m	10		
ii)	Curb Ramp		m	5		
iii)	Splash Strip 180mm(Monolithic)		m	25		
C.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	15		
C.11	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	80		
C.12	Detectable Warning Surface Tiles	CW 3326-R2	each	18		
ROADWORKS - NEW CONSTRUCTION						
C.13	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	30		
ii)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	25		
ii)	Construction of Splash Strip (180 mm ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	25		
C.15	100 mm Concrete Sidewalk	CW 3325-R5	m ²	290		
C.16	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	400		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	25		
	JOINT AND CRACK SEALING					
C.17	Reflective Crack Maintenance	CW 3250-R7	m	150		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.18	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(375 mm, 16 gauge)		m	50		
C.19	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(375 mm, 16 gauge)		m	50		
	LANDSCAPING					
C.20	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	2030		
	MISCELLANEOUS					
C.21	Chain Link Fence	CW 3550-R3				
i)	1.50m Height	E9	m	10		
C.22	Tree removal	CW 3010-R4	each	13		
C.23	Grouted rip-rap installation	CW 3615-R4	m ²	20		
C.24	Grouted rip-rap removal	E11	m ²	20		
C	<u>CHANCELLOR MATHESON ROAD - 3.5 m WIDE ASPHALT MULTI-USE PATHWAY</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>CHANCELLOR MATHESON ROAD - SOUTH SIDE ROADWAY SHOULDER</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m ³	500		
D.2	Sub-Grade Compaction	CW 3110-R19	m ²	935		
D.3	Crushed Sub-base Material	CW 3110-R19				
i)	100 mm		tonne	660		
D.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	75		
D.5	Grading of Boulevards	CW 3110-R19	m ²	160		
D.6	Separation Geotextile Fabric	CW 3130-R4	m ²	935		
	ROADWORKS - RENEWALS					
D.7	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m ²	810		
D.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	285		
D.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	10		
D.10	Concrete Curb Removal	CW 3240-R10				
i)	Barrier 180mm Integral		m	10		
ii)	Modified Barrier (Integral)		m	15		
iii)	Curb Ramp		m	10		
iv)	Splash Strip (Monolithic)		m	10		
D.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
D.12	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	80		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.13	Detectable Warning Surface Tiles	CW 3326-R2	each	6		
ROADWORKS - NEW CONSTRUCTION						
D.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m ²	850		
D.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	25		
ii)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	15		
D.16	100 mm Concrete Sidewalk	CW 3325-R5	m ²	35		
D.17	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	105		
ADJUSTMENTS						
D.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
LANDSCAPING						
D.19	Salt Tolerant Grass Seeding	E8	m ²	160		
D	<u>CHANCELLOR MATHESON ROAD - SOUTH SIDE ROADWAY SHOULDER</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>DUNKIRK DRIVE - MULTI-USE PATHWAY</u>				Subtotal:	
B	<u>CHANCELLOR MATHESON ROAD - NORTH ROADWAY SHOULDER AND BUS PAD</u>				Subtotal:	
C	<u>CHANCELLOR MATHESON ROAD - 3.5 m WIDE ASPHALT MULTI-USE PATHWAY</u>				Subtotal:	
D	<u>CHANCELLOR MATHESON ROAD - SOUTH SIDE ROADWAY SHOULDER</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 335-2015

**2015 Multi-Use Pathway New Construction and Associated Works – Chancellor Matheson Road;
2015 Multi-Use Pathway Resurfacing and Associated Works – Dunkirk Drive**

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 335-2015

**2015 Multi-Use Pathway New Construction and Associated Works – Chancellor Matheson Road;
2015 Multi-Use Pathway Resurfacing and Associated Works – Dunkirk Drive**

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B12)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 335-2015

**2015 MULTI-USE PATHWAY NEW CONSTRUCTION AND Associated Works – Chancellor
Matheson Road; 2015 Multi-Use Pathway Resurfacing and Associated Works – Dunkirk Drive**

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 20, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)