

**FORM A: BID**  
(See B8)

1. Contract Title 2015 LOCAL STREETS PACKAGE – BERRY STREET AND SCURFIELD BOULEVARD

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Mailing address if different)

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Street or P.O. Box

(Choose one)

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- In accordance with B11.1, the Bidder encloses bid security in the form of:
- (Choose one)
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No.   | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM          | DESCRIPTION  | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---------------|--|-------------|----------------|------------------|------------|--------|
| <b>PART 1</b> |  |             |                |                  |            |        |
| <b>A</b>      | <b><u>BERRY STREET - SARGENT AVENUE TO WELLINGTON AVENUE - CONCRETE RECONSTRUCTION</u></b> |             |                |                  |            |        |
|               | <b>EARTH AND BASE WORKS</b>  |             |                |                  |            |        |
| A.1           | Excavation   | CW 3110-R19 | m <sup>3</sup> | 5500             |            |        |
| A.2           | Sub-Grade Compaction   | CW 3110-R19 | m <sup>2</sup> | 6000             |            |        |
| A.3           | Placing Suitable Site Sub-base Material  | CW 3110-R19 | m <sup>3</sup> | 50               |            |        |
| A.4           | Crushed Sub-base Material  | CW 3110-R19 |                |                  |            |        |
| i)            | 50 mm  |             | tonne          | 2300             |            |        |
| ii)           | 100 mm   |             | tonne          | 4400             |            |        |
| A.5           | Supplying and Placing Base Course Material   | CW 3110-R19 | m <sup>3</sup> | 550              |            |        |
| A.6           | Grading of Boulevards  | CW 3110-R19 | m <sup>2</sup> | 2500             |            |        |
| A.7           | Separation Geotextile Fabric   | CW 3130-R4  | m <sup>2</sup> | 6000             |            |        |
| A.8           | Supply and Install Geogrid   | CW 3135-R1  | m <sup>2</sup> | 1600             |            |        |
|               | <b>ROADWORKS - RENEWALS</b>  |             |                |                  |            |        |
| A.9           | Pavement Removal   | CW 3110-R19 |                |                  |            |        |
| i)            | Concrete Pavement  |             | m <sup>2</sup> | 5060             |            |        |
| ii)           | Temporary Asphalt Pavement   |             | m <sup>2</sup> | 600              |            |        |
| A.10          | Drilled Tie Bars   | CW 3230-R8  |                |                  |            |        |
| i)            | 15 M Deformed Tie Bar  |             | each           | 100              |            |        |
| ii)           | 20 M Deformed Tie Bar  |             | each           | 80               |            |        |
| A.11          | Miscellaneous Concrete Slab Renewal  | CW 3235-R9  |                |                  |            |        |
| i)            | 100 mm Sidewalk  | SD-228A     |                |                  |            |        |
| a)            | Less than 5 sq.m.  |             | m <sup>2</sup> | 5                |            |        |
| b)            | 5 sq.m. to 20 sq.m.  |             | m <sup>2</sup> | 110              |            |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM                                | DESCRIPTION  | SPEC. REF.      | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------------|--|-----------------|----------------|------------------|------------|--------|
|                                     | c) Greater than 20 sq.m.   |                 | m <sup>2</sup> | 760              |            |        |
| A.12                                | Concrete Curb Renewal  | CW 3240-R10     |                |                  |            |        |
|                                     | i) Modified Barrier (150 mm reveal ht, Dowelled)                                       | SD-203B         | m              | 5                |            |        |
|                                     | ii) Curb Ramp (8-12 mm reveal ht, Monolithic)  | SD-229C,D       | m              | 30               |            |        |
| A.13                                | Construction of Asphaltic Concrete Overlay   | CW 3410-R10     |                |                  |            |        |
|                                     | i) Tie-ins and Approaches  |                 |                |                  |            |        |
|                                     | a) Type IA   |                 | tonne          | 40               |            |        |
|                                     | ii) Temporary Asphalt Pavement   |                 |                |                  |            |        |
|                                     | a) Type IA   |                 | tonne          | 100              |            |        |
| A.14                                | Planing of Pavement  | CW 3450-R5      |                |                  |            |        |
|                                     | i) 0 - 50 mm Depth (Asphalt)   |                 | m <sup>2</sup> | 350              |            |        |
| A.15                                | Detectable Warning Surface Tiles   | CW 3326-R2      | each           | 16               |            |        |
| A.16                                | Detectable Bar Tiles   | CW 3326-R2, E12 |                |                  |            |        |
|                                     | i) 305mm x 610mm Directional Tile  |                 | each           | 35               |            |        |
| <b>ROADWORKS - NEW CONSTRUCTION</b> |  |                 |                |                  |            |        |
| A.17                                | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians                       | CW 3310-R16     |                |                  |            |        |
|                                     | i) Construction of 230 mm Concrete Pavement (Plain-Dowelled)                           |                 | m <sup>2</sup> | 4250             |            |        |
|                                     | ii) Construction of 200 mm Concrete Pavement (Reinforced)                              |                 | m <sup>2</sup> | 730              |            |        |
|                                     | iii) Construction of Monolithic Concrete Bull-noses                                    | SD-227C         | m <sup>2</sup> | 5                |            |        |
| A.18                                | Concrete Pavements for Early Opening   | CW 3310-R16     |                |                  |            |        |
|                                     | i) Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled) |                 | m <sup>2</sup> | 250              |            |        |
|                                     | ii) Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)    |                 | m <sup>2</sup> | 120              |            |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM   | DESCRIPTION  | SPEC. REF.       | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|--|------------------|----------------|------------------|------------|--------|
| A.19   | Concrete Curbs, Curb and Gutter, and Splash Strips     | CW 3310-R16      |                |                  |            |        |
| i)   | Construction of Barrier (150 mm ht, Integral)          | SD-204           | m              | 180              |            |        |
| ii)  | Construction of Modified Barrier (180 mm ht, Integral) | SD-203B          | m              | 610              |            |        |
| iii)   | Construction of Curb Ramp (8-12 mm ht, Integral)       | SD-229C          | m              | 110              |            |        |
| A.20   | Supply and Installation of Dowel Assemblies            | CW 3310-R16      | m              | 1000             |            |        |
| A.21   | 100 mm Concrete Sidewalk                               | CW 3325-R5       | m <sup>2</sup> | 450              |            |        |
| A.22   | Interlocking Paving Stones                             | CW 3335-R1, E11  |                |                  |            |        |
| i)   | Holland Stone - Blue                                   |                  | m <sup>2</sup> | 5                |            |        |
| ii)  | Holland Stone - Charcoal                               |                  | m <sup>2</sup> | 65               |            |        |
| A.23   | Lean Concrete Base                                     | CW 3335-R1       | m <sup>2</sup> | 65               |            |        |
| A.24   | Construction of Asphalt Patches                        | CW 3410-R10      | m <sup>2</sup> | 250              |            |        |
| <b>JOINT AND CRACK SEALING</b>                   |  |                  |                |                  |            |        |
| A.25   | Reflective Crack Maintenance                           | CW 3250-R7       | m              | 200              |            |        |
| <b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b> |  |                  |                |                  |            |        |
| A.26   | Catch Basin  | CW 2130-R12, E14 |                |                  |            |        |
| i)   | SD-024, 1800 mm deep                                   |                  | each           | 3                |            |        |
| ii)  | SD-024, 1200 mm deep                                   |                  | each           | 1                |            |        |
| iii)   | SD-025, 1800 mm deep                                   |                  | each           | 5                |            |        |
| A.27   | Catch Pit  | CW 2130-R12, E14 |                |                  |            |        |
| i)   | SD-023   |                  | each           | 4                |            |        |
| A.28   | Sewer Service  | CW 2130-R12      |                |                  |            |        |
| i)   | 250 mm   |                  |                |                  |            |        |
| a)   | In a Trench, Class 2 Type B Bedding, Class 2 Backfill  |                  | m              | 12               |            |        |
| b)   | Trenchless Installation                                |                  | m              | 35               |            |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM               | DESCRIPTION  | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------|--|-------------|----------------|------------------|------------|--------|
| A.29               | Drainage Connection Pipe   | CW 2130-R12 | m              | 10               |            |        |
| A.30               | Connecting to Existing Sewer   | CW 2130-R12 |                |                  |            |        |
| i)                 | 250 mm Connecting Pipe   |             |                |                  |            |        |
| a)                 | Connecting to 450 mm Concrete Combined Sewer   |             | each           | 2                |            |        |
| b)                 | Connecting to 600 mm Concrete Combined Sewer   |             | each           | 2                |            |        |
| c)                 | Connecting to 750 mm Concrete Combined Sewer   |             | each           | 4                |            |        |
| A.31               | Removal of Existing Catch Basins   | CW 2130-R12 | each           | 5                |            |        |
| A.32               | Abandoning Existing Sewer Service Under Pavement   | CW 2130-R12 |                |                  |            |        |
| i)                 | Existing Catchbasin Leads (250 mm or smaller)  |             | each           | 4                |            |        |
| A.33               | Installation of Subdrains  | CW 3120-R4  | m              | 120              |            |        |
| A.34               | Backfill Material  | CW 2130-R12 |                |                  |            |        |
| i)                 | Sand   |             | m <sup>3</sup> | 5                |            |        |
| <b>ADJUSTMENTS</b> |  |             |                |                  |            |        |
| A.35               | Adjustment of Catch Basins / Manholes Frames   | CW 3210-R7  | each           | 2                |            |        |
| A.36               | Adjustment of Valve Boxes  | CW 3210-R7  | each           | 3                |            |        |
| A.37               | Valve Box Extensions   | CW 3210-R7  | each           | 2                |            |        |
| <b>LANDSCAPING</b> |  |             |                |                  |            |        |
| A.38               | Sodding  | CW 3510-R9  |                |                  |            |        |
| i)                 | width < 600 mm   |             | m <sup>2</sup> | 150              |            |        |
| ii)                | width > or = 600 mm  |             | m <sup>2</sup> | 2300             |            |        |
| A.39               | Line Painting  | E10         | l.s.           | 1                |            |        |
| A.40               | Salvage and Reshape Planter  | E13         | l.s.           | 1                |            |        |
| <b>A</b>           | <b><u>BERRY STREET - SARGENT AVENUE TO WELLINGTON AVENUE - CONCRETE RECONSTRUCTION</u></b> |             |                |                  | Subtotal:  |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION   | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|-------------|----------------|------------------|------------|--------|
| <b>B</b> | <b><u>SCURFIELD BOULEVARD - DOVERCOURT DRIVE TO WAVERLEY STREET - CONCRETE RECONSTRUCTION</u></b> |             |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>   |             |                |                  |            |        |
| B.1      | Excavation  | CW 3110-R19 | m <sup>3</sup> | 12500            |            |        |
| B.2      | Sub-Grade Compaction  | CW 3110-R19 | m <sup>2</sup> | 16600            |            |        |
| B.3      | Crushed Sub-base Material   | CW 3110-R19 |                |                  |            |        |
| i)       | 50 mm   |             | tonne          | 6300             |            |        |
| ii)      | 100 mm  |             | tonne          | 10400            |            |        |
| B.4      | Supplying and Placing Base Course Material  | CW 3110-R19 | m <sup>3</sup> | 1300             |            |        |
| B.5      | Grading of Boulevards   | CW 3110-R19 | m <sup>2</sup> | 7500             |            |        |
| B.6      | Separation Geotextile Fabric  | CW 3130-R4  | m <sup>2</sup> | 16600            |            |        |
|          | <b>ROADWORKS - RENEWALS</b>   |             |                |                  |            |        |
| B.7      | Pavement Removal  | CW 3110-R19 |                |                  |            |        |
| i)       | Concrete Pavement   |             | m <sup>2</sup> | 14800            |            |        |
| ii)      | Temporary Asphalt Pavement  |             | m <sup>2</sup> | 1400             |            |        |
| B.8      | Drilled Dowels  | CW 3230-R8  |                |                  |            |        |
| i)       | 28.6 mm Diameter  |             | each           | 150              |            |        |
| B.9      | Drilled Tie Bars  | CW 3230-R8  |                |                  |            |        |
| i)       | 15 M Deformed Tie Bar   |             | each           | 230              |            |        |
| ii)      | 20 M Deformed Tie Bar   |             | each           | 30               |            |        |
| B.10     | Miscellaneous Concrete Slab Removal   | CW 3235-R9  |                |                  |            |        |
| i)       | Median Slab   |             | m <sup>2</sup> | 20               |            |        |
| ii)      | Monolithic Median Slab  |             | m <sup>2</sup> | 20               |            |        |



**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM                                | DESCRIPTION  | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------------|--|-------------|----------------|------------------|------------|--------|
| B.11                                | Miscellaneous Concrete Slab Renewal                              | CW 3235-R9  |                |                  |            |        |
| i)                                  | 100 mm Sidewalk  | SD-228A     |                |                  |            |        |
| a)                                  | Less than 5 sq.m.  |             | m <sup>2</sup> | 60               |            |        |
| b)                                  | 5 sq.m. to 20 sq.m.  |             | m <sup>2</sup> | 175              |            |        |
| c)                                  | Greater than 20 sq.m.  |             | m <sup>2</sup> | 450              |            |        |
| B.12                                | Removal of Precast Sidewalk Blocks                               | CW 3235-R9  | m <sup>2</sup> | 70               |            |        |
| B.13                                | Concrete Curb Removal  | CW 3240-R10 |                |                  |            |        |
| i)                                  | Barrier 150 mm   |             | m              | 270              |            |        |
| B.14                                | Concrete Curb Installation                                       | CW 3240-R10 |                |                  |            |        |
| i)                                  | Barrier (150 mm reveal ht, Dowelled)                             | SD-205      | m              | 50               |            |        |
| B.15                                | Construction of Asphaltic Concrete Overlay                       | CW 3410-R10 |                |                  |            |        |
| i)                                  | Tie-ins and Approaches   |             |                |                  |            |        |
| a)                                  | Type IA  |             | tonne          | 30               |            |        |
| ii)                                 | Temporary Asphalt Pavement                                       |             |                |                  |            |        |
| a)                                  | Type IA  |             | tonne          | 250              |            |        |
| B.16                                | Planing of Pavement  | CW 3450-R5  |                |                  |            |        |
| i)                                  | 0 - 50 mm Depth (Asphalt)  |             | m <sup>2</sup> | 130              |            |        |
| B.17                                | Detectable Warning Surface Tiles                                 | CW 3326-R2  | each           | 30               |            |        |
| <b>ROADWORKS - NEW CONSTRUCTION</b> |  |             |                |                  |            |        |
| B.18                                | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R16 |                |                  |            |        |
| i)                                  | Construction of 230 mm Concrete Pavement (Plain-Dowelled)        |             | m <sup>2</sup> | 11180            |            |        |
| ii)                                 | Construction of 200 mm Concrete Pavement (Reinforced)            |             | m <sup>2</sup> | 900              |            |        |
| iii)                                | Construction of Concrete Median Slabs                            | SD-227A     | m <sup>2</sup> | 150              |            |        |
| iv)                                 | Construction of Monolithic Concrete Median Slabs                 | SD-226A     | m <sup>2</sup> | 50               |            |        |
| v)                                  | Construction of Monolithic Concrete Bull-noses                   | SD-227C     | m <sup>2</sup> | 35               |            |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION   | SPEC. REF.       | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|------------------|----------------|------------------|------------|--------|
| B.19 | Concrete Pavements for Early Opening  | CW 3310-R16      |                |                  |            |        |
| i)   | Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)     |                  | m <sup>2</sup> | 50               |            |        |
| ii)  | Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled) |                  | m <sup>2</sup> | 1920             |            |        |
| iii) | Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)     |                  | m <sup>2</sup> | 650              |            |        |
| B.20 | Concrete Curbs, Curb and Gutter, and Splash Strips                                  | CW 3310-R16      |                |                  |            |        |
| i)   | Construction of Modified Barrier (180 mm ht, Dowelled)                              | SD-203B          | m              | 100              |            |        |
| ii)  | Construction of Modified Barrier (180 mm ht, Integral)                              | SD-203B          | m              | 2300             |            |        |
| iii) | Construction of Curb Ramp (8-12 mm ht, Integral)                                    | SD-229C          | m              | 260              |            |        |
| B.21 | Supply and Installation of Dowel Assemblies   | CW 3310-R16      | m              | 3000             |            |        |
| B.22 | 100 mm Concrete Sidewalk  | CW 3325-R5       | m <sup>2</sup> | 150              |            |        |
| B.23 | Construction of Asphalt Patches   | CW 3410-R10      | m <sup>2</sup> | 350              |            |        |
|      | <b>JOINT AND CRACK SEALING</b>  |                  |                |                  |            |        |
| B.24 | Reflective Crack Maintenance  | CW 3250-R7       | m              | 100              |            |        |
|      | <b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>                                    |                  |                |                  |            |        |
| B.25 | Catch Basin   | CW 2130-R12, E14 |                |                  |            |        |
| i)   | SD-024, 1800 mm deep  |                  | each           | 4                |            |        |
| ii)  | SD-024, 1200 mm deep  |                  | each           | 4                |            |        |
| iii) | SD-025, 1800 mm deep  |                  | each           | 2                |            |        |
| B.26 | Catch Pit   | CW 2130-R12      |                |                  |            |        |
| i)   | SD-023  |                  | each           | 4                |            |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION  | SPEC. REF.  | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|------|------------------|------------|--------|
| B.27 | Sewer Service  | CW 2130-R12 |      |                  |            |        |
| i)   | 250 mm   |             |      |                  |            |        |
| a)   | In a Trench, Class 2 Type B Bedding, Class 2 Backfill      |             | m    | 31               |            |        |
| b)   | Trenchless Installation                                    |             | m    | 24               |            |        |
| ii)  | 300 mm   |             |      |                  |            |        |
| a)   | In a Trench, Class 2 Type B Bedding, Class 2 Backfill      |             | m    | 16               |            |        |
| b)   | Trenchless Installation                                    |             | m    | 17               |            |        |
| B.28 | Drainage Connection Pipe                                   | CW 2130-R12 | m    | 8                |            |        |
| B.29 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 |      |                  |            |        |
| i)   | AP-004 - Standard Frame for Manhole and Catch Basin        |             | each | 10               |            |        |
| ii)  | AP-005 - Standard Solid Cover for Standard Frame           |             | each | 10               |            |        |
| B.30 | Connecting to Existing Manhole                             | CW 2130-R12 |      |                  |            |        |
| i)   | 250 mm Catch Basin Lead                                    |             | each | 2                |            |        |
| B.31 | Connecting to Existing Sewer                               | CW 2130-R12 |      |                  |            |        |
| i)   | 250 mm Connecting Pipe                                     |             |      |                  |            |        |
| a)   | Connecting to 1200 mm Land Drainage Sewer                  |             | each | 2                |            |        |
| b)   | Connecting to 1500 mm Land Drainage Sewer                  |             | each | 2                |            |        |
| ii)  | 300 mm Connecting Pipe                                     |             |      |                  |            |        |
| a)   | Connecting to 900 mm Land Drainage Sewer                   |             | each | 2                |            |        |
| b)   | Connecting to 1350 mm Land Drainage Sewer                  |             | each | 2                |            |        |
| B.32 | Removal of Existing Catch Basins                           | CW 2130-R12 | each | 10               |            |        |
| B.33 | Abandoning Existing Sewer Service Under Pavement           | CW 2130-R12 |      |                  |            |        |
| i)   | Existing Catchbasin Leads (250 mm or smaller)              |             | each | 4                |            |        |
| B.34 | Removal of Existing Pipes                                  | E9          | m    | 40               |            |        |
| B.35 | Installation of Subdrains                                  | CW 3120-R4  | m    | 120              |            |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM               | DESCRIPTION   | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------|---|-------------|----------------|------------------|------------|--------|
| B.36               | Backfill Material   | CW 2130-R12 |                |                  |            |        |
| i)                 | Sand  |             | m <sup>3</sup> | 10               |            |        |
| B.37               | Patching Existing Manholes  | CW 2130-R12 | vert. m        | 1                |            |        |
| <b>ADJUSTMENTS</b> |   |             |                |                  |            |        |
| B.38               | Adjustment of Catch Basins / Manholes Frames  | CW 3210-R7  | each           | 23               |            |        |
| B.39               | Replacing Existing Risers   | CW 2130-R12 |                |                  |            |        |
| i)                 | Pre-cast Concrete Risers  |             | vert. m        | 1                |            |        |
| B.40               | Lifter Rings  | CW 3210-R7  |                |                  |            |        |
| i)                 | 51 mm   |             | each           | 10               |            |        |
| B.41               | Adjustment of Valve Boxes   | CW 3210-R7  | each           | 10               |            |        |
| B.42               | Valve Box Extensions  | CW 3210-R7  | each           | 5                |            |        |
| B.43               | Adjustment of Curb Stop Boxes   | CW 3210-R7  | each           | 2                |            |        |
| <b>LANDSCAPING</b> |   |             |                |                  |            |        |
| B.44               | Sodding   | CW 3510-R9  |                |                  |            |        |
| i)                 | width < 600 mm  |             | m <sup>2</sup> | 300              |            |        |
| ii)                | width > or = 600 mm   |             | m <sup>2</sup> | 7200             |            |        |
| <b>B</b>           | <b><u>SCURFIELD BOULEVARD - DOVERCOURT DRIVE TO WAVERLEY STREET - CONCRETE RECONSTRUCTION</u></b> |             |                |                  | Subtotal:  |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM   | DESCRIPTION  | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT    |  |
|--|--|-------------|----------------|------------------|------------|-----------|--|
| <b>PART 2 (See B9.5, B15.2.1, B16.4, D2, D14.2-3, D16.4)</b> |  |             |                |                  |            |           |  |
| <b>C</b>   | <b><u>SCURFIELD BOULEVARD - DOVERCOURT DRIVE TO WAVERLEY STREET - NORTHSIDE SIDEWALK</u></b> |             |                |                  |            |           |  |
|  | <b>EARTH AND BASE WORKS</b>  |             |                |                  |            |           |  |
| C.1  | Excavation   | CW 3110-R19 | m <sup>3</sup> | 200              |            |           |  |
| C.2  | Sub-Grade Compaction   | CW 3110-R19 | m <sup>2</sup> | 1260             |            |           |  |
| C.3  | Supplying and Placing Base Course Material   | CW 3110-R19 | m <sup>3</sup> | 10               |            |           |  |
|  | <b>ROADWORKS - NEW CONSTRUCTION</b>  |             |                |                  |            |           |  |
| C.4  | 100 mm Concrete Sidewalk   | CW 3325-R5  | m <sup>2</sup> | 1050             |            |           |  |
| <b>C</b>   | <b><u>SCURFIELD BOULEVARD - DOVERCOURT DRIVE TO WAVERLEY STREET - NORTHSIDE SIDEWALK</u></b> |             |                |                  |            | Subtotal: |  |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM   | DESCRIPTION  | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE   | AMOUNT |
|--|--|------------|------|------------------|--------------|--------|
| <b>SUMMARY</b>   |  |            |      |                  |              |        |
| <b>PART 1</b>  |  |            |      |                  |              |        |
| A  | <u>BERRY STREET - SARGENT AVENUE TO WELLINGTON AVENUE - CONCRETE RECONSTRUCTION</u>        |            |      |                  | Subtotal:    |        |
| B  | <u>SCURFIELD BOULEVARD - DOVERCOURT DRIVE TO WAVERLEY STREET - CONCRETE RECONSTRUCTION</u> |            |      |                  | Subtotal:    |        |
| <b>(total price) PART 1</b>                                  |  |            |      |                  |              |        |
| <b>PART 2 (See B9.5, B15.2.1, B16.4, D2, D14.2-3, D16.4)</b> |  |            |      |                  |              |        |
| C  | <u>SCURFIELD BOULEVARD - DOVERCOURT DRIVE TO WAVERLEY STREET - NORTHSIDE SIDEWALK</u>      |            |      |                  | Subtotal:    |        |
| <b>(total price) PART 2</b>                                  |  |            |      |                  |              |        |
| TOTAL BID PRICE (GST extra)                                  |  |            |      |                  | (in figures) | _____  |

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B11)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 8-2015

2015 LOCAL STREETS PACKAGE – BERRY STREET AND SCURFIELD BOULEVARD

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)

(See B11)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 8-2015

2015 LOCAL STREETS PACKAGE – BERRY STREET AND SCURFIELD BOULEVARD

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)



**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING**  
**(BID SECURITY)** (Page 1 of 2)  
(See B11)

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 8-2015

2015 LOCAL STREETS PACKAGE – BERRY STREET AND SCURFIELD BOULEVARD

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING**  
**(BID SECURITY)** (Page 2 of 2)  
(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 19, 2015.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)