



ROOF PLAN - PART A

1:100



NOTE:

1. DESIGN SUPERIMPOSED LL=1KP_a
DESIGN SUPERIMPOSED SNOW LOAD=3KP_a
DESIGN SUPERIMPOSED PIPE HANGER LOAD=1.0KP_a
2. DESIGN SUPERIMPOSED SNOW LOAD=5.0KP_a
3. DESIGN SUPERIMPOSED LL=1KP_a
DESIGN SUPERIMPOSED SNOW LOAD=5KP_a
DESIGN SUPERIMPOSED PIPE HANGER LOAD=2KP_a



NO.	REVISIONS	DATE	DESIGN	CHECK
02	ISSUED FOR ADD. 4 - B.O. 899-2015	03/2016	G.O. J.C.	
01	ISSUED FOR ADD. 2 - B.O. 899-2015	02/2016	G.O. J.C.	
00	ISSUED FOR TENDER - B.O. 899-2015	01/2016	G.O. J.C.	

CH2MHILL
SNC-LAVALIN

DESIGNED BY: A. THAKKAR
DRAWN BY: G. OMORI

CHECKED BY: E. LUI
APPROVED BY: H.T. FREIHAMMER

SCALE: 1:100
DATE: 2016/01/29

ISSUED FOR CONSTRUCTION
BY: T. TURZAK
DATE: 2016/01/29

CONSULTANT NO.: 474248

ENGINEER'S SEAL
March 10, 2016
PROVINCE OF MANITOBA
S.L.E. LUI
Member
37003
REGISTERED PROFESSIONAL ENGINEER

THE CITY OF WINNIPEG
Winnipeg WATER AND WASTE DEPARTMENT

SOUTH END WATER POLLUTION CONTROL CENTRE
SEWPCC UPGRADING/EXPANSION PROJECT
STRUCTURAL
SECONDARY CLARIFIERS 4 AND 5
ROOF PLAN - PART A

CITY DRAWING NUMBER: 1-0102-SGAD-S017
SHEET: 001
REV: 02
SIZE: A1