


- DRAWING NOTES:**
- 1 REMOVE EXISTING LIGHT STANDARD INCLUDING EXISTING FOUNDATION
  - 2 REMOVE EXISTING CONCRETE CURB AND GUTTER
  - 3 REMOVE EXISTING ASPHALT PAVEMENT
  - 4 REMOVE EXISTING DECIDUOUS TREE
  - 5 REMOVE EXISTING CONCRETE PAVEMENT
  - 6 REMOVE AND SALVAGE EXISTING SIGN
  - 7 REMOVE AND SALVAGE EXISTING HAND RAIL, TREE GRATE, BIKE RACK OR BENCH
  - 8 REMOVE EXISTING ASPHALT UP TO EDGE OF EXISTING CONCRETE SLAB

- REMOVAL NOTES:**
- REMOVE ALL PAVEMENT AND GRASSED AREAS WITHIN THE SHOWN PROPOSED LIMITS OF WORK, AS REQUIRED FOR NEW CONSTRUCTION. CONFIRM LIMITS OF REMOVAL WITH CONTRACT ADMINISTRATOR PRIOR TO COMMENCEMENT OF WORK.
  - REMOVE EXISTING TREES WITHIN THE SHOWN LIMITS OF WORK, WHERE INDICATED IN THE DRAWINGS. LIMITS OF TREE REMOVAL TO BE CONFIRMED BY CONTRACT ADMINISTRATOR PRIOR TO COMMENCEMENT OF WORK, AND ACCEPTED BY C.O.W. URBAN FORESTRY BRANCH.
  - REMOVE AND SALVAGE EXISTING SIGNAGE, POSTS AND HARDWARE SECURED TO ANY FENCING, LIGHT POSTS OR PAVEMENT AREAS TO BE REMOVED, AS DIRECTED BY THE CONTRACT ADMINISTRATOR. SALVAGED SIGNS, POSTS AND HARDWARE SHALL BE SORTED TO THE SATISFACTION OF THE CONTRACT ADMINISTRATOR AND DELIVERED TO THE FACILITY MAINTENANCE SUPERVISOR.
  - REMOVE AND SALVAGE EXISTING BIKE RACKS AND BENCHES AS DIRECTED BY THE CONTRACT ADMINISTRATOR. SALVAGED BIKE RACKS AND BENCHES, INCLUDING ANY HARDWARE, SHALL BE SORTED TO THE SATISFACTION OF THE CONTRACT ADMINISTRATOR AND DELIVERED TO THE FACILITY MAINTENANCE SUPERVISOR.
  - REMOVE AND SALVAGE EXISTING HAND RAILS AND TREE GRATES AS DIRECTED BY THE CONTRACT ADMINISTRATOR, INCLUDING ANY HARDWARE, FOR RE-INSTALLATION. REPLACE ANY DAMAGED ITEMS WITH NEW AS REQUIRED.
  - TEMPORARILY RELOCATE ALL GARBAGE AND RECYCLING BINS TO ON-SITE LOCATIONS DESIGNATED BY THE FACILITY MAINTENANCE SUPERVISOR OR CONTRACT ADMINISTRATOR.

REFER TO DWG C01 FOR GENERAL CONSTRUCTION NOTES



EXISTING	LEGEND	PROPOSED	EXISTING	LEGEND	PROPOSED	EXISTING	LEGEND	PROPOSED
150 WM	WATERMAIN	150 WM	⊕	SURVEY BAR	235.380	GROUND ELEVATION	235.38	LOCATION APPROVED
250 WWS	WASTEWATER	150 WWS	⊕	SIGN	235.38	DITCH ELEVATION	235.38	UNDERGROUND STRUCTURES
300 LDS	LAND DRAINAGE SEWER	300 LDS	⊕	UTILITY POLE	235.400	ROAD ELEVATION	235.400	
⊕	HYDRANT ASSEMBLY	⊕	⊕	UTILITY PEDESTAL		CURB		
⊕	GATE VALVE	⊕	⊕	HYDRO		CONCRETE		
⊕	CURB STOP	⊕	⊕	GAS		ASPHALT		
⊕	REDUCER	⊕	⊕	MTS		PAVING STONE		
⊕	MANHOLE	⊕	⊕	TREE LINE		GRASS		
⊕	CATCH BASIN	⊕	⊕	CULVERT		DWST		
⊕	TESTHOLE	⊕	⊕	SWALE				
⊕	PROBEHOLE	⊕	⊕	DIRECTION OF FLOW				

**LOCATION APPROVED UNDERGROUND STRUCTURES**

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:  
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

C.W.B.M. 52-012..... 233.701m  
N.E. COR. TAYLOR AVE. & CAMBRIDGE ST., AT REAR OF No. 880 CAMBRIDGE ST. FACING TAYLOR AVE., TBLT. IN S. SIDE OF SQUARE CONC. VENTILATOR, 0.6m E. OF W. EDGE & 0.6m BELOW TOP OF CONC. VENTILATOR FOR UNDERGROUND GARAGE.

NO.	REVISIONS	DATE	BY
1	ISSUED FOR ADDENDUM 1	16/03/22	JLT
0	ISSUED FOR BID OPPORTUNITY	16/03/08	JLT

**SBC**  
Sison Blackburn Consulting Inc.  
www.SBCinc.ca

Unit 10 - 5 Scurfield Boulevard  
Winnipeg, MB, R3Y 1G3  
T: (204) 505-0855 / F: (204) 505-0850

DESIGNED BY	JLT	CHECKED BY	RC
DRAWN BY	JLT	APPROVED BY	RC
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION	
VERT. SCALE:		DATE	

DATE: SEPTEMBER, 2015

ENGINEER'S SEAL

CONSULTANT DRAWING NO.  
15127-C02-R1

**THE CITY OF WINNIPEG**  
PLANNING, PROPERTY & DEVELOPMENT

**PAN AM INDOOR POOL  
PARKING LOT REDEVELOPMENT - STAGE 2**

**REMOVALS PLAN**

SHEET 2 OF 6  
CITY DRAWING NO.  
921-2015-C02-R1