



KEY PLAN

CONCRETE REPAIR LEGEND (FOR STAGE 1, AREA C)



PILE CAP REPAIR = 0 m^2



SLAB REPLACEMENT AND EPOXY GEL INJECTIONS = 0 m²

NOTES:

- ALL SLAB GRID REMOVAL IS LOCATED AT EXISTING CONCRETE SLAB JOINT LINES.
- 2. EXISTING CATCH BASINS SHALL BE PROTECTED FROM ALL CONTAMINANTS AND DEBRIS ACCUMULATING AND ENTERING INTO THE RESERVOIR DRAINAGE SYSTEM. REFER TO SHEET 2 FOR THE PROTECTION MEASURES FOR RESERVOIR INFRASTRUCTURE AND OPERATION.
- 3. EXISTING SUCTION PITS, SUPPLY/SUCTION PIT, 1200 Ø PIPE INTERCONNECTIONS AND INFLOW PIPES SHALL BE PROTECTED FROM ALL CONTAMINANTS AND DEBRIS ENTERING INTO THE RESERVOIR DRAINAGE SYSTEM. REFER TO SHEET 2 FOR THE PROTECTION MEASURES FOR RESERVOIR INFRASTRUCTURE AND OPERATION.

FOOTING AND MAIN FLOOR REPAIR PLAN, AREA "C"

Certificate of Authorization

Dillon Consulting Limited (MB)

No. 1789 Date: 2015-11-20

 DILLON
CONSULTING

RELEASED FOR CONSTRUCTION

CONSULTANT DRAWING NUMBER

14-1411-S-101

CHECKED

APPROVED

DESIGNED

DRAWN

SCALE:

VERTICAL

DATE

HORIZONTAL

PLOT DATE: 2015 11 18

DRA

SSR

FAK

TLK

2015 11 20 DATE

AS NOTED

Winnipeg

OF

THE CITY OF WINNIPEG

WATER AND WASTE DEPARTMENT ENGINEERING DIVISION

WILKES RESERVOIR NORTH CELL REHABILITATION
STAGE 1 WEST CELL
FOOTING AND MAIN FLOOR REPAIR PLAN
AREA "C"

AREA "C"

CITY DRAWING NUMBER

1-0650R-S0002-001

BID OPPORTUNITY: 930-2015 FILE P CONTRACT NUMBER: FILE N

FILE PATH: P:\20154593\00_Kemp_Wilkes\Working_Dwgs\300_Structural\FILE NAME: 1-0650R-S0002-001.dwg

DECIMALIZED NUMBERS INDICATE METRES