## FORM A: BID (See B9)

1.	Contract Title	2016 WATER MAIN RENE	WALS – CONTRACT NO. 7	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder as	s it appears on Invoice (if different from	m above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if applied	cable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under	the above name.	
3.	Contact Person	The Bidder hereby authoriz the Bidder for purposes of t	zes the following contact pers he Bid.	on to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used ascribed to them in the Ger	I in the Contract shall have neral Conditions and D2.1.	the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a

This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

# 12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

	FORM B: PRICES (SEE B9)					
UNIT P	2016 WATERMAIN RICES	RENEWALS	- CONT	RACT NO. 7		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	Alexander Avenue - Disraeli Freeway to 3	30.0m W of W	/aterfroi	nt Drive		
A. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
b)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	315.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	4		
A. 3	Watermain Valve	CW 2110				
a)	150mm	011 2110	each	2		
b)	300mm		each	3		
	Eittingo	CW 2110				
A. 4 a)	Fittings Tees	CVV 2110				
i)	300mm x 300mm x 150 mm		each	2		
b)	Crosses		ouon	_		
i)	300mm X300mm X 300mm X 300mm		each	1		
A. 5	Water Services	CW 2110				
a)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
b)	50mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
A. 6	Corporation Stops	CW 2110				
a)	25mm		each	1		
b)	50mm		each	1		
A. 7	Curb Stops	CW 2110				
a)	25mm		each	1		
A. 8	Curb Stop Boxes	CW 2110				
a)	25mm		each	1		

	FORM B: PRICES					
	(SEE B9)					
	2016 WATERMAIN	RENEWALS	- CONT	RACT NO. 7	7	
UNIT F	PRICES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
s 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)			each	2		
ii)	300mm		each	2		
A. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	25mm		each	1		
b)	50mm		each	1		
A. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
A. 11 a)	On Water Services	600 2110	aaab	3.0		
u)			each	0.0		
A. 12	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m²	200.0		
A. 13	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)			50.0		
A. 14	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)			75.0		
	Alexander Avenue - Disraeli Freeway to 3	30.0m W of W	aterfro	nt Drive	Subtotal A:	
B	Galt Avenue - Lily Street to Duncan Street	ot				
<u> </u>	Gait Avenue - Lity Street to Duncan Street		1			
B. 1	Watermain Renewal	CW 2110				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	161.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
B. 3	Watermain Valve	CW 2110				
a)	300mm		each	1		
B. 4	Water Services	CW 2110				
a)	19mm					

	FORM B: PRICES (SEE B9)					
	2016 WATERMAIN	I RENEWALS	- CONT	RACT NO. 7	,	
UNIT P		SPEC.	<u> </u>	APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	3.0		
b) i)	25mm trenchless installation, Class B sand bedding, Class 3 backfill		m	1.0		
B. 5	Corporation Stops	CW 2110				
a)	19mm		each	1		
b)	25mm		each	1		
B. 6	Curb Stops	CW 2110				
a)	19mm		each	1		
B. 7	Curb Stop Boxes	CW 2110				
ы. 7 а)	19mm	CVV 2110	each	1		
		•				
B. 8	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	300mm		each	2		
B. 9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	1		
b)	25mm		each	1		
B. 10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	2.0		
5 44		<b>F</b> 0				
B. 11	Partial Slab Patches 150mm reinforced concrete pavement	E6	_			
a)			m <sup>2</sup>	40.0		
B. 12	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	30.0		
B. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
	Galt Avenue - Lily Street to Duncan Street	et			Subtotal B:	
<u>c</u>	Pacific Avenue - Martha Street to 60.0m	E of Lily Stre	et			

C. 1

a)

b)

c)

C. 2

C. 3

a)

b)

a)

b)

c)

C. 4

C. 5

C. 6

a)

a)

i)

ii)

iii)

a)

i)

trenchless installation, Class B sand

Connecting to Existing Watermains and

In-line connection - no plug existing

bedding, Class 3 backfill

Large Diameter Water Services

Corporation Stops

100mm

150mm

300mm

25mm

#### FORM B: PRICES (SEE B9) 2016 WATERMAIN RENEWALS - CONTRACT NO. 7 UNIT PRICES SPEC. APPROX. UNIT UNIT ITEM DESCRIPTION AMOUNT QUANTITY PRICE REF. Watermain Renewal CW 2110 150mm i) trenchless installation, Class B sand m 10.0 bedding, Class 3 backfill 200mm trenchless installation, Class B sand m i) 53.0 bedding, Class 3 backfill 300mm trenchless installation, Class B sand i) m 75.0 bedding, Class 3 backfill CW 2110 Hydrant Assembly SD-006 each 1 SD-007 each 1 CW 2110 Fittings Tees 2 i) 300mm x 300mm x 150 mm each ii) 300mm x 300mm x 300 mm each 1 Bends (SD-004) 300mm - 45° i) each 2 Reducers i) 150mm - 100mm each 1 ii) 200mm - 150mm each 1 300mm - 200mm iii) each 1 Water Services CW 2110 25mm

m

each

each

each

each

CW 2110

CW 2110

2.0

1

1

1

1

# FORM B: PRICES

(SEE B9)

# 2016 WATERMAIN RENEWALS - CONTRACT NO. 7

UNIT PRICES

UNIT P	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 7 a)	Connecting Existing Copper Water Services to New Watermains 25mm	CW 2110	each	1		
C. 8 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	1.0		
C. 9 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	50.0		
C. 10 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240	m	20.0		
C. 11 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m	50.0		
C. 12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
	Pacific Avenue - Martha Street to 60.0m	E of Lily Stre	et		Subtotal C:	
D	Lily Street - Galt Avenue to Pacific Avenue	le				
D. 1 a) i)	Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	5.0		
b) i)	300mm trenchless installation, Class B sand bedding, Class 3 backfill		m	100.0		
D. 2 a) b)	Watermain Valve 300mm Tees	CW 2110	each	3		
i)			each	1		
D. 3 a)	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing	CW 2110				
i) ii)	150mm 300mm		each each	1 1		

	FORM B: PRICES (SEE B9)					
UNIT PI	2016 WATERMAIN	I RENEWALS	- CONT	RACT NO. 7	,	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 4	Watermain Repair - Up To 3.0 metres Long	CW 2110				
a)	300mm					
i)	Class 3 backfill		each	1		
	Lily Street - Galt Avenue to Pacific Avenue	ue			Subtotal D:	
<u>E</u>	Lily Street - James Avenue to Market Avenue	enue				
E. 1 a)	Watermain Renewal 150mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
b) i)	300mm trenchless installation, Class B sand bedding, Class 3 backfill		m	90.0		
E. 2	Watermain Valve	CW 2110				
a)	150mm		each	1		
b)	300mm		each	2		
E. 3 a)	Fittings Tees	CW 2110				
i) b)	300mm x 300mm x 300 mm Bends (SD-004)		each	1		
i)	150mm - 90°		each	1		
ii)	300mm - 45°		each	2		
C)	Reducers					
i)	300mm - 150mm		each	2		
E. 4	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline connection - plug existing					
i)	300mm		each	1		
b) .`	In-line connection - no plug existing					
i)	150mm		each	2		
E. 5	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2.0		
	Lily Street - James Avenue to Market Ave	enue			Subtotal E:	

	FORM B: PRICES (SEE B9)					
UNIT P	2016 WATERMAIN	I RENEWALS	- CONT	RACT NO. 7		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	300 CI WM Abandonment - Drawing 1423	84 (Detail "D"	)			
F. 1 a)	Watermain Renewal 200mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
b) i)	300mm trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
F. 2 a)	Fittings Bends (SD-004)	CW 2110				
i) b)	300mm - 90° Reducers		each	1		
i)	300mm - 200mm		each	1		
F. 3 a)	Water Services 25mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
F. 4	Corporation Stops	CW 2110				
a)	25mm		each	1		
F. 5 a)	Curb Stops 25mm	CW 2110	each	1		
с, F. 6	Curb Stop Boxes	CW 2110	odon			
a)	25mm	0002110	each	1		
F. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a) i)	In-line connection - no plug existing 200mm		each	1		
ii)	300mm		each	1		
F. 8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a) b)	On Metallic Watermains On Water Services		each each	1.0 2.0		

	FORM B: PRICES (SEE B9)					
	2016 WATERMAIN	I RENEWALS	- CONT	RACT NO. 7	,	
UNIT F	PRICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	25mm		each	1		
F. 10	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m²	20.0		
F. 11	Concrete Curb Renewal	CW 3240		5.0		
a)	Barrier curb (SD-204)		m	5.0		
	300 CI WM Abandonment - Drawing 1423	84 (Detail "D"	)		Subtotal F:	
<u>G</u>	Maryland Street - Portage Avenue to St M	lathews Ave	nue			
G. 1	Watermain Renewal	CW 2110				
a) i	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
b) i	200mm trenchless installation, Class B sand bedding, Class 3 backfill		m	165.0		
G. 2 a)	Hydrant Assembly SD-007	CW 2110	each	1		
G. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
b)	200mm		each	2		
G. 4 a)	Fittings Tees	CW 2110				
a) i b)			each	2		
i			each	2		
ii			each	2		
c)	Reducers					
i ii			each each	1 1		
G. 5	Water Services	CW 2110				

	FORM B: PRICES					
	(SEE B9) 2016 WATERMAIN	I RENEWALS	- CONT	RACT NO 7	7	
UNIT F	PRICES		00111			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a) i)	19mm trenchless installation, Class B sand bedding, Class 3 backfill		m	100.0		
b) i)	38mm trenchless installation, Class B sand bedding, Class 3 backfill		m	1.0		
G. 6	Corporation Stops	CW 2110				
a)	38mm		each	1		
b)	19mm		each	15		
G. 7 a)	Curb Stops 19mm	CW 2110	each	5		
G. 8	Curb Stop Boxes	CW 2110				
с. о а)	19mm	600 2110	each	5		
G. 9 a)	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing	CW 2110				
í)			each	1		
ii)	150mm		each	2		
iii)	200mm		each	1		
G. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	15		
b)	38mm		each	1		
G. 11 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	e e e b	21.0		
u)	Maryland Street - Portage Avenue to St I	l Mathews Ave	each nue	21.0	Subtotal G:	
н	Portage Avenue at Toronto Street					
<u></u>			<u> </u>			
H. 1	Watermain Renewal	CW 2110				
a) i)	200mm trenchless installation, Class B sand bedding, Class 3 backfill		m	70.0		
b)	250mm					
5)						

	FORM B: PRICES (SEE B9)					
	2016 WATERMAIN	I RENEWALS	- CONT	RACT NO 7		
UNIT P			00111			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	100.0		
c)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	1.0		
H. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
H. 3	Watermain Valve	CW 2110				
a)	150mm		each	1		
b)	200mm		each	1		
c)	250mm		each	2		
H. 4	Fittings	CW 2110				
a)	Tees					
i)	250mm x 250mm x150 mm		each	1		
ii)			each	1		
b)	Bends (SD-004)					
i) 			each	1		
ii) iii)			each	2 2		
c)	Bends (SD-005)		each	2		
i)			each	2		
d)	Reducers		Cuon	2		
i)			each	1		
H. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
H. 6	Corporation Stops	CW 2110				
a)	19mm		each	3		
b)	25mm		each	1		
H. 7	Curb Stops	CW 2110				

	FORM B: PRICES (SEE B9)					
	2016 WATERMAIN	I RENEWALS	- CONT	RACT NO. 7		
UNIT F	PRICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	25mm		each	1		
H. 8 a)	Curb Stop Boxes 25mm	CW 2110	each	1		
H. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i			each	1		
ii			each	1		
iii			each	2		
iv			each	1		
b)	Perpendicular connection					
i	) 250mm		each	1		
H. 10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1.0		
b)	On Water Services		each	5.0		
H. 11	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	3		
b)	25mm		each	1		
H. 12	Watermain Repair - Up To 3.0 metres Long	CW 2110				
a)	300mm					
i	Class 3 backfill		each	1		
H. 13	Cut and Plug existing Water Main					
a)	300mm CI		each	1.0		
H. 14 a)	Partial Slab Patches 200mm reinforced concrete pavement	E6	m²	10.0		
	) 200mm reinforced concrete pavement for early opening (24 hours)		m²	50.0		
H. 15 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	50.0		

	FORM B: PRICES (SEE B9)					
	2016 WATERMAIN	N RENEWALS	- CONT	RACT NO. 7	7	
JNIT P	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. 16 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240	m	30.0		
H. 17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
	Portage Avenue at Toronto Street	Subtotal H:				
<u>I</u>	Provisional Items					
I. 1	Cement Stabilized Fill		m <sup>3</sup>	20.0		
I. 2	Sodding	CW 3510	m²	100.0		
I. 3	Maintaining Curb Stop Excavations		day	20.0		
I. 4	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	150mm		each	5		
l. 5	Regrading of Existing Sewer Service - Longer Than 1.5 metres	CW 2110				
a)	150mm		m	5		
I. 6	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	4		
	Planing	CW 3450-R3				
a) i)	Planing 0- 50 mm depth Asphaltic Concrete		m²	50.0		
, I. 8	Abandonment of Existing Valve Pits		each	1		
1. 0	Provisional Items		Cuon		Subtotal I:	
					Total:	
TOT 11						
IOTAL	BID PRICE (GST extra) (in figures)\$					
					Name of Bid	der

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 141-2016

2016 WATER MAIN RENEWALS - CONTRACT NO. 7

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ .

SIGNED AND SEALED in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)	
Per:	 (Seal)
Per:	
(Name of Surety)	 
By:(Attorney-in-Fact)	(Seal)

\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 141-2016

### 2016 WATER MAIN RENEWALS - CONTRACT NO. 7

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_,

By:

(Name of Surety)

\_\_\_\_\_ (Seal)

(Attorney-in-Fact)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

#### RE: BID SECURITY - BID OPPORTUNITY NO. 141-2016

2016 WATER MAIN RENEWALS – CONTRACT NO. 7

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

#### (Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 22, 2016

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)			
Per:	(Authorized Signing Officer)		
Per:			

(Authorized Signing Officer)