

# THE CITY OF WINNIPEG

# **BID OPPORTUNITY**

**BID OPPORTUNITY NO. 15-2016** 

**LIGHTING UPGRADE – RIVER EAST ARENA, 1410 ROTHESAY** 

## **TABLE OF CONTENTS**

PART A - BID SUBMISSION	
Form A: Bid Form B: Prices	1 3
PART B - BIDDING PROCEDURES	
B1. Contract Title B2. Submission Deadline B3. Site Investigation B4. Enquiries B5. Confidentiality B6. Addenda B7. Substitutes B8. Bid Components B9. Bid B10. Prices B11. Disclosure B12. Qualification B13. Opening of Bids and Release of Information B14. Irrevocable Bid B15. Withdrawal of Bids B16. Evaluation of Bids B17. Award of Contract	1 1 1 1 2 2 3 4 4 5 5 6 6
PART C - GENERAL CONDITIONS	,
C0. General Conditions	1
PART D - SUPPLEMENTAL CONDITIONS	·
General General	
D1. General Conditions D2. Scope of Work D3. Contract Administrator D4. Contractor's Supervisor D5. Ownership of Information, Confidentiality and Non Disclosure D6. Notices	1 1 1 2 2 2 2
Submissions D7. Authority to Carry on Business D8. Safe Work Plan D9. Insurance D10. Performance Security D11. Subcontractor List D12. Detailed Work Schedule	3 3 3 3 4 4
Schedule of Work D13. Commencement D14. Critical Stages D15. Substantial Performance D16. Total Performance D17. Liquidated Damages	4 5 5 5
Control of Work D18. Job Meetings D19. Prime Contractor – The Workplace Safety and Health Act (Manitoba D20. The Workplace Safety and Health Act (Manitoba) – Qualifications	a) 6
Measurement and Payment D21. Invoices D22. Payment	6

Warranty D23. Warranty	7
Form H1: Performance Bond Form H2: Irrevocable Standby Letter of Credit Form J: Subcontractor List	8 10 12
PART E - SPECIFICATIONS	
General	
E1. Applicable Specifications and Drawings	1
E2. Hazardous Materials	1
E3. SHOP DRAWINGS	1
E4. ELECTRICAL WORK	2
E5. LAMP AND BALLAST DISPOSAL	2
E6. FIXTURE STANDARD OF ACCEPTANCE	2
E7. ACOUSTICAL CEIING TILE AND METAL SUSPENSION SYSTEM	3

#### **PART B - BIDDING PROCEDURES**

#### **B1.** CONTRACT TITLE

B1.1 LIGHTING UPGRADE - RIVER EAST ARENA, 1410 ROTHESAY

#### **B2. SUBMISSION DEADLINE**

- B2.1 The Submission Deadline is 4:00 p.m. Winnipeg time, January 26, 2016.
- B2.2 Bids determined by the Manager of Materials to have been received later than the Submission Deadline will not be accepted and will be returned upon request.
- B2.3 The Contract Administrator or the Manager of Materials may extend the Submission Deadline by issuing an addendum at any time prior to the time and date specified in B2.1.

#### **B3.** SITE INVESTIGATION

- B3.1 Further to C3.1, the Contract Administrator or an authorized representative will be available at the Site from 8:00 a.m. to 9:00 a.m. on January 18, 2016 to provide Bidders access to the Site.
- B3.2 The Bidder shall not be entitled to rely on any information or interpretation received at the Site investigation unless that information or interpretation is the Bidder's direct observation, or is provided by the Contract Administrator in writing.

#### **B4. ENQUIRIES**

- B4.1 All enquiries shall be directed to the Contract Administrator identified in D3.1.
- B4.2 If the Bidder finds errors, discrepancies or omissions in the Bid Opportunity, or is unsure of the meaning or intent of any provision therein, the Bidder shall notify the Contract Administrator of the error, discrepancy or omission, or request a clarification as to the meaning or intent of the provision at least five (5) Business Days prior to the Submission Deadline.
- B4.3 Responses to enquiries which, in the sole judgment of the Contract Administrator, require a correction to or a clarification of the Bid Opportunity will be provided by the Contract Administrator to all Bidders by issuing an addendum.
- B4.4 Responses to enquiries which, in the sole judgment of the Contract Administrator, do not require a correction to or a clarification of the Bid Opportunity will be provided by the Contract Administrator only to the Bidder who made the enquiry.
- B4.5 The Bidder shall not be entitled to rely on any response or interpretation received pursuant to B4 unless that response or interpretation is provided by the Contract Administrator in writing.

#### **B5.** CONFIDENTIALITY

- B5.1 Information provided to a Bidder by the City or acquired by a Bidder by way of further enquiries or through investigation is confidential. Such information shall not be used or disclosed in any way without the prior written authorization of the Contract Administrator. The use and disclosure of the confidential information shall not apply to information which:
  - (a) was known to the Bidder before receipt hereof; or
  - (b) becomes publicly known other than through the Bidder; or
  - (c) is disclosed pursuant to the requirements of a governmental authority or judicial order.
- B5.2 The Bidder shall not make any statement of fact or opinion regarding any aspect of the Bid Opportunity to the media or any member of the public without the prior written authorization of the Contract Administrator.

#### B6. ADDENDA

- B6.1 The Contract Administrator may, at any time prior to the Submission Deadline, issue addenda correcting errors, discrepancies or omissions in the Bid Opportunity, or clarifying the meaning or intent of any provision therein.
- B6.2 The Contract Administrator will issue each addendum at least two (2) Business Days prior to the Submission Deadline, or provide at least two (2) Business Days by extending the Submission Deadline.
- B6.2.1 Addenda will be available on the Bid Opportunities page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <a href="http://www.winnipeg.ca/matmgt/bidopplasp">http://www.winnipeg.ca/matmgt/bidopplasp</a>
- B6.2.2 The Bidder is responsible for ensuring that he/she has received all addenda and is advised to check the Materials Management Division website for addenda regularly and shortly before the Submission Deadline, as may be amended by addendum.
- B6.3 The Bidder shall acknowledge receipt of each addendum in Paragraph 8 of Form A: Bid. Failure to acknowledge receipt of an addendum may render a Bid non-responsive.

#### **B7.** SUBSTITUTES

- B7.1 The Work is based on the Plant, Materials and methods specified in the Bid Opportunity.
- B7.2 Substitutions shall not be allowed unless application has been made to and prior approval has been granted by the Contract Administrator in writing.
- B7.3 Requests for approval of a substitute will not be considered unless received in writing by the Contract Administrator at least five (5) Business Days prior to the Submission Deadline.
- B7.4 The Bidder shall ensure that any and all requests for approval of a substitute:
  - (a) provide sufficient information and details to enable the Contract Administrator to determine the acceptability of the Plant, Material or method as either an approved equal or alternative;
  - (b) identify any and all changes required in the applicable Work, and all changes to any other Work, which would become necessary to accommodate the substitute:
  - (c) identify any anticipated cost or time savings that may be associated with the substitute;
  - (d) certify that, in the case of a request for approval as an approved equal, the substitute will fully perform the functions called for by the general design, be of equal or superior substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the proposed work schedule and the dates specified in the Supplemental Conditions for Substantial Performance and Total Performance;
  - (e) certify that, in the case of a request for approval as an approved alternative, the substitute will adequately perform the functions called for by the general design, be similar in substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the proposed work schedule and the dates specified in the Supplemental Conditions for Substantial Performance and Total Performance.
- B7.5 The Contract Administrator, after assessing the request for approval of a substitute, may in his/her sole discretion grant approval for the use of a substitute as an "approved equal" or as an "approved alternative", or may refuse to grant approval of the substitute.
- B7.6 The Contract Administrator will provide a response in writing, at least two (2) Business Days prior to the Submission Deadline, to the Bidder who requested approval of the substitute.

- B7.6.1 The Contract Administrator will issue an Addendum, disclosing the approved materials, equipment, methods and products to all potential Bidders. The Bidder requesting and obtaining the approval of a substitute shall be responsible for disseminating information regarding the approval to any person or persons he/she wishes to inform.
- B7.7 If the Contract Administrator approves a substitute as an "approved equal", any Bidder may use the approved equal in place of the specified item.
- B7.8 If the Contract Administrator approves a substitute as an "approved alternative", any Bidder bidding that approved alternative may base his/her Total Bid Price upon the specified item but may also indicate an alternative price based upon the approved alternative. Such alternatives will be evaluated in accordance with B16.
- B7.9 No later claim by the Contractor for an addition to the Total Bid Price because of any other changes in the Work necessitated by the use of an approved equal or an approved alternative will be considered.

#### **B8. BID COMPONENTS**

- B8.1 The Bid shall consist of the following components:
  - (a) Form A: Bid;
  - (b) Form B: Prices;
- B8.2 Further to B8.1, the Bidder should include the written correspondence from the Contract Administrator approving a substitute in accordance with B7.
- B8.3 All components of the Bid shall be fully completed or provided, and submitted by the Bidder no later than the Submission Deadline, with all required entries made clearly and completely, to constitute a responsive Bid.
- B8.4 The Bid Submission may be submitted by mail, courier or personal delivery, or by facsimile transmission.
- B8.5 If the Bid Submission is submitted by mail, courier or personal delivery, it shall be enclosed and sealed in an envelope clearly marked with the Bid Opportunity number and the Bidder's name and address, and shall be submitted to:

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg, MB R3B 1J1

- B8.5.1 Samples or other components of the Bid Submission which cannot reasonably be enclosed in the envelope may be packaged separately, but shall be clearly marked with the Bid Opportunity number, the Bidder's name and address, and an indication that the contents are part of the Bidder's Bid Submission.
- B8.6 Bidders are advised not to include any information/literature except as requested in accordance with B8.1.
- B8.7 Bidders are advised that inclusion of terms and conditions inconsistent with the Bid Opportunity document, including the General Conditions, will be evaluated in accordance with B16.1(a).
- B8.8 If the Bid Submission is submitted by facsimile transmission, it shall be submitted to 204 949-1178.
- B8.8.1 The Bidder is advised that the City cannot take responsibility for the availability of the facsimile machine at any time.
- B8.8.2 Bids submitted by internet electronic mail (e-mail) will not be accepted.

#### B9. BID

- B9.1 The Bidder shall complete Form A: Bid, making all required entries.
- B9.2 Paragraph 2 of Form A: Bid shall be completed in accordance with the following requirements:
  - (a) if the Bidder is a sole proprietor carrying on business in his/her own name, his/her name shall be inserted;
  - (b) if the Bidder is a partnership, the full name of the partnership shall be inserted;
  - (c) if the Bidder is a corporation, the full name of the corporation shall be inserted;
  - (d) if the Bidder is carrying on business under a name other than his/her own, the business name and the name of every partner or corporation who is the owner of such business name shall be inserted.
- B9.2.1 If a Bid is submitted jointly by two or more persons, each and all such persons shall identify themselves in accordance with B9.2.
- B9.3 In Paragraph 3 of Form A: Bid, the Bidder shall identify a contact person who is authorized to represent the Bidder for purposes of the Bid.
- B9.4 Paragraph 10 of Form A: Bid shall be signed in accordance with the following requirements:
  - (a) if the Bidder is a sole proprietor carrying on business in his/her own name, it shall be signed by the Bidder;
  - (b) if the Bidder is a partnership, it shall be signed by the partner or partners who have authority to sign for the partnership;
  - (c) if the Bidder is a corporation, it shall be signed by its duly authorized officer or officers;
  - (d) if the Bidder is carrying on business under a name other than his/her own, it shall be signed by the registered owner of the business name, or by the registered owner's authorized officials if the owner is a partnership or a corporation.
- B9.4.1 The name and official capacity of all individuals signing Form A: Bid should be printed below such signatures.
- B9.4.2 All signatures shall be original.
- B9.5 If a Bid is submitted jointly by two or more persons, the word "Bidder" shall mean each and all such persons, and the undertakings, covenants and obligations of such joint Bidders in the Bid and the Contract, when awarded, shall be both joint and several.

#### B10. PRICES

- B10.1 The Bidder shall state a price in Canadian funds for each item of the Work identified on Form B: Prices.
- B10.1.1 Notwithstanding C12.2.3(c), prices on Form B: Prices shall not include the Manitoba Retail Sales Tax (MRST, also known as PST), which shall be extra where applicable.
- B10.2 The quantities listed on Form B: Prices are to be considered approximate only. The City will use said quantities for the purpose of comparing Bids.
- B10.3 The quantities for which payment will be made to the Contractor are to be determined by the Work actually performed and completed by the Contractor, to be measured as specified in the applicable Specifications.
- B10.4 Payments to Non-Resident Contractors are subject to Non-Resident Withholding Tax pursuant to the Income Tax Act (Canada).

#### **B11. DISCLOSURE**

- B11.1 Various Persons provided information or services with respect to this Work. In the City's opinion, this relationship or association does not create a conflict of interest because of this full disclosure. Where applicable, additional material available as a result of contact with these Persons is listed below.
- B11.2 The Persons are:
  - (a) Handford Marketing
  - (b) CGC Inc.

#### **B12. QUALIFICATION**

- B12.1 The Bidder shall:
  - (a) undertake to be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba; and
  - (b) be financially capable of carrying out the terms of the Contract; and
  - (c) have all the necessary experience, capital, organization, and equipment to perform the Work in strict accordance with the terms and provisions of the Contract.
- B12.2 The Bidder and any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:
  - (a) be responsible and not be suspended, debarred or in default of any obligations to the City. A list of suspended or debarred individuals and companies is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <a href="http://www.winnipeg.ca/matmgt/debar.stm">http://www.winnipeg.ca/matmgt/debar.stm</a>
- B12.3 The Bidder and/or any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:
  - (a) have successfully carried out work similar in nature, scope and value to the Work; and
  - (b) be fully capable of performing the Work required to be in strict accordance with the terms and provisions of the Contract; and
  - (c) have a written workplace safety and health program if required pursuant to The Workplace Safety and Health Act (Manitoba);
- B12.4 Further to B12.3(c), the Bidder shall, within five (5) Business Days of a request by the Contract Administrator, provide proof satisfactory to the Contract Administrator that the Bidder/Subcontractor has a workplace safety and health program meeting the requirements of The Workplace Safety and Health Act (Manitoba), by providing:
  - (a) a copy of their valid Manitoba COR certificate and Letter of Good Standing (or Manitoba equivalency) as issued under the Certificate of Recognition (COR) Program administered by the Construction Safety Association of Manitoba or by the Manitoba Heavy Construction Association's WORKSAFELY™ COR™ Program; or
  - (b) a copy of their valid Manitoba SECOR™ certificate and Letter of Good Standing (or Manitoba equivalency) as issued under the Small Employer Certificate of Recognition Program (SECOR™) administered by the Construction Safety Association of Manitoba or by the Manitoba Heavy Construction Association's WORKSAFELY™ COR™ Program; or
  - (c) a report or letter to that effect from an independent reviewer acceptable to the City. (A list of acceptable reviewers and the review template are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <a href="http://www.winnipeg.ca/matmgt/">http://www.winnipeg.ca/matmgt/</a>.

- B12.5 The Bidder shall submit, within three (3) Business Days of a request by the Contract Administrator, proof satisfactory to the Contract Administrator of the qualifications of the Bidder and of any proposed Subcontractor.
- B12.6 The Bidder shall provide, on the request of the Contract Administrator, full access to any of the Bidder's equipment and facilities to confirm, to the Contract Administrator's satisfaction, that the Bidder's equipment and facilities are adequate to perform the Work.

#### B13. OPENING OF BIDS AND RELEASE OF INFORMATION

- B13.1 Bids will not be opened publicly.
- B13.2 Following the Submission Deadline, the names of the Bidders and their Total Bid Prices (unevaluated, and pending review and verification of conformance with requirements) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <a href="http://www.winnipeg.ca/matmgt/">http://www.winnipeg.ca/matmgt/</a>
- B13.3 After award of Contract, the name(s) of the successful Bidder(s) and the Contract amount(s) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <a href="http://www.winnipeg.ca/matmgt/">http://www.winnipeg.ca/matmgt/</a>
- B13.4 The Bidder is advised that any information contained in any Bid may be released if required by City policy or procedures, by The Freedom of Information and Protection of Privacy Act (Manitoba), by other authorities having jurisdiction, or by law.

#### **B14.** IRREVOCABLE BID

- B14.1 The Bid(s) submitted by the Bidder shall be irrevocable for the time period specified in Paragraph 9 of Form A: Bid.
- B14.2 The acceptance by the City of any Bid shall not release the Bids of the next two lowest evaluated responsive Bidders and these Bidders shall be bound by their Bids on such Work for the time period specified in Paragraph 9 of Form A: Bid.

#### **B15. WITHDRAWAL OF BIDS**

- B15.1 A Bidder may withdraw his/her Bid without penalty by giving written notice to the Manager of Materials at any time prior to the Submission Deadline.
- B15.1.1 Notwithstanding C23.3, the time and date of receipt of any notice withdrawing a Bid shall be the time and date of receipt as determined by the Manager of Materials.
- B15.1.2 The City will assume that any one of the contact persons named in Paragraph 3 of Form A: Bid or the Bidder's authorized representatives named in Paragraph 10 of Form A: Bid, and only such person, has authority to give notice of withdrawal.
- B15.1.3 If a Bidder gives notice of withdrawal prior to the Submission Deadline, the Manager of Materials will:
  - (a) retain the Bid until after the Submission Deadline has elapsed;
  - (b) open the Bid to identify the contact person named in Paragraph 3 of Form A: Bid and the Bidder's authorized representatives named in Paragraph 10 of Form A: Bid; and
  - (c) if the notice has been given by any one of the persons specified in B15.1.3(b), declare the Bid withdrawn.
- B15.2 A Bidder who withdraws his/her Bid after the Submission Deadline but before his/her Bid has been released or has lapsed as provided for in B14.2 shall be liable for such damages as are imposed upon the Bidder by law and subject to such sanctions as the Chief Administrative

Officer considers appropriate in the circumstances. The City, in such event, shall be entitled to all rights and remedies available to it at law.

#### **B16.** EVALUATION OF BIDS

- B16.1 Award of the Contract shall be based on the following bid evaluation criteria:
  - (a) compliance by the Bidder with the requirements of the Bid Opportunity or acceptable deviation there from (pass/fail);
  - (b) qualifications of the Bidder and the Subcontractors, if any, pursuant to B12 (pass/fail);
  - (c) Total Bid Price;
  - (d) economic analysis of any approved alternative pursuant to B7.
- B16.2 Further to B16.1(a), the Award Authority may reject a Bid as being non-responsive if the Bid is incomplete, obscure or conditional, or contains additions, deletions, alterations or other irregularities. The Award Authority may reject all or any part of any Bid, or waive technical requirements or minor informalities or irregularities, if the interests of the City so require.
- B16.3 Further to B16.1(b), the Award Authority shall reject any Bid submitted by a Bidder who does not demonstrate, in his/her Bid or in other information required to be submitted, that he/she is responsible and qualified.
- B16.4 Further to B16.1(c),, the Total Bid Price shall be the sum of the quantities multiplied by the unit prices for each item shown on Form B: Prices adjusted, if necessary, as follows:
  - (a) if the lowest evaluated responsive Bid submitted by a responsible and qualified Bidder is within the budgetary provision for the Work, no adjustment will be made to the Total Bid Price; or
  - (b) if the lowest evaluated responsive Bid submitted by a responsible and qualified Bidder exceeds the budgetary provision for the Work, the Total Bid Prices of all responsive Bids submitted by responsible and qualified Bidders will be adjusted by deducting all of the following items of Work on Form B: Prices to achieve a reduced Total Bid Price.
    - (i) Item No. 3 Disconnect, Remove and Dispose of all Pendant-Hung Fixtures Over Ice Rink Surface; and
    - (ii) Item No. 16 Supply and Install Visioneering LHBX LED (LHBX 48 LED8 40K 240L UNV P45); and
    - (iii) Item No. 17 Supply and Install RAB CLB2-40 (CLB2-40-B-4K-BRZ-FR).
- B16.4.1 Further to B16.1(a), in the event that a unit price is not provided on Form B: Prices, the City will determine the unit price by dividing the Amount (extended price) by the approximate quantity, for the purposes of evaluation and payment.

#### B17. AWARD OF CONTRACT

- B17.1 The City will give notice of the award of the Contract or will give notice that no award will be made.
- B17.2 The City will have no obligation to award a Contract to a Bidder, even though one or all of the Bidders are determined to be responsible and qualified, and the Bids are determined to be responsive.
- B17.2.1 Without limiting the generality of B17.2, the City will have no obligation to award a Contract where:
  - (a) the prices exceed the available City funds for the Work;
  - (b) the prices are materially in excess of the prices received for similar work in the past;
  - (c) the prices are materially in excess of the City's cost to perform the Work, or a significant portion thereof, with its own forces;

- (d) only one Bid is received; or
- (e) in the judgment of the Award Authority, the interests of the City would best be served by not awarding a Contract.
- B17.3 Where an award of Contract is made by the City, the award shall be made to the responsible and qualified Bidder submitting the lowest evaluated responsive Bid, in accordance with B16.
- B17.3.1 Following the award of contract, a Bidder will be provided with information related to the evaluation of his/her Bid upon written request to the Contract Administrator.
- B17.4 Notwithstanding C4, the City may issue a Purchase Order to the successful Bidder in lieu of the execution of a Contract.
- B17.5 The Contract, as defined in C1.1, in its entirety shall be deemed to be incorporated in and to form a part of the Purchase Order notwithstanding that it is not necessarily attached to or accompany said Purchase Order.

### **PART C - GENERAL CONDITIONS**

#### CO. GENERAL CONDITIONS

- C0.1 The General Conditions for Construction (Revision 2006 12 15) are applicable to the Work of the Contract.
- C0.1.1 The General Conditions for Construction are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <a href="http://www.winnipeg.ca/matmgt/gen\_cond.stm">http://www.winnipeg.ca/matmgt/gen\_cond.stm</a>
- C0.2 A reference in the Bid Opportunity to a section, clause or subclause with the prefix "C" designates a section, clause or subclause in the *General Conditions for Construction*.

#### **PART D - SUPPLEMENTAL CONDITIONS**

#### **GENERAL**

#### D1. GENERAL CONDITIONS

D1.1 In addition to the *General Conditions for Construction*, these Supplemental Conditions are applicable to the Work of the Contract.

#### D2. SCOPE OF WORK

- D2.1 The Work to be done under the Contract shall consist of replacing light fixtures at River East Arena.
- D2.2 The major components of the Work are as follows:
  - (a) DISCONNECT, REMOVE AND DISPOSE OF:
    - (i) Existing pendant, surface-mount and recessed T12, T8 and incandescent fixtures as indicated on Form B:Prices and on Appendix 1 Lighting Schedule;
    - (ii) Protective light fixture cages in basement hallway;
    - (iii) Existing exit fixtures;
    - (iv) Ceiling tile and suspension grid in main floor washrooms, and suspension grid in main floor foyer.

#### (b) SUPPLY AND INSTALL:

- (i) New LED and T8 fixtures as indicated on Form B:Prices and on Appendix 1 Lighting Schedule;
- (ii) One new exit fixture in ice rink, including new EMT conduit and wiring to fixture;
- (iii) New ceiling tile and suspension grid in: main floor foyer, main floor washrooms, 2<sup>nd</sup> floor multi-purpose room, and 2<sup>nd</sup> floor washrooms.
- (c) Some fixtures will require relocation from a wall-mounted position to a ceiling-mounted position, or vice-versa.
- (d) New recessed fixtures must be supported independent of the ceiling grid.
- (e) Relocate light switch in Zamboni Room to be inside the room. Exact location to be confirmed with Contract Administrator. Replace with lighted switch.
- D2.3 Work shall be completed while the building is open to the public, and Work must be coordinated with Arena staff to minimize disruption to the facility and patrons.
- D2.4 Work shall include all labour, material, equipment and services required for a complete and functional lighting system.
- D2.5 Contractor shall arrange and pay for all necessary permits and inspections, and obtain all necessary approvals of the installation and operation. On completion of the Work, submit Certificates of Acceptance from the Authority(s) Having Jurisdiction to the Contract Administrator.

#### D3. CONTRACT ADMINISTRATOR

D3.1 The Contract Administrator is:

Kathy Roberts Project Officer

Telephone No. 204 470-7380

Email: kathyroberts@winnipeg.ca

- D3.2 At the pre-construction meeting, the Contract Administrator will identify additional personnel representing the Contract Administrator and their respective roles and responsibilities for the Work.
- D3.3 Bids Submissions must be submitted to the address in B8.5

#### CONTRACTOR'S SUPERVISOR D4.

D4.1 At the pre-construction meeting, the Contractor shall identify his/her designated supervisor and any additional personnel representing the Contractor and their respective roles and responsibilities for the Work.

#### D5. OWNERSHIP OF INFORMATION, CONFIDENTIALITY AND NON DISCLOSURE

- D5.1 The Contract, all deliverables produced or developed, and information provided to or acquired by the Contractor are the property of the City and shall not be appropriated for the Contractors own use, or for the use of any third party.
- D5.2 The Contractor shall not make any public announcements or press releases regarding the Contract, without the prior written authorization of the Contract Administrator.
- D5.3 The following shall be confidential and shall not be disclosed by the Contractor to the media or any member of the public without the prior written authorization of the Contract Administrator;
  - information provided to the Contractor by the City or acquired by the Contractor during the course of the Work;
  - (b) the Contract, all deliverables produced or developed; and
  - (c) any statement of fact or opinion regarding any aspect of the Contract.
- D5.4 A Contractor who violates any provision of D5 may be determined to be in breach of Contract.

#### D6. **NOTICES**

- D6.1 Except as provided for in C23.2.2, all notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications to the Contractor shall be sent to the facsimile number identified by the Contractor in Paragraph 2 of Form A: Bid.
- D6.2 All notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications to the City, except as expressly otherwise required in D6.3, D6.4 or elsewhere in the Contract, shall be sent to the attention of the Contract Administrator at the facsimile number identified in D3.
- D6.3 Notwithstanding C21., all notices of appeal to the Chief Administrative Officer shall be sent to the attention of the Chief Financial Officer at the following facsimile number:

The City of Winnipeg Chief Financial Officer

Facsimile No.: 204 949-1174

D6.4 All notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications required to be submitted or returned to the City Solicitor shall be sent to the following facsimile number:

The City of Winnipea Legal Services Department Attn: Director of Legal Services

Facsimile No.: 204 947-9155

D6.5 Bids Submissions must be submitted to the address in B8.5.

#### **SUBMISSIONS**

#### D7. AUTHORITY TO CARRY ON BUSINESS

D7.1 The Contractor shall be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba, or if the Contractor does not carry on business in Manitoba, in the jurisdiction where the Contractor does carry on business, throughout the term of the Contract, and shall provide the Contract Administrator with evidence thereof upon request.

#### D8. SAFE WORK PLAN

- D8.1 The Contractor shall provide the Contract Administrator with a Safe Work Plan at least five (5) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.
- D8.2 The Safe Work Plan should be prepared and submitted in the format shown in the City's template which is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <a href="http://www.winnipeg.ca/matmgt/safety/default.stm">http://www.winnipeg.ca/matmgt/safety/default.stm</a>

#### D9. INSURANCE

- D9.1 The Contractor shall provide and maintain the following insurance coverage:
  - (a) commercial general liability insurance, in the amount of at least two million dollars (\$2,000,000.00) inclusive, with The City of Winnipeg added as an additional insured, with a cross-liability clause, such liability policy to also contain contractual liability, unlicensed motor vehicle liability, non-owned automobile liability and products and completed operations, to remain in place at all times during the performance of the Work and throughout the warranty period;
  - (b) if applicable, Automobile Liability Insurance covering all motor vehicles, owned and operated and used or to be used by the Contractor directly or indirectly in the performance of the Work. The Limit of Liability shall not be less than \$2,000,000 inclusive for loss or damage including personal injuries and death resulting from any one accident or occurrence;
- D9.2 Deductibles shall be borne by the Contractor.
- D9.3 The Contractor shall provide the Contract Administrator with a certificate(s) of insurance, in a form satisfactory to the City Solicitor, at least two (2) Business Days prior to the commencement of any Work but in no event later than seven (7) Calendar Days from notification of the award of Contract by Purchase Order.
- D9.4 The Contractor shall not cancel, materially alter, or cause each policy to lapse without providing at least thirty (30) Calendar Days prior written notice to the Contract Administrator.

#### D10. PERFORMANCE SECURITY

- D10.1 If the Contract Price exceeds twenty-five thousand dollars (\$25,000.00), the Contractor shall provide and maintain performance security until the expiration of the warranty period in the form of:
  - (a) a performance bond of a company registered to conduct the business of a surety in Manitoba, in the form attached to these Supplemental Conditions (Form H1: Performance Bond), in the amount of fifty percent (50%) of the Contract Price; or
  - (b) an irrevocable standby letter of credit issued by a bank or other financial institution registered to conduct business in Manitoba and drawn on a branch located in Winnipeg, in

- the form attached to these Supplemental Conditions (Form H2: Irrevocable Standby Letter of Credit), in the amount of fifty percent (50%) of the Contract Price; or
- (c) a certified cheque or draft payable to "The City of Winnipeg", drawn on a bank or other financial institution registered to conduct business in Manitoba, in the amount of fifty percent (50%) of the Contract Price.
- D10.1.1 Where the performance security is in the form of a certified cheque or draft, it will be deposited by the City. The City will not pay any interest on certified cheques or drafts furnished as performance security.
- D10.2 The Contractor shall provide the City Solicitor with the required performance security within seven (7) Calendar Days of notification of the award of the Contract by way of Purchase Order and prior to the commencement of any Work on the Site.

#### D11. SUBCONTRACTOR LIST

D11.1 The Contractor shall provide the Contract Administrator with a complete list of the Subcontractors whom the Contractor proposes to engage (Form J: Subcontractor List) at least two (2) Business Days prior to the commencement of any Work on the Site but in no event later than seven (7) Calendar Days from notification of the award of Contract.

#### D12. DETAILED WORK SCHEDULE

- D12.1 The Contractor shall provide the Contract Administrator with a detailed work schedule at least two (2) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.
- D12.2 The detailed work schedule shall consist of the following:
  - (a) a critical path method (C.P.M.) schedule for the Work;
  - (b) a Gantt chart for the Work based on the C.P.M. schedule;
  - (c) a daily manpower schedule for the Work;
  - all acceptable to the Contract Administrator.
- D12.3 Further to D12.2(a), the C.P.M. schedule shall clearly identify the start and completion dates of all of the following activities/tasks making up the Work as well as showing those activities/tasks on the critical path:
  - (a) Start and completion dates for work on the 2<sup>nd</sup> floor.
- D12.4 Further to D12.2(b), the Gantt chart shall show the time on a weekly basis, required to carry out the Work of each trade, or specification division. The time shall be on the horizontal axis, and the type of trade shall be on the vertical axis.
- D12.5 Further to D12.2(c), the daily manpower schedule shall list the daily number of individuals on the Site for each trade.

#### **SCHEDULE OF WORK**

#### D13. COMMENCEMENT

- D13.1 The Contractor shall not commence any Work until he/she is in receipt of a Purchase Order from the Award Authority authorizing the commencement of the Work.
- D13.2 The Contractor shall not commence any Work on the Site until:
  - (a) the Contract Administrator has confirmed receipt and approval of:
    - (i) evidence that the Contractor is in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act

- (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba:
- (ii) evidence of the workers compensation coverage specified in C6.15;
- (iii) the Safe Work Plan specified in D8;
- (iv) evidence of the insurance specified in D9;
- (v) the performance security specified in D10;
- (vi) the Subcontractor list specified in D11 and
- (vii) the detailed work schedule specified in D12.
- (b) the Contractor has attended a pre-construction meeting with the Contract Administrator, or the Contract Administrator has waived the requirement for a pre-construction meeting.
- (c) The Contractor shall not commence any work on the 2<sup>nd</sup> Floor before March 12, 2016. Asbestos Abatement Work will be completed by others March 8 March 11, 2016.
- D13.3 The Contractor shall commence the Work within seven (7) Working Days of receipt of the Purchase Order.
- D13.4 The City intends to award this Contract by February 16, 2016.
- D13.4.1 If the actual date of award is later than the intended date, the dates specified for Critical Stages, Substantial Performance, and Total Performance will be adjusted by the difference between the aforementioned intended and actual dates.

#### D14. CRITICAL STAGES

- D14.1 The Contractor shall achieve critical stages of the Work in accordance with the following requirements:
  - (a) All work on the 2<sup>nd</sup> Floor may only be completed March 12 April 1, 2016. As at end of day on April 1, 2016, the Contractor must be fully complete on this floor and all tools, materials, and garbage must be removed from the area.

#### D15. SUBSTANTIAL PERFORMANCE

- D15.1 The Contractor shall achieve Substantial Performance within forty (40) consecutive Working Days of the commencement of the Work as specified in D13.
- D15.2 When the Contractor considers the Work to be substantially performed, the Contractor shall arrange, attend and assist in the inspection of the Work with the Contract Administrator for purposes of verifying Substantial Performance. Any defects or deficiencies in the Work noted during that inspection shall be remedied by the Contractor at the earliest possible instance and the Contract Administrator notified so that the Work can be reinspected.
- D15.3 The date on which the Work has been certified by the Contract Administrator as being substantially performed to the requirements of the Contract through the issue of a certificate of Substantial Performance is the date on which Substantial Performance has been achieved.

#### D16. TOTAL PERFORMANCE

- D16.1 The Contractor shall achieve Total Performance within forty-five (45) consecutive Working Days of the commencement of the Work as specified in D13.
- D16.2 When the Contractor or the Contract Administrator considers the Work to be totally performed, the Contractor shall arrange, attend and assist in the inspection of the Work with the Contract Administrator for purposes of verifying Total Performance. Any defects or deficiencies in the Work noted during that inspection shall be remedied by the Contractor at the earliest possible instance and the Contract Administrator notified so that the Work can be reinspected.

D16.3 The date on which the Work has been certified by the Contract Administrator as being totally performed to the requirements of the Contract through the issue of a certificate of Total Performance is the date on which Total Performance has been achieved.

#### D17. LIQUIDATED DAMAGES

- D17.1 If the Contractor fails to achieve Critical Stages, Substantial Performance or Total Performance in accordance with the Contract by the days fixed herein for same, the Contractor shall pay the City the following amounts per Working Day for each and every Working Day following the days fixed herein for same during which such failure continues:
  - (a) All Work Completed on the 2<sup>nd</sup> Floor by April 1, 2016 one thousand dollars (\$1,000);
  - (b) Substantial Performance five hundred dollars (\$500);
  - (c) Total Performance two hundred dollars (\$200).
- D17.2 The amounts specified for liquidated damages in D17.1 are based on a genuine pre-estimate of the City's losses in the event that the Contractor does not achieve critical stages, Substantial Performance or Total Performance by the days fixed herein for same.
- D17.3 The City may reduce any payment to the Contractor by the amount of any liquidated damages assessed.

#### **CONTROL OF WORK**

#### D18. JOB MEETINGS

- D18.1 Regular weekly job meetings will be held at the Site. These meetings shall be attended by a minimum of one representative of the Contract Administrator, one representative of the City and one representative of the Contractor. Each representative shall be a responsible person capable of expressing the position of the Contract Administrator, the City and the Contractor respectively on any matter discussed at the meeting including the Work schedule and the need to make any revisions to the Work schedule. The progress of the Work will be reviewed at each of these meetings.
- D18.2 The Contract Administrator reserves the right to cancel any job meeting or call additional job meetings whenever he/she deems it necessary.

#### D19. PRIME CONTRACTOR – THE WORKPLACE SAFETY AND HEALTH ACT (MANITOBA)

D19.1 Further to C6.24, the Contractor shall be the Prime Contractor and shall serve as, and have the duties of the Prime Contractor in accordance with The Workplace Safety and Health Act (Manitoba).

### D20. THE WORKPLACE SAFETY AND HEALTH ACT (MANITOBA) – QUALIFICATIONS

D20.1 Further to B12.4, the Contractor/Subcontractor must, throughout the term of the Contract, have a Workplace Safety and Health Program meeting the requirements of The Workplace Safety and Health Act (Manitoba). At any time during the term of the Contract, the City may, at its sole discretion and acting reasonably, require updated proof of compliance, as set out in B12.4

#### **MEASUREMENT AND PAYMENT**

#### D21. INVOICES

D21.1 Further to C12, the Contractor shall submit an invoice for each portion of Work performed. to:

The City of Winnipeg Corporate Finance - Accounts Payable

4th Floor, Administration Building, 510 Main Street Winnipeg MB R3B 1B9

Facsimile No.: 204-949-0864 Email: CityWpgAP@winnipeg.ca

- D21.2 Invoices must clearly indicate, as a minimum:
  - (a) the City's purchase order number;
  - (b) date of delivery;
  - (c) delivery address;
  - (d) type and quantity of work performed;
  - (e) the amount payable with GST and MRST shown as separate amounts; and
  - (f) the Contractor's GST registration number.
- D21.3 The City will bear no responsibility for delays in approval of invoices which are improperly submitted.
- D21.4 Bids Submissions must be submitted to the address in B8.5.

#### D22. PAYMENT

D22.1 Further to C12, the City may at its option pay the Contractor by direct deposit to the Contractor's banking institution.

#### **WARRANTY**

#### D23. WARRANTY

D23.1 Warranty is as stated in C13.

# FORM H1: PERFORMANCE BOND (See D10)

KNOW ALL MEN BY THESE PRESENTS THAT		
(hereinafter called the "Principal"), and		
(hereinafter called the "Surety"), are held and firmly bound unto <b>THE CITY OF WINNIPEG</b> (hereinafcalled the "Obligee"), in the sum of	_ , ter	

of lawful money of Canada to be paid to the Obligee, or its successors or assigns, for the payment of which sum the Principal and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

dollars (\$

WHEREAS the Principal has entered into a written contract with the Obligee for

**BID OPPORTUNITY NO. 15-2016** 

LIGHTING UPGRADE - RIVER EAST ARENA, 1410 ROTHESAY

which is by reference made part hereof and is hereinafter referred to as the "Contract".

NOW THEREFORE the condition of the above obligation is such that if the Principal shall:

- (a) carry out and perform the Contract and every part thereof in the manner and within the times set forth in the Contract and in accordance with the terms and conditions specified in the Contract;
- (b) perform the Work in a good, proper, workmanlike manner;
- (c) make all the payments whether to the Obligee or to others as therein provided;
- (d) in every other respect comply with the conditions and perform the covenants contained in the Contract; and
- (e) indemnify and save harmless the Obligee against and from all loss, costs, damages, claims, and demands of every description as set forth in the Contract, and from all penalties, assessments, claims, actions for loss, damages or compensation whether arising under "The Workers Compensation Act", or any other Act or otherwise arising out of or in any way connected with the performance or non-performance of the Contract or any part thereof during the term of the Contract and the warranty period provided for therein;

THEN THIS OBLIGATION SHALL BE VOID, but otherwise shall remain in full force and effect. The Surety shall not, however, be liable for a greater sum than the sum specified above.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

IN WITNESS	WHEREOF	the Principal	and Surety	have signed	and sealed	this bond the
day o	of		, 20	_ •		

The City of Winnipeg Bid Opportunity No. 15-2016

## Supplemental Conditions Page 9 of 12

Template Version: C520150806 - C Bldg LR

SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness as to Principal if no seal)	Per:	,
	(Name of Surety)  By: (Attorney-in-Fact)	(Seal)

# FORM H2: IRREVOCABLE STANDBY LETTER OF CREDIT (PERFORMANCE SECURITY) (See D10)

(Date)
The City of Winnipeg Legal Services Department 15 King Street, 3rd Floor Winnipeg MB R3B 1J1
RE: PERFORMANCE SECURITY - BID OPPORTUNITY NO. 15-2016
LIGHTING UPGRADE – RIVER EAST ARENA, 1410 ROTHESAY
Pursuant to the request of and for the account of our customer,
(Name of Contractor)
(Address of Contractor)  WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceed in the aggregate
Canadian dollar
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writted demand for payment made upon us by you. It is understood that we are obligated under this Stand Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand payment without inquiring whether you have a right as between yourself and our customer to make sudemand and without recognizing any claim of our customer or objection by the customer to payment by the customer
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn up it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Stand Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by u

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.
Subject to the condition hereinafter set forth, this Standby Letter of Credit will expire on
(Date)

It is a condition of this Standby Letter of Credit that it shall be deemed to be automatically extended from year to year without amendment from the present or any future expiry date, unless at least 30 days prior to the present or any future expiry date, we notify you in writing that we elect not to consider this Standby Letter of Credit to be renewable for any additional period.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	

## FORM J: SUBCONTRACTOR LIST

(See D11)

## LIGHTING UPGRADE - RIVER EAST ARENA, 1410 ROTHESAY

<u>Name</u>	<u>Address</u>
	<del></del>
	<del></del> _

### **PART E - SPECIFICATIONS**

#### **GENERAL**

#### E1. APPLICABLE SPECIFICATIONS AND DRAWINGS

- E1.1 These Specifications shall apply to the Work.
- E1.2 The City of Winnipeg Standard Construction Specifications in its entirety, whether or not specifically listed on Form B: Prices, shall apply to the Work.
- E1.2.1 The City of Winnipeg Standard Construction Specifications is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt/Spec/Default.stm
- E1.2.2 The version in effect three (3) Business Days before the Submission Deadline shall apply.
- E1.2.3 Further to C2.4(d), Specifications included in the Bid Opportunity shall govern over *The City of Winnipeg Standard Construction Specifications*.
- E1.3 Materials, installation and all related work shall be in accordance with the current editions of the following specifications and standards:
  - (a) National Building Code (NBC)
  - (b) Manitoba Building Code (MBC)
  - (c) National Fire Code (NFC)
  - (d) Canadian Electrical Code (CEC)
  - (e) Current edition of the Canadian Standards Association (CSA)
  - (f) Federal, Provincial and Municipal government laws, rules, ordinances and codes, where applicable.
  - (g) All requirements of the Authority Having Jurisdiction
  - (h) Manufacturer's recommendations
- E1.4 The following are applicable to the Work:

Drawing No. Drawing Name/Title

Main Floor Plan Second Floor Plan Basement Floor Plan

#### E2. HAZARDOUS MATERIALS

- E2.1 If asbestos or other hazardous materials are encountered during the Work of the Contract, the Contractor shall stop all work and notify the Contract Administrator immediately. Removal of hazardous materials shall be dealt with by the City and the Contractor shall await further instruction by the Contract Administrator.
- E2.2 Note that an abatement of the ceiling tile in the 2<sup>nd</sup> floor multipurpose room and 2<sup>nd</sup> floor washrooms will be completed by others from March 8 March 11, 2016. The abatement will remove the ceiling tile and suspension grid.
- E2.3 See Appendix 2 Asbestos Inventory.

#### E3. SHOP DRAWINGS

E3.1 Submit one (1) set of shop drawings for review by the Contract Administrator.

#### E4. ELECTRICAL WORK

- E4.1 Neatly group and lace-in wire and cable installed in fixture enclosures.
- E4.2 All wires shall be copper, minimum #12 AWG with 90C x-link insulation. Wiring to be installed in conduit.
- E4.3 Conduit and wiring shall be grouped where possible and clipped in a neat and workmanlike manner.
- E4.4 AC-90 cable to be used for drops from conduit systems to recessed lighting fixtures in accessible ceilings. Maximum run of AC-90 in accessible ceiling space shall be 5'-0".
- E4.5 Cables and conduit shall be adequately supported, and shall not be supported with tie wire or perforated strapping.
- E4.6 Fixtures shall be adequately supported. Recessed fixtures shall be supported independent of the ceiling grid.
- E4.7 System grounding and bonding shall be as per the current edition of the Canadian Electrical Code, the current edition of the CSA, and all local codes and bylaws.
- E4.8 At no time will the Contractor leave any energized electrical equipment or devices open or exposed in a public area without having qualified electrical personnel working on or guarding the exposed electrical components.
- E4.9 In general and where practical, all conductors should be continuous (no splices) from their point of origin to their point of termination.
- E4.10 All electrical work shall be carried out by qualified, licensed electricians or apprentices. Employees registered in a provincial apprenticeship program shall be permitted, under the direct supervision of a qualified licensed electrician, to perform specific tasks activities permitted shall be determined based on the level of training attained and the demonstration of ability to perform specific duties.

#### E5. LAMP AND BALLAST DISPOSAL

E5.1 Lamps and ballasts from existing fixtures may be disposed of at the City's facility at 752 McGee Street. Arrangements for drop off must be made with the Contract Administrator prior to disposal.

#### E6. FIXTURE STANDARD OF ACCEPTANCE

- E6.1 Visioneering LTRB vandal-resistant series:
  - (a) 24" fixture LTRB-24-LED8-35K-037L-UNV
  - (b) 48" fixture LTRB-48-LED8-35K-037L-UNV
- E6.2 Visioneering LSVA water-resistant series:
  - (a) 48" fixture LSVA-48-LED8-35K-042L-UNV
- E6.3 Visioneering LRTG recessed series:
  - (a) 1x4 4000 lumen fixture LRTG-1X4-LED8-35K-040L-UNV
  - (b) 2x4 4000 lumen fixture LRTG-2X4-LED8-35K-040L-UNV
  - (c) 2x4 7400 lumen fixture LRTG-2X4-LED8-35K-074L-UNV
  - (d) All recessed fixtures must be supported independent of the ceiling grid
- E6.4 Visioneering LSTG surface-mount series:

- (a) 2x2 5000 lumen fixture LSTG-2X2-LED8-35K-050L-UNV, with mounting chain kits
- (b) 1x4 4000 lumen fixture LSTG-1X4-LED8-35K-040L-UNV, some with mounting chain kits
- (c) 2x4 4000 lumen fixture LSTG-2X4-LED8-35K-040L-UNV
- (d) stem-mount these, can you put a swivel ball at the ceiling
- E6.5 Visioneering LHBX high bay series:
  - (a) LHBX-48-LED8-40K-240L-UNV-P45, with mounting chain kits
- E6.6 RAB CLB series canopy fixture:
  - (a) CLB2-40-B-4K-BRZ-FR, with stem-mounting kit complete with swivel-ball at ceiling
- E6.7 RAB DWL series wall fixture:
  - (a) DWL2-LED30-A-5K-BRZ
- E6.8 Beghelli Illumina series:
  - (a) 24" fixture BS100T8-2HT-232W-120V
  - (b) 48" fixture BS100T8-4HT-232W-120V, some with mounting chain kits
- E6.9 Lumacell LS series exit fixtures:
  - (a) LS1WU

#### E7. ACOUSTICAL CEIING TILE AND METAL SUSPENSION SYSTEM

- E7.1 Extra Tile Stock: Contractor to provide three (3) extra boxes [total of 18 tile panels] of acoustical tile units for the City to store for maintenance purposes. Store where directed and identify contents. Maintenance materials to be from same production run as installed materials.
- E7.2 Acoustic Tile Materials: Acoustic Tile shall be **USG Mars #88185 square edge, colour Flat** White **050, size 2' x 4' x 3/4".**
- E7.3 Delivery, Storage and Handling of Materials
  - (a) All materials shall be delivered in their original unopened packages and stored in an enclosed shelter providing protection from damage and exposure to the elements.
  - (b) Storage:
    - (i) <u>Panels</u>: Storage time of materials at the job site should be as short as possible, and environmental conditions should be as near as possible to those specified for occupancy (see E7.3(d) Environmental Conditions).
    - (ii) <u>Suspension System</u>: Store in manner that will prevent warping, scratches, or damage of any kind.
  - (c) Handling: Handle in such manner to ensure against racking, distortion, or physical damage of any kind
  - (d) Environmental Conditions: Installation of acoustical panels shall not begin until building is enclosed, permanent heating and cooling equipment is in operation, and residual moisture from plaster, concrete, or terrazzo work has dissipated.
- E7.4 Alternate Construction Waste Disposal / Recycling
  - (a) Separate clean dry ceiling tile pieces from contaminants for landfilling or reuse.
  - (b) Working with the local CGC representative and the local waste hauler provide packaged and secure products for pick up.
  - (c) Allowed panels and Conditions: Check with manufacturer for acceptance.
- E7.5 Suspension System Materials

(a) Any additional required components shall match existing suspended ceiling system.

#### E7.6 Metal Suspension System For Acoustical Ceiling Tile

- (a) General: ASTM C635, commercial quality pretreated and painted hot-dipped galvanized cold-rolled steel, exposed surfaces prefinished in manufacturer's standard corrosion resistant enamel paint finish; colour: Flat White 050
- (b) Product/ System: CGC Corporation: USG DONN® Brand DX®/DXL™ 15/16" Acoustical Suspension System
- (c) Suspension System Components:
  - (i) Fire Rated Main Tees: UL Classified **Intermediate Duty** Classification; double-web design; 1.64 in. high; rectangular top bulb; 15/16 in. exposed flange with roll-formed steel cap; cross tee holes and hanger wire holes at 6 in. o.c.; convenience holes at approximately 2 in. o.c.; integral reversible splices.
  - (ii) Cross tee: 1-1/2 in. high; roll-formed into double-web design with rectangular bulb; 15/16 in. exposed flange with prepainted steel cap; high tensile steel end clips clenched to web. 1 in. high; roll-formed into double-web design with rectangular bulb; 15/16 in. exposed flange with prepainted steel cap; high tensile steel end clips clenched to web. Main tees and cross tees shall be positively locked, yet shall be removable without the use of tools.

### (d) Accessories:

- (i) Wall Molding: Angle shape; 7/8 in. mounting flange by 7/8 in. face flange or 1 in. mounting flange by 2 in. face flange or 2 in. mounting flange or 2 in. face flange; hemmed edges; exposed surface pre-finished to match suspension system components.
  - Inside Corner: Field-mitered joints at wall molding; Prefabricated corner cap; formed to 90° angle; hemmed edge; size and finish to match wall molding.
  - Outside Corner: Prefabricated corner cap; formed to 90° angle; hemmed edge; size and finish to match wall molding.
- (ii) Channel Molding: U-shape; hemmed edges; exposed surfaces pre-finished to match suspension system components; 1" or 1/2" exposed flange by depth as required for ceiling material
- (e) Stabilizer Bar
- (f) Suspension System Attachment devices
  - Hanger Wire: Galvanized carbon steel; soft temper; pre-stretched; yield stress load at least three times the design load but not less than 12-gauge.

#### E7.7 Installation

- (a) Install mechanical suspension system and acoustical ceiling tile in accordance with manufacturers' instructions and as supplemented in this section.
- (b) Fit acoustic units in place, free from damaged edges or other defects detrimental to appearance and function.
- (c) Install acoustic units level, in uniform plane, and free from twists, warps and dents.
- (d) Maximum deflection shall not exceed 1/360 of the span.