## FORM A: BID (See B9)

1.	Contract Title	2016 WATER MAIN RE	NEWALS – CONTRACT NO. 1	10
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bide	der as it appears on Invoice (if different	from above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if	applicable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business ur	der the above name.	
3.	Contact Person	The Bidder hereby authors the Bidder for purposes	norizes the following contact poor of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall ha General Conditions and D2.1.	ave the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

(SEE B9)

# 2016 WATER MAIN RENEWALS - CONTRACT NO. 10

UNIT P	KICES I		I			
ITEM	DESCRIPTION	SPEC.		APPROX.	UNIT	AMOUNT
		REF.	UNIT	QUANTITY	PRICE	
Α	ASHBURN STREET					
A. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
b)	200mm					
i)	trenchless installation, Class B sand					
	bedding, Class 3 backfill		m	340.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	3		
A. 3	Watermain Valve	CW 2110				
a)	200mm		each	4		
A. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 45°		each	2		
b)	Reducers					
i)	200mm - 150mm		each	1		
A. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	470.0		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	1.0		
A. 6	Corporation Stops	CW 2110				
a)	19mm		each	56		
b)	25mm		each	1		
A. 7	Curb Stops	CW 2110				
a)	19mm		each	44		
A. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	44		

(SEE B9)

# 2016 WATER MAIN RENEWALS - CONTRACT NO. 10

UNIT	RICES		1	1		
ITEM	DESCRIPTION	SPEC.		APPROX.	UNIT	AMOUNT
		REF.	UNIT	QUANTITY	PRICE	
A. 9	Connecting to Existing Watermains and	CW 2110				
A. 9	Large Diameter Water Services	CVV ZIIU				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
ii)			each	1 1		
,	200		Jugari	'		
A. 10	Connecting Existing Copper Water	CW 2110				
	Services to New Watermains					
a)	19mm		each	56		
b)	25mm		each	1		
A. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1.0		
b)	On Water Services		each	84.0		
A. 12	Regrading of Existing Sewer Service -	CW 2110				
,	Up to 1.5 metres Long					
a)	150mm		each	10		
A. 13	Maintaining Curb Stop Excavations	CW 2110	each /			
Α. 13	Ivialitaliting Guib Glop Excavations	OW 2110	day	50.0		
A. 14	Partial Slab Patches	E6				
a)	150mm reinforced concrete					
۵,	pavement		m <sup>2</sup>	15.0		
A. 15	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)	- · · · · · · · · · · · · · · · · · · ·	m²	250.0		
, u,	- 1.10 main (02 2207 y		'''	250.0		
A. 16	Construction of Asphaltic Concrete	CW 3410				
	Overlays Type 1A		tonne	1.0		
	ASHBURN STREET				SUBTOTAL A:	
<u>B</u>	BURNELL STREET					
B. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)						
	bedding, Class 3 backfill		m	5.0		
				0.0		

(SEE B9)

# 2016 WATER MAIN RENEWALS - CONTRACT NO. 10

UNIT P	RICES		ı	·		
ITEM	DESCRIPTION	SPEC.		APPROX.	UNIT PRICE	AMOUNT
b)	200mm	REF.	UNIT	QUANTITY	PRICE	
(i)						
'	bedding, Class 3 backfill		m	217.0		
c)	250mm		""	217.0		
í)						
	bedding, Class 3 backfill		m	5.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-007	OW 2110	each	3		
"			eacii	3		
B. 3	Watermain Valve	CW 2110				
a)	200mm		each	3		
B. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 45°		each	2		
b)	Tees					
i)	200mm X 200mm X 150mm		each	2		
c)	Crosses					
i)	250mm X250mm X 200mm X 200mm		each	1		
d)	Reducers		ouon	·		
i)			each	2		
				_		
B. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill			30.0		
b)	25mm		m	50.0		
i)						
	bedding, Class 3 backfill		m	1.0		
c)	38mm					
i)	·					
	bedding, Class 3 backfill		m	1.0		
B. 6	Corporation Stops	CW 2110				
a)	19mm		each	12		
b)	25mm		each	1		
c)	38mm		each	1		
	<u> </u>		Cucii	ı		

(SEE B9)

#### 2016 WATER MAIN RENEWALS - CONTRACT NO. 10

UNIT P	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 7	Curb Stops	CW 2110				
a)	19mm	OW 2110	each	7		
,			- Cuon	,		
B. 8	Curb Stop Boxes	CW 2110				
(a)	19mm		each	7		
B. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)			each	4		
b) <sup>1</sup>	Perpendicular connection					
i)	250mm		each	1		
B. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	12		
b)	25mm		each	1		
c)	38mm		each	1		
B. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	14.0		
B. 12	Maintaining Curb Stop Excavations	CW 2110	each / day	10.0		
	BURNELL STREET				SUBTOTAL B:	
<u>c</u>	DOMINION STREET					
C. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	145.0		
b)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
C. 2	Hydrant Assembly	CW 2110				
a)	SD-007	OVV 2110	each	1		
			Cacii	l '		

(SEE B9)

# 2016 WATER MAIN RENEWALS - CONTRACT NO. 10

UNIT P	RICES	2552	1	455561		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
		014/04/40				
C. 4	Fittings	CW 2110				
a)	Bends (SD-004)			_		
j)			each	4		
b)	Crosses					
i)	250mm X 250mm X 150mm X 150mm		each	1		
C. 5	Water Services	CW 2110				
a)	19mm					
i)	·					
	bedding, Class 3 backfill		m	20.0		
C. 6	Corporation Stops	CW 2110				
a)	19mm	OW 2110	each	20		
			eacii	20		
C. 7	Connecting to Existing Watermains and	CW 2110				
	Large Diameter Water Services					
a)	In-line connection - no plug existing					
j)			each	2		
b)	Perpendicular connection					
i)	250mm		each	1		
C. 8	Connecting Existing Copper Water	CW 2110				
	Services to New Watermains					
a)	19mm		each	20		
		0111 0110				
C. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	20.0		
C. 10	Partial Slab Patches	E6				
	150mm reinforced concrete	— <del>-</del>				
(a)	pavement		m²	30.0		
C. 11	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)	011 0200	m²	10.0		
",	(02 220,0)		'''	10.0		
C. 12	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	10.0		

FORM B: PRICES (SEE B9)					
	N RENEWAL	S - CON	ITRACT NO.	10	
DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.5		
DOMINION STREET				SUBTOTAL C:	
GOULDING STREET					
Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	5.0		
200mm trenchless installation, Class B sand bedding, Class 5 backfill		m	245.0		
Hydrant Assembly SD-007	CW 2110	each	2		
Watermain Valve 200mm	CW 2110	each	3		
Fittings Bends (SD-004)	CW 2110				
150mm - 45° Reducers		each	2		
200mm - 150mm		each	1		
Water Services  19mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	200.0		
-	CW 2110	""	200.0		
19mm	2	each	46		
Curb Stops	CW 2110				
19mm		each	20		
Curb Stop Boxes 19mm	CW 2110	each	20		
· · · · · · · · · · · · · · · · · · ·	(SEE B9) 2016 WATER MAI RICES  DESCRIPTION  Construction of Asphaltic Concrete Overlays Type 1A  DOMINION STREET  GOULDING STREET  Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill 200mm trenchless installation, Class B sand bedding, Class 5 backfill  Hydrant Assembly SD-007  Watermain Valve 200mm  Fittings Bends (SD-004) 150mm - 45° Reducers 200mm - 150mm  Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfill  Corporation Stops 19mm  Curb Stops 19mm  Curb Stop Boxes	(SEE B9) 2016 WATER MAIN RENEWAL RICES  DESCRIPTION SPEC. REF. Construction of Asphaltic Concrete Overlays Type 1A  DOMINION STREET  GOULDING STREET  Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill 200mm trenchless installation, Class B sand bedding, Class 5 backfill  Hydrant Assembly SD-007  Watermain Valve 200mm Fittings Bends (SD-004) 150mm - 45° Reducers 200mm - 150mm  Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfill  Corporation Stops 19mm Curb Stops 19mm Curb Stop Boxes CW 2110	(SEE B9) 2016 WATER MAIN RENEWALS - CON- RICES  DESCRIPTION SPEC. REF. UNIT Construction of Asphaltic Concrete Overlays Type 1A  DOMINION STREET  GOULDING STREET  Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill 200mm trenchless installation, Class B sand bedding, Class 5 backfill  Watermain Valve 200mm CW 2110  SD-007  Watermain Valve 200mm Erittings Bends (SD-004) 150mm - 45° Reducers 200mm - 150mm Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfill  Water Services 19mm Corporation Stops 19mm Curb Stops 19mm Curb Stop Boxes CW 2110  each CW 2110  each CUW 2110	(SEE B9) 2016 WATER MAIN RENEWALS - CONTRACT NO. RICES  DESCRIPTION SPEC. REF. UNIT APPROX. QUANTITY Construction of Asphaltic Concrete Overlays Type 1A  DOMINION STREET  GOULDING STREET  Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill 200mm trenchless installation, Class B sand bedding, Class 5 backfill  Watermain Valve 200mm  Each 2  Watermain Valve 200mm  Each 2  Watermain Valve 200mm  CW 2110  Bends (SD-004) 150mm - 45° Reducers 200mm - 150mm  Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfill  Mater Services 19mm Corporation Stops 19mm  Corporation Stops 19mm  Curb Stops 19mm  Curb Stop Boxes  CW 2110  each 2  CUV 2110  each 2  CUV 2110  each 46  Curb Stops 19mm  Curb Stop Boxes  CW 2110	CSEE B9    2016 WATER MAIN RENEWALS - CONTRACT NO. 10

(SEE B9)

### 2016 WATER MAIN RENEWALS - CONTRACT NO. 10

UNIT P	RICES		_			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		IXLI .	OINIT	QUANTITI	TRIOL	
D. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)			each	1		
l ii)	200mm		each	1		
D. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	46		
D. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1.0		
b)	On Water Services		each	53.0		
D. 12	Maintaining Curb Stop Excavations	CW 2110	each / day	20.0		
D. 13	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m²	10.0		
D. 14	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)		m²	120.0		
D. 15	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)	OW 3240	m	5.0		
b)	Ramp curb		m	5.0		
	GOULDING STREET				SUBTOTAL D:	
<u>E</u>	ST JOHNS AMBULANCE WAY					
E. 1	Watermain Renewal	CW 2110				
a)	150mm	O 11 2110				
i)						
	bedding, Class 3 backfill		m	135.0		
E. 2	Hydrant Assembly	CW 2110				
E. 3	Watermain Valve	CW 2110				
a)	150mm		each	1		

(SEE B9)

### 2016 WATER MAIN RENEWALS - CONTRACT NO. 10

011111	RICES	SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
		IXEI .	Civii	QOANTITI	TRIOL	
E. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 45°		each	4		
	Water Considers	OW 0440				
E. 5	Water Services	CW 2110				
a) :\	19mm					
j i)	trenchless installation, Class B sand bedding, Class 3 backfill			40.0		
			m	10.0		
p)	38mm					
j i)	trenchless installation, Class B sand bedding, Class 3 backfill			0.0		
	seaamig, elace e sacium		m	2.0		
E. 6	Corporation Stops	CW 2110				
a)	19mm		each	4		
b)	38mm		each	1		
E. 7	Connecting to Existing Watermains and	CW 2110				
a)	Large Diameter Water Services In-line connection - no plug existing					
, i	150mm		ooob	2		
i)	13011111		each	2		
E. 8	Connecting Existing Copper Water	CW 2110				
	Services to New Watermains					
a)	19mm		each	4		
b)	38mm		each	1		
E. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains	OW 2110	each	1.0		
b)	On Water Services					
",	On water dervices		each	5.0		
E. 10	Partial Slab Patches	E6				
i)	200mm reinforced concrete					
	pavement for early opening (24		. 2	75.0		
	hours)		m²	75.0		
E. 11	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	10.0		

Name of Bidder

# FORM B: PRICES

(SEE B9)

# 2016 WATER MAIN RENEWALS - CONTRACT NO. 10

NIT PE	DESCRIPTION	SPEC.		APPROX.	UNIT	AMOUNT
I LIVI	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AWOUNT
E. 12	Construction of Asphaltic Concrete	CW 3410				
	Overlays Type 1A		tonne	9.0		
	ST JOHNS AMBULANCE WAY				SUBTOTAL E:	
<u>F</u>	PROVISIONAL ITEMS					
₹. 1	Cement Stabilized Fill		m <sup>3</sup>	10.0		
	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m <sup>2</sup>	10.0		
₹. 3	Adjustment of Precast Sidewalk Blocks	CW 3235	m²	10.0		
4	Sodding	CW 3510	m <sup>2</sup>	100.0		
	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	2		
	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	100mm		each	2		
b)	200mm		each	2		
F. 7 a)	Fittings Bends (SD-004)	CW 2110				
i) b)	150mm - 22 1/2° Bends (SD-005)		each	2		
i)	150mm - 45°		each	2		
ii)	200mm - 45°		each	2		
	PROVISIONAL ITEMS				SUBTOTAL F:	
					TOTAL:	

(Seal)

Template Version: C120150806- C BCivil

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	THAT
(hereinafter called the "Principal") and	
called the "Obligee") in the sum of ten pe described, for the payment of which sum to	and firmly bound unto <b>THE CITY OF WINNIPEG</b> (hereinafter recent (10%) of the Total Bid Price set out in the Bid hereinafter the Principal and Surety bind themselves, their heirs, executors, intly and severally, firmly by these presents.
WHEREAS the Principal has submitted a E	Bid to the Obligee for
BID OPPORTUNITY NO. 249-2016	
2016 WATER MAIN RENEWALS – CONT	RACT NO. 10
as more fully set out in the Bid Opportunity	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accepted, or accordance with the terms of the Bid, enters into a Contract with d performance security for guaranteeing the faithful performance d, but otherwise shall remain in full force and effect.
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the
day of	, 20
SIGNED AND SEALED in the presence of:	
	(Name of Principal)
(Witness as to Principal if no seal)	Per: (Seal)
	Per:

(Name of Surety)

(Attorney-in-Fact)

By:

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 249-2016 2016 WATER MAIN RENEWALS - CONTRACT NO. 10 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_, 20\_\_\_\_\_\_, (Name of Surety) (Seal)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
Corpo Mater 185 K	ity of Winnipeg orate Finance Department ials Management Division ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 249-2016
	2016 WATER MAIN RENEWALS – CONTRACT NO. 10
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	es of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demai Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	ss)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 12, 2016

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)		
`	,	
Per:	<del></del>	
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	