
FORM A: BID (See B9)

1.	Contract Title	2016 local improvemen	ts – contract No. 3	
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidd	ler as it appears on Invoice (if different fr	om above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business ur	der the above name.	
3.	Contact Person	The Bidder hereby authors the Bidder for purposes	norizes the following contact per of the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall hav General Conditions and D2.	e the meanings
5.	Offer		ers to perform the Work in according to the Bid Price, in Canadian funds, se	


6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	SURFACE WORKS					
Α	Kitson St./Hanbury St Bounded by Kitso Kenny St.	on St., Hanbury S	St., Tach	e Ave., and		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	645		
A.2	Sub-Grade Compaction	CW 3110-R19	m²	1,250		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	860		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	95		
A.5	Grading of Boulevards	CW 3110-R19	m²	20		
A.6	Separation Geotextile Fabric	CW 3130-R4	m²	1,250		
A.7	Preparation of Existing Roadway	CW 3150-R4	m²	155		
A.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	45		
A.9	Supply and Placing Approach Surfacing Material	E.13	tonne	80		
	ROADWORKS - RENEWALS					
A.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	55		
ii)	Asphalt Pavement		m²	20		
iii)	Concrete Removal (City of Winnipeg Approach)		m²	71		
A.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	55		
ii)	150 mm Concrete Pavement (Reinforced) (City of Winnipeg Approach)		m²	71		
A.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	30		
A.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	30		



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	18		
A.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
A.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
A.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
A.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	21		
A.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	21		
A.20	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	10		
A.21	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	12		
A.22	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
	ROADWORKS - NEW CONSTRUCTION					
A.23	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	45		
A.24	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	115		
A.25	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	165		
	LANDSCAPING					
A.26	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	20		
Α	Kitson St./Hanbury St Bounded by Kitson Kenny St.	n St., Hanbury S	St., Tach	e Ave., and	Subtotal:	




ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Lennox Ave./Fernwood Ave Bounded by	Lennox Ave., F	ernwood	d Ave., St.		
_	Andrew Rd., and St. Anne's Rd.					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m³	445		
B.2	Sub-Grade Compaction	CW 3110-R19	m²	854		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	590		
B.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	55		
B.5	Grading of Boulevards	CW 3110-R19	m²	16		
B.6	Separation Geotextile Fabric	CW 3130-R4	m²	854		
B.7	Preparation of Existing Roadway	CW 3150-R4	m²	125		
B.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	58		
B.9	Supply and Placing Approach Surfacing Material	E.13	tonne	37		
	ROADWORKS - RENEWALS					
B.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	30		
ii)	Concrete Pavement (City of Winnipeg Approach)		m²	39		
B.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	30		
ii)	150 mm Concrete Pavement (Reinforced) (City of Winnipeg Approach)		m²	44		
B.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	16		
B.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	16		
B.14	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
B.15	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
B.16	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
B.17	Concrete Curb Removal	CW 3240-R10				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
i)	Lip Curb	SD-202C	m	9		
B.18	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	9		
B.19	Concrete Curb Renewal	CW 3240-R10				
i)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	9		
	ROADWORKS - NEW CONSTRUCTION					
B.20	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	74		
B.21	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	79		
B.22	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	111		
	LANDSCAPING					
B.23	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	16		
В	Lennox Ave./Fernwood Ave Bounded by Andrew Rd., and St. Anne's Rd.	Lennox Ave., F	ernwood	d Ave., St.	Subtotal:	




ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Poplarwood Ave./Berrydale Ave Bounde Ave., St. Mary's Rd., and St. David Rd.	d by Poplarwoo	d Ave.,	Berrydale		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m³	1,925		
C.2	Sub-Grade Compaction	CW 3110-R19	m²	3,360		
C.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	2,320		
C.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	250		
C.5	Grading of Boulevards	CW 3110-R19	m²	36		
C.6	Separation Geotextile Fabric	CW 3130-R4	m²	3,360		
C.7	Preparation of Existing Roadway	CW 3150-R4	m²	425		
C.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	120		
C.9	Supply and Placing Approach Surfacing Material	E.13	tonne	85		
	ROADWORKS - RENEWALS					
C.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	167		
ii)	Asphalt Pavement		m²	5		
iii)	Concrete Pavement (City of Winnipeg Approach)		m²	74		
C.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	167		
ii)	150 mm Concrete Pavement (Reinforced) (City of Winnipeg Approach)		m²	74		
C.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	40		
C.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	40		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9		<u> </u>		
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	17		
C.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	7		
ii)	Lip Curb	SD-202C	m	8		
C.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	15		
C.20	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	8		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	5		
C.21	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
	ROADWORKS - NEW CONSTRUCTION					
C.22	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	425		
C.23	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	300		
C.24	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	425		
	LANDSCAPING					
C.25	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	36		
С	Poplarwood Ave./Berrydale Ave Bounded Ave., St. Mary's Rd., and St. David Rd.	d by Poplarwoo	d Ave.,	Berrydale	Subtotal:	



	REF.		QUANTITY	UNIT PRICE	AMOUNT
	y Stranmillis Av	e., Impe	erial Ave., St.		
	CW 2110 P10	m3	1 067		
Sub-Grade Compaction	CW 3110-R19	m²	2,073		
Crushed Sub-base Material	CW 3110-R19				
50 mm		tonne	1,430		
100 mm		tonne	143		
Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	129		
Grading of Boulevards	CW 3110-R19	m²	18		
Separation Geotextile Fabric	CW 3130-R4	m²	2,073		
Supply and Install Geogrid	CW 3135-R1	m²	207		
Preparation of Existing Roadway	CW 3150-R4	m²	325		
Surfacing Material	CW 3150-R4				
Limestone		tonne	149		
Supply and Placing Approach Surfacing Material	E.13	tonne	111		
ROADWORKS - RENEWALS					
Pavement Removal	CW 3110-R19				
Concrete Pavement		m²	51		
Asphalt Pavement		m²	20		
Concrete Pavement (City of Winnipeg Approach)		m²	37		
Slab Replacement	CW 3230-R8				
150 mm Concrete Pavement (Reinforced)		m²	51		
150 mm Concrete Pavement (Reinforced) (City of Winnipeg Approach)		m²	41		
Drilled Dowels	CW 3230-R8				
19.1 mm Diameter		each	20		
Drilled Tie Bars	CW 3230-R8				
20 M Deformed Tie Bar		each	20		
	EARTH AND BASE WORKS Excavation Sub-Grade Compaction Crushed Sub-base Material 50 mm 100 mm Supplying and Placing Limestone Base Course Material Grading of Boulevards Separation Geotextile Fabric Supply and Install Geogrid Preparation of Existing Roadway Surfacing Material Limestone Supply and Placing Approach Surfacing Material ROADWORKS - RENEWALS Pavement Removal Concrete Pavement Asphalt Pavement Concrete Pavement (City of Winnipeg Approach) Slab Replacement 150 mm Concrete Pavement (Reinforced) (City of Winnipeg Approach) Drilled Dowels 19.1 mm Diameter Drilled Tie Bars	EARTH AND BASE WORKS Excavation CW 3110-R19 Sub-Grade Compaction CW 3110-R19 Crushed Sub-base Material CW 3110-R19 50 mm 100 mm Supplying and Placing Limestone Base CW 3110-R19 Course Material Grading of Boulevards CW 3130-R4 Supply and Install Geogrid CW 3135-R1 Preparation of Existing Roadway CW 3150-R4 Surfacing Material CW 3150-R4 Limestone Supply and Placing Approach Surfacing Material ROADWORKS - RENEWALS Pavement Removal CW 3110-R19 Concrete Pavement Asphalt Pavement Concrete Pavement (City of Winnipeg Approach) Slab Replacement 150 mm Concrete Pavement (Reinforced) (City of Winnipeg Approach) Drilled Dowels 19.1 mm Diameter Drilled Tie Bars CW 31230-R8	EARTH AND BASE WORKS Excavation CW 3110-R19 m³ Sub-Grade Compaction CW 3110-R19 m² Crushed Sub-base Material CW 3110-R19 50 mm tonne 100 mm tonne Supplying and Placing Limestone Base CW 3110-R19 m² Course Material Grading of Boulevards CW 3110-R19 m² Separation Geotextile Fabric CW 3130-R4 m² Supply and Install Geogrid CW 3135-R1 m² Preparation of Existing Roadway CW 3150-R4 m² Surfacing Material CW 3150-R4 tonne Supply and Placing Approach Surfacing E.13 tonne Material ROADWORKS - RENEWALS Pavement Removal CW 3110-R19 m² Concrete Pavement Asphalt Pavement City of Winnipeg Approach) Slab Replacement CReinforced) (City of Winnipeg Approach) Drilled Dowels CW 3230-R8 Pavement Diameter CW 3230-R8 Pavement Diameter CW 3230-R8 CW 3230-R8	EARTH AND BASE WORKS CW 3110-R19 m³ 1,067 Sub-Grade Compaction CW 3110-R19 m² 2,073 Crushed Sub-base Material CW 3110-R19 tonne 1,430 50 mm tonne 1,430 tonne 1,430 100 mm tonne 1,430 tonne 1,430 Supplying and Placing Limestone Base Course Material CW 3110-R19 m² 129 Grading of Boulevards CW 3110-R19 m² 18 Separation Geotextile Fabric CW 3130-R4 m² 2,073 Supply and Install Geogrid CW 3130-R4 m² 2,073 Supply and Install Geogrid CW 3150-R4 m² 325 Surfacing Material CW 3150-R4 m² 325 Surfacing Material CW 3150-R4 tonne 141 Limestone tonne 149 111 Supply and Placing Approach Surfacing Material E.13 tonne 111 ROADWORKS - RENEWALS Revement Removal CW 3110-R19 m² 51	EARTH AND BASE WORKS CW 3110-R19 m³ 1,067 Sub-Grade Compaction CW 3110-R19 m² 2,073 Crushed Sub-base Material CW 3110-R19 m² 2,073 Crushed Sub-base Material CW 3110-R19 m³ 1,430 100 mm tonne 143 supplying and Placing Limestone Base CW 3110-R19 m³ 129 Course Material Grading of Boulevards CW 3110-R19 m² 18 Separation Geotextile Fabric CW 3130-R4 m² 2,073 Supply and Install Geogrid CW 3150-R4 m² 207 Preparation of Existing Roadway CW 3150-R4 m² 325 Surfacing Material CW 3150-R4 m² 325 Limestone tonne 149 Supply and Placing Approach Surfacing Material E.13 tonne 111 ROADWORKS - RENEWALS Pavement Removal CW 3110-R19 m² 51 Concrete Pavement CW 3230-R8 m² 37 Asphalt Pavement CW 3230-R8 m²


ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.15	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	7		
D.16	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
D.17	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
D.18	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
D.19	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	4		
ii)	Lip Curb	SD-202C	m	3		
D.20	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht,	SD-203B	m	5		
D.21	Dowelled) Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	5		
D.22	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	15		
D.23	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
	ROADWORKS - NEW CONSTRUCTION					
D.24	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	128		
D.25	Construction of Asphaltic Concrete	CW 3410-R11				
i)	Pavements Main Line Paving					
a)	Type IA		tonne	197		
D.26	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	284		
	LANDSCAPING					
D.27	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	18		
D	Stranmillis Ave./Imperial Ave Bounded b Anne's Rd., and rue Des Meurons	y Stranmillis Av	e., Impe	erial Ave., St.	Subtotal:	



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	Wingham Ave./Bayfield Ave Bounded b Anne's Rd., and Clayton Dr.	y Wingham Ave.	, Bayfiel	d Ave., St.		
	EARTH AND BASE WORKS					
Ξ. 1	Excavation	CW 3110-R19	m³	415		
≣.2	Sub-Grade Compaction	CW 3110-R19	m²	925		
≣.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	640		
ii)	100 mm		tonne	96		
Ξ. 4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	70		
≣.5	Grading of Boulevards	CW 3110-R19	m²	50		
≣.6	Separation Geotextile Fabric	CW 3130-R4	m²	925		
≣.7	Supply and Install Geogrid	CW 3135-R1	m²	139		
≣.8	Preparation of Existing Roadway	CW 3150-R4	m²	140		
≣.9	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	40		
E.10	Supply and Placing Approach Surfacing Material	E.13	tonne	40		
	ROADWORKS - RENEWALS					
E.11	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m²	25		
ii)	Concrete Pavement (City of Winnipeg Approach)		m²	66		
E.12	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced) (City of Winnipeg Approach)		m²	66		
≣.13	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	34		
≣.14	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	34		
≣.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
≣.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
E.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
11 = 101	BESSIII HOIV	REF.	01111	QUANTITY	ONTTINOL	7111100111
E.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	9		
E.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	31		
E.20	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
	ROADWORKS - NEW CONSTRUCTION					
E.21	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	65		
E.22	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	80		
E.23	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	115		
	LANDSCAPING					
E.24	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	50		
E	Wingham Ave./Bayfield Ave Bounded by	Wingham Ave	. Bayfiel	d Ave., St.	Subtotal:	
_	Anne's Rd., and Clayton Dr.				oubtotal.	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2	ASSOCIATED DRAINAGE A	ND UNDERG	ROUN	D WORKS		
AA	Kitson St./Hanbury St Bounded by Kitson St., Hanbury St., Tache Ave., and Kenny St.					
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
AA.1	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	2		
AA.2	Land Drainage Sewer	CW 2130-R12				
i)	300 mm					
	Trenchless Installation, Class B Sand Bedding, Class 2 Backfill		m	6.7		
ii) a)	450 mm Trenchless Installation, Class B Sand Bedding, Class 2 Backfill		m	74		
AA.3	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Catch Basin Lead		each	1		
AA.4	Installation of Subdrains	CW 3120-R4	m	12		
AA.5	Sewer Inspection	CW 2145-R3				
i)	300mm		m	6.7		
AA.6	Sewer Inspection	CW 2145-R3				
i)	450 mm		m	74.0		
	ADJUSTMENTS					
AA.7	Catch Basin Risers	CW 2130-R12, E.14				
i)	Pre-cast Concrete Risers	L.17	vert. m	0.1		
AA.8	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2		
AA	Kitson St./Hanbury St Bounded by Kits Kenny St.	son St., Hanbury	St., Tach	e Ave., and	Subtotal:	



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Lennox Ave./Fernwood Ave Bounded by		ernwood			
ВВ	Andrew Rd., and St. Anne's Rd.	•				
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
BB.1	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 deep		each	2		
BB.2	Land Drainage Sewer	CW 2130-R12				
i)	375 mm					
a)	Trenchless Installation, Class B Sand Bedding, Class 2 Backfill		m	48		
BB.3	Connecting to Existing Manhole	CW 2130-R12				
i)	375 mm Catch Basin Lead		each	1		
BB.4	Installation of Subdrains	CW 3120-R4	m	36		
BB.5	Sewer Inspection	CW 2145-R3				
i)	375 mm		m	48		
	ADJUSTMENTS					
BB.6	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
BB.7	Catch Basin Risers	CW 2130-R12, E.14				
i)	Pre-cast Concrete Risers		vert. m	0.4		
BB.8	Lifter Rings	CW 3210-R7				
i)	51 mm		each	3		
ВВ	Lennox Ave./Fernwood Ave Bounded by	Lennox Ave., F	ernwood	d Ave., St.	Subtotal:	
ББ	Andrew Rd., and St. Anne's Rd.				Subiolal.	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
CC	Poplarwood Ave./Berrydale Ave Bound		d Ave.,			
	ASSOCIATED DRAINAGE AND	1				
	UNDERGROUND WORKS					
CC.1	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 deep		each	9		
CC.2	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
a) ii)	Trenchless Installation, Class B Sand Bedding, Class 2 Backfill 300 mm		m	12.0		
a)	Trenchless Installation, Class B Sand Bedding, Class 2 Backfill Connecting to Existing Manhole	CW 2130-R12	m	39.3		
i)	250 mm Catch Basin Lead		each	1		
ii)	300 mm Catch Basin Lead		each	1		
CC.4	Removal of Existing Catch Basins	CW 2130-R12	each	2		
CC.5	Installation of Subdrains	CW 3120-R4	m	108		
CC.6	Sewer Inspection	CW 2145-R3				
i)	250 mm		m	12		
ii)	300 mm		m	32		
	ADJUSTMENTS					
CC.7	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
CC.8	Catch Basin Risers	CW 2130-R12, E.14				
i)	Pre-cast Concrete Risers	L.14	vert. m	6.5		
CC.9	Lifter Rings	CW 3210-R7				
i)	51 mm		each	9		
СС	Poplarwood Ave./Berrydale Ave Bounded by Poplarwood Ave., Berrydale Ave., St. Mary's Rd., and St. David Rd.				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
DD	Stranmillis Ave./Imperial Ave Bounded L Anne's Rd., and rue Des Meurons					
DD.1	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	14		
DD.2	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	4.0		
DD.3	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	6		
DD.4	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
ii)	Trenchless Installation, Class B Sand Bedding, Class 2 Backfill 450 mm		m	2		
	Trenchless Installation, Class B Sand Bedding, Class 2 Backfill		m	372		
DD.5	Removal of Existing Catch Basins	CW 2130-R12	each	1		
DD.6	Connecting to Existing Manhole	CW 2130-R12				
i)	450 mm Catch Basin Lead		each	1		
DD.7	Connecting to Existing Catch Pit	CW 2130-R12				
i)	250 mm Drainage Connection Inlet Pipe		each	1		
DD.8	Installation of Subdrains	CW 3120-R4	m	72		
DD.9	Sewer Inspection	CW 2145-R3				
i)	450 mm		m	372		
	ADJUSTMENTS					
DD.10	Catch Basin Risers	CW 2130-R12,				
i)	Pre-cast Concrete Risers	E.14	vert. m	0.7		
DD.11	Lifter Rings	CW 3210-R7				
i)	51 mm		each	6		
DD.12	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	15		
DD	Stranmillis Ave./Imperial Ave Bounded L Anne's Rd., and rue Des Meurons	y Stranmillis A	ve., Impe	erial Ave., St.	Subtotal:	

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
PART 1	PART 1 - SURFACE WORKS					
SUMMARY						
Α	Kitson St./Hanbury St Bounded by Kitson	n St., Hanbury S	St., Tach	e Ave., and		
	Kenny St.				Subtotal:	
В	Lennox Ave./Fernwood Ave Bounded by	Lennox Ave., F	ernwood	d Ave., St.		
ь	Andrew Rd., and St. Anne's Rd.				Subtotal:	
С	Poplarwood Ave./Berrydale Ave Bounded	d by Poplarwoo	d Ave., E	<u>Berrydale</u>		
C	Ave., St. Mary's Rd., and St. David Rd.				Subtotal:	
D	Stranmillis Ave./Imperial Ave Bounded by	y Stranmillis Av	e., Impe	rial Ave., St.		
U	Anne's Rd., and rue Des Meurons				Subtotal:	
_ Wingham Ave./Bayfield Ave Bounded by Wingham Ave., Bayfield Ave., St.						
Anne's Rd., and Clayton Dr.				Subtotal:		
DADT 4 TOTAL						
PART 1 TOTAL:						

Name of Bidder

The City of Winnipeg
Bid Opportunity No. 388-2016
Template Version: C420160226-RW

FORM B: PRICES (SEE B10)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2	PART 2 - ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
SUMMARY						
Δ Δ	Kitson St./Hanbury St Bounded by Kitson Kenny St.	St., Hanbury S	t., Tache	e Ave., and	Subtotal:	
ВВ	BB Lennox Ave./Fernwood Ave Bounded by Lennox Ave., Fernwood Ave., St. Andrew Rd., and St. Anne's Rd.				Subtotal:	
СС	Poplarwood Ave./Berrydale Ave Bounded Ave., St. Mary's Rd., and St. David Rd.	l by Poplarwoo	d Ave., E	<u>Berrydale</u>	Subtotal:	
DD	Stranmillis Ave./Imperial Ave Bounded by Anne's Rd., and rue Des Meurons	/ Stranmillis Av	e., Impe	rial Ave., St.	Subtotal:	
	PART 2 TOTAL:					

The City of Winnipeg
Bid Opportunity No. 388-2016
Template Version: C420160226-RW

FORM B: PRICES (SEE B10)

0.4						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMA	SUMMARY					
A - E	PART 1 SURFACE WORKS				Subtotal:	
AA - DD	PART 2 ASSOCIATED DRAINAGE AND UNDEGRGOUND WORKS					
TOTAL BID PRICE (GST extra) (in figures)						

(Seal)

Template Version: C420160226 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pero	and firmly bound unto THE CITY OF WINNIPE cent (10%) of the Total Bid Price set out in the ne Principal and Surety bind themselves, their hently and severally, firmly by these presents.	Bid hereinafter
WHEREAS the Principal has submitted a Bi	id to the Obligee for	
BID OPPORTUNITY NO. 388-2016		
2016 local improvements – contract No. 3		
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect	a Contract with ul performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of: (Witness as to Principal if no seal)	(Name of Principal) Per: Per:	(Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______ , 20____ for BID OPPORTUNITY NO. 388-2016 2016 local improvements – contract No. 3 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 388-2016
2016 local improvements – contract No. 3
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 14, 2016.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)