

## NOTES:

- THIS DRAWING TO BE READ IN CONJUNCTION WITH SHEET No. BS-201 AND THE SPECIFICATIONS.
- ALUMINUM EXTRUSIONS SHALL CONFORM TO ASTM B221, ALLOY 6351-T6. ALUMINUM PLATES SHALL CONFORM TO ASTM B221, ALLOY 5083. STAINLESS STEEL HEXAGONAL HEAD CAP SCREWS SHALL MEET THE ASTM A278, TYPE 430 REQUIREMENTS.
- M.I.G. WELDING PROCESS SHALL BE USED.
- ANTI-SEIZE COATING TO BE SUPPLIED AND APPLIED TO ALL THREADED COMPONENTS WHEN BEING ASSEMBLED, IE. LPS-3- MANUFACTURE HOLT-LLOYD (CANADA) LTD. MARKHAM ONTARIO.
- SS DENOTES STAINLESS STEEL.
- PROVIDE TAMPER PROOF HARDWARE INCLUDING NYLON LOCKNUTS.
- PROVIDE A BITUMINOUS COATING IF ALUMINUM COMPONENTS ARE IN CONTACT WITH CONCRETE.

**METRIC** WHOLE NUMBERS INDICATE MILLIMETRES DECIMALIZED NUMBERS INDICATE METRES

SHEET

U-239-2016-C2-BS-006

CONSULTANT DRAWING NUMBER

C2-BS-006

THE CITY OF WINNIPEG PUBLIC WORKS DEPARTMENT

WAVERLEY STREET UNDERPASS AT CN MILE 3.89 RIVERS SUB CITY DRAWING NUMBER

CONTRACT 2: UNDERPASS STRUCTURE, RAILWORKS,

ROADWORKS, LAND DRAINAGE SEWER, PUMPING STATION

AND LANDSCAPING WORKS

PUMPING STATION

STANDARD DETAILS

Winnipeg



UNDERGROUND STRUCTURES	B.M. ELEV.				ΑΞC			ENGINEER'S SEAL	
SUPV. U/G STRUCTURES DATE						AE			J.A.
					DESIGNED BY	KK/JT	CHECKED BY	SBB	THOMPSON Member
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.					DRAWN BY	KK	APPROVED BY	AN	Member 30632
	1	ISSUED FOR ADDENDUM 2	17/02/03	KK	HOR. SCALE VERTICAL	AS SHOWN	RELEASED FOR CONSTRUCTION		consultant project number 60321148
	0	ISSUED FOR TENDER	17/01/09	KK					
	NO.	REVISIONS	DATE	ву	DATE	06/01/2016	DATE	09/06/2016	