Template Version: C420160226 - RW

#### FORM A: BID (See B8)

1.	Contract Title	New Regional Sidewalks, Regional Sidewalk Renewals, Local Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works
2.	Bidder	Name of Didder
		Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

Template Version: C420160226 - RW

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420160226 - RW

12.	Signatures
-----	------------

e Bidder or	the Bidder's authorized official	or officials have signed this
	day of	, 20
_	e of Bidder or Authorized Official or Officials	
(Print here	name and official capacity of individua	al whose signature appears abov
(Print here	name and official capacity of individua	al whose signature appears abov

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	New Regional Sidewalk Construction - Sar West of Strathcona Street to Milt Stegall Di		orth Sid	e) from Alley		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	160		
A.2	Sub-Grade Compaction	CW 3110-R19	m²	1,060		
A.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	40		
A.4	Grading of Boulevards	CW 3110-R19	m²	260		
	ROADWORKS - RENEWALS					
A.5	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	15		
A.6	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	95		
A.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Curb and Sidewalk	SD-228B	m²	85		
A.8	Concrete Curb Removal	CW 3240-R10				
i)	Barrier integral		m	325		
ii)	Curb Ramp		m	20		
A.9	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	25		
A.10	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
A.11	Construction of Asphalt Patches	CW 3410-R11	m²	305		
A.12	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
A.13	ROADWORKS - NEW CONSTRUCTION  Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
i)	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	1,060		
A.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	40		
	ADJUSTMENTS					
A.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
A.16	Adjustment of Valve Boxes	CW 3210-R7	each	2		
A.17	Valve Box Extensions	CW 3210-R7	each	1		
A.18	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
	LANDSCAPING					
A.19	Salt Tolerant Grass Seeding	E8	m²	195		
Α	New Regional Sidewalk Construction - Sar	gent Avenue (N	orth Sid	e) from Alley		
A	West of Strathcona Street to Milt Stegall Di	<u>rive</u>			Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	New Regional Sidewalk Construction - Lag from Burmac Road to East Mint Place	imodiere Boule	vard (W	est Side)		
	EARTH AND BASE WORKS					
3.1	Excavation	CW 3110-R19	m³	100		
3.2	Sub-Grade Compaction	CW 3110-R19	m²	510		
3.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	30		
3.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	15		
3.5	Grading of Boulevards	CW 3110-R19	m²	180		
3.6	Ditch Grading	CW 3110-R19	m²	1,700		
3.7	Ditch Excavation	CW 3110-R19	m³	200		
3.8	Fill Material	CW 3170-R3				
i)	Supplying and Placing Imported Material		m³	200		
	ROADWORKS - RENEWALS					
3.9	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m²	10		
3.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	34		
3.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m²	5		
ii)	Monolithic Median Slab		m²	13		
3.12	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Median Slab	SD-227A	m²	8		
ii)	Monolithic Median Slab	SD-226A	m²	11		
3.13	Miscellaneous Concrete Slab Renewal	CW 3235-R9				

ii) 100 mr a) Less the B.14 Concre i) Barrier B.15 Concre i) Barrier ii) Curb R B.16 Concre i) Barrier a) 3 m to ii) Modifie Dowell iii) Curb R B.17 Constru B.18 Detectate ROADI B.19 100 mr	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a) Less the B.14 Concrete i) Barrier B.15 Concrete ii) Curb R B.16 Concrete ii) Barrier a) 3 m to iii) Modified Dowell iii) Curb R B.17 Construt B.18 Detectar ROADI B.19 100 mr	Median Slab	SD-227A	m²	21		
B.14 Concre i) Barrier B.15 Concre i) Barrier ii) Curb R B.16 Concre i) Barrier a) 3 m to ii) Modifie Dowell iii) Curb R B.17 Constru B.18 Detecta ROAD	100 mm Sidewalk	SD-228A				
i) Barrier  B.15 Concre i) Barrier ii) Curb R  B.16 Concre i) Barrier a) 3 m to ii) Modifie Dowell iii) Curb R  B.17 Constru  B.18 Detecta  ROADI  B.19 100 mr	Less than 5 sq.m.		m²	5		
B.15 Concre i) Barrier ii) Curb R B.16 Concre i) Barrier a) 3 m to ii) Modifie Dowell iii) Curb R B.17 Constru B.18 Detecta ROAD B.19 100 mr	Concrete Curb Removal	CW 3240-R10				
i) Barrier ii) Curb R B.16 Concre i) Barrier a) 3 m to ii) Modifie Dowell iii) Curb R B.17 Constr B.18 Detects ROAD B.19 100 mr	Barrier integral		m	10		
ii) Curb R B.16 Concre i) Barrier a) 3 m to ii) Modified Dowelli iii) Curb R B.17 Constru B.18 Detects ROAD B.19 100 mr	Concrete Curb Installation	CW 3240-R10				
B.16 Concre i) Barrier a) 3 m to ii) Modified Dowelliii) Curb R B.17 Constru B.18 Detecta ROADI B.19 100 mr	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	3		
i) Barrier a) 3 m to ii) Modified Dowelliii) Curb R B.17 Constru B.18 Detecta ROADI B.19 100 mr	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	10		
a) 3 m to ii) Modified Dowell Curb R B.17 Constru B.18 Detects ROAD B.19 100 mr	Concrete Curb Renewal	CW 3240-R10				
ii) Modified Dowell Curb R B.17 Constru B.18 Detects ROAD B.19 100 mr	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
B.17 Constru B.18 Detector ROAD B.19 100 mr	3 m to 30 m		m	11		
B.17 Constru B.18 Detector ROAD B.19 100 mr	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	7		
B.18 Detecta ROAD B.19 100 mr	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	10		
B.19 100 mr	Construction of Asphalt Patches	CW 3410-R11	m²	2		
B.19 100 mr	Detectable Warning Surface Tiles	CW 3326-R3	each	7		
LANDS	ROADWORKS - NEW CONSTRUCTION					
	100 mm Concrete Sidewalk	CW 3325-R5	m²	425		
B.20 Salt To	LANDSCAPING					
	Salt Tolerant Grass Seeding	E8	m²	1,880		
MISCE	MISCELLANEOUS					
	Tree Removal	E15	each	15		
	New Regional Sidewalk Construction - Lag from Burmac Road to East Mint Place	imodiere Boule	vard (W	est Side)	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	New Regional Sidewalk Construction - Sm Avenue to Graham Avenue	ith Street (West	Side) fr	om St. Mary		
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	15		
C.2	Grading of Boulevards	CW 3110-R19	m²	27		
	ROADWORKS - RENEWALS					
C.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	8		
C.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type B)		m²	8		
C.5	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	3		
C.6	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	97		
C.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Curb and Sidewalk	SD-228B	m²	14		
C.8	Concrete Curb Removal	CW 3240-R10				
i)	Barrier integral		m	140		
ii)	Curb Ramp		m	13		
iii)	Safety Curb		m	19		
C.9	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	7		
C.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	30		
C.11	Construction of Asphaltic Concrete Overlay	CW 3410-R11				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Main Line Paving					
a)	Type IA		tonne	71		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	9		
C.12	Planing of Pavement	CW 3450-R6				
i)	50 - 100 mm Depth (Asphalt)		m²	545		
C.13	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	ROADWORKS - NEW CONSTRUCTION					
C.14	Construction of Monolithic Curb and 100 mm Concrete Sidewalk with Block-outs for Paving Stones	E11	m²	563		
C.15	Interlocking Paving Stones	CW 3330-R5, E10	m²	75		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.16	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2		
C.17	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
C.18	Drainage Connection Pipe	CW 2130-R12	m	23		
C.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
C.20	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
C.21	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm PVC Sewer		each	1		
	ADJUSTMENTS					

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.22	Adjustment of Catch Basins / Manholes	CW 3210-R7	each	2		
	Frames					
C.23	Lifter Rings	CW 3210-R7				
.,				_		
i)	38 mm		each	1		
ii)	51 mm		each	2		
")	51 11111		each	۷		
iii)	76 mm		each	4		
,	70 11111		odon	'		
C.24	Adjustment of Valve Boxes	CW 3210-R7	each	2		
	,					
C.25	Valve Box Extensions	CW 3210-R7	each	1		
	MISCELLANEOUS					
	MISCELLANEOUS					
C.26	Reinforced Tree Well Curb	E12	m	7		
C.27	Supply and Install Cast Iron Tree Well Grate -	E13	each	1		
	ADA Compliant - 600 mm Diameter Tree					
	Opening					
C.28	Supply and Install Decorative Guard Rail	E14	ls	1		
	Now Pagional Sidowalk Construction Smi	th Ctroot /Most	Sido) fr	om St. Mor:		
С	New Regional Sidewalk Construction - Smi Avenue to Graham Avenue	ui Street (West	Side) II	UIII St. Wary	Subtotal:	
	Avenue to Granani Avenue					<u> </u>

ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D		Regional Sidewalk Renewals					
		EARTH AND BASE WORKS					
D.1		Supplying and Placing Base Course Material	CW 3110-R19	m³	135		
0.2		Grading of Boulevards	CW 3110-R19	m²	1,640		
		ROADWORKS - RENEWALS					
0.3		Drilled Tie Bars	CW 3230-R8				
i)		20 M Deformed Tie Bar		each	245		
D.4		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	5		
	c)	Greater than 20 sq.m.		m²	1,820		
	d)	5 sq.m. to 20 sq.m.		m²	5		
ii)		Monolithic Curb and Sidewalk	SD-228B	m²	815		
0.5		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	3		
0.6		Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
0.7		Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
8.0		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	3D-200A	m	10		
	b)	3 m to 30 m		m	155		
ii)		Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	105		
iii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	110		
0.9		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	3		
0.10		Construction of Asphalt Patches	CW 3410-R11	m²	160		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.11	Detectable Warning Surface Tiles	CW 3326-R3	each	9		
	ADJUSTMENTS					
D.12	Adjustment of Valve Boxes	CW 3210-R7	each	10		
D.13	Valve Box Extensions	CW 3210-R7	each	5		
D.14	Adjustment of Curb Stop Boxes	CW 3210-R7	each	20		
D.15	Curb Stop Extensions	CW 3210-R7	each	10		
	LANDSCAPING					
D.16	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	165		
ii)	width > or = 600 mm		m²	205		
D.17	Salt Tolerant Grass Seeding	E8	m²	1,220		
D	Regional Sidewalk Renewals	1		1	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Е	Local Sidewalk Renewals					
	EARTH AND BASE WORKS					
E.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	175		
E.2	Grading of Boulevards	CW 3110-R19	m²	2,500		
	ROADWORKS - RENEWALS					
E.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m²	6		
E.4	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	285		
E.5	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	10		
E.6	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m²	50		
E.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	65		
b)	Greater than 20 sq.m.		m²	3,230		
c)	5 sq.m. to 20 sq.m.		m²	10		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	100		
E.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	25		
E.9	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	15		
E.10	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	15		
E.11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	25		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	3 m to 30 m		m	25		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	30		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	140		
.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
.13	Construction of Asphalt Patches	CW 3410-R11	m²	75		
E.14	Detectable Warning Surface Tiles	CW 3326-R3	each	3		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
.15	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
ii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
	ADJUSTMENTS					
E.16	Adjustment of Catch Basins / Manholes	CW 3210-R7	each	1		
2.10	Frames	CVV 3210-R7	eacn	'		
≣.17	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
E.18	Adjustment of Valve Boxes	CW 3210-R7	each	10		
E.19	Valve Box Extensions	CW 3210-R7	each	5		
E.20	Adjustment of Curb Stop Boxes	CW 3210-R7	each	80		
E.21	Supply of Curb Inlet Frames	CW 3210-R7	each	2		
E.22	Curb Stop Extensions	CW 3210-R7	each	40		
	LANDSCAPING					
E.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	535		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E		Local Sidewalk Renewals				Subtotal:	
F		Detectable Warning Surface Tile Installation	<u>n</u>				
		EARTH AND BASE WORKS					
F.1		Supplying and Placing Base Course Material	CW 3110-R19	m³	15		
F.2		Grading of Boulevards	CW 3110-R19	m²	115		
		ROADWORKS - RENEWALS					
F.3		Drilled Tie Bars	CW 3230-R8				
i)		20 M Deformed Tie Bar		each	185		
F.4		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		Monolithic Median Slab	SD-226A	m²	7		
ii)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	45		
	b)	5 sq.m. to 20 sq.m.		m²	90		
	c)	Greater than 20 sq.m.		m²	45		
iii)		Monolithic Curb and Sidewalk	SD-228B	m²	7		
F.5		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	7		
	b)	3 m to 30 m		m	10		
ii)		Modified Barrier (180 mm reveal ht,	SD-203B	m	15		
iii)		Dowelled) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	90		
F.6		Construction of Asphalt Patches	CW 3410-R11	m²	40		
F.7		Detectable Warning Surface Tiles	CW 3326-R3	each	35		
		LANDSCAPING					
F.8		Sodding	CW 3510-R9				
i)		width < 600 mm		m²	10		
ii)		width > or = 600 mm		m²	15		

The City of Winnipeg Bid Opportunity No. 82-2016 Template Version: C420160226-RW

# FORM B: PRICES (SEE B9)

#### **UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.9	Salt Tolerant Grass Seeding	E8	m²	85		
F	Detectable Warning Surface Tile Installation					

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
	New Regional Sidewalk Construction - Sarg	gent Avenue (N	orth Sid	e) from Allev		
Α	West of Strathcona Street to Milt Stegall Dr		<u> </u>	<u> </u>	Subtotal:	
В	New Regional Sidewalk Construction - Lagimodiere Boulevard (West Side) from Burmac Road to East Mint Place					
С	New Regional Sidewalk Construction - Smi Avenue to Graham Avenue	th Street (West	Side) fr	om St. Mary	Subtotal:	
D	Regional Sidewalk Renewals				Subtotal:	
E	Local Sidewalk Renewals				Subtotal:	
F	Detectable Warning Surface Tile Installation				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						

(Seal)

Template Version: C420160226 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT (hereinafter called the "Principal") and (hereinafter called the "Surety"), are held and firmly bound unto THE CITY OF WINNIPEG (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents. WHEREAS the Principal has submitted a Bid to the Obligee for BID OPPORTUNITY NO. 82-2016 New Regional Sidewalks, Regional Sidewalk Renewals, Local Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works as more fully set out in the Bid Opportunity. NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect. IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the day of \_\_\_\_\_\_, 20\_\_\_\_\_. SIGNED AND SEALED in the presence of: (Name of Principal) (Seal) (Witness as to Principal if no seal) Per: (Name of Surety)

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 82-2016 New Regional Sidewalks, Regional Sidewalk Renewals, Local Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_. (Name of Surety) (Seal)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)	
Corpor Materia 185 Kir	ty of Winnipeg ate Finance Department als Management Division ng Street, Main Floor eg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 82-2016
Warnin	New Regional Sidewalks, Regional Sidewalk Renewals, Local Sidewalk Renewals, Detectable g Surface Tile Installation, and Associated Works
Pursua	nt to the request of and for the account of our customer,
(Name of	f Bidder)
	REBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demand Letter of payment	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for the transfer of the payment of monies only and we hereby agree that we shall honour your demand for the without inquiring whether you have a right as between yourself and our customer to make such d and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	s)
and we	confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 21st, 2016

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)					
Per:					
	(Authorized Signing Officer)				
Per:					
	(Authorized Signing Officer)				