Template Version: C420160226 - RW

FORM A: BID (See B8)

1.	Contract Title	2017 LOCAL STREET RE STONEBRIDGE LANE AI	ENEWAL PROGRAM: MOORG ND DALE BOULEVARD	SATE STREET,
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different fro	om above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
	(0)	The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	rizes the following contact per the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms use ascribed to them in the Ge	ed in the Contract shall haveneral Conditions.	e the meanings
5.	Offer		to perform the Work in according Price, in Canadian funds, se	

Template Ve	ersion: C420160226 - RW	
6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420160226 - RW

12.	Signatures
-----	------------

e Bidder or the Bidder's authorized official or c	officials have signed this
day of	
Signature of Bidder or Bidder's Authorized Official or Officials	
(Print here name and official capacity of individual who	ose signature appears above)
(Print here name and official capacity of individual who	ose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
PART	1 CITY FUNDED WORK	•					
Α	ASPHALT RECONSTRUCTION: MOORGATE LODGE AVENUE	ASPHALT RECONSTRUCTION: MOORGATE STREET FROM BRUCE AVENUE TO LODGE AVENUE					
	EARTH AND BASE WORKS						
A.1	Excavation	CW 3110-R19	m³	1700			
٨.2	Sub-Grade Compaction	CW 3110-R19	m²	2650			
A.3	Crushed Sub-base Material	CW 3110-R19					
i)	50 mm		tonne	2400			
A. 4	Supplying and Placing Base Course Material	CW 3110-R19	m³	380			
A.5	Grading of Boulevards	CW 3110-R19	m²	3500			
A.6	Separation Geotextile Fabric	CW 3130-R4	m²	2650			
	ROADWORKS - RENEWALS						
A.7	Pavement Removal	CW 3110-R19					
i)	Concrete Pavement		m²	3050			
ii)	Asphalt Pavement		m²	20			
A.8	Drilled Dowels	CW 3230-R8					
i)	19.1 mm Diameter		each	10			
4.9	Drilled Tie Bars	CW 3230-R8					
i)	20 M Deformed Tie Bar		each	250			
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9					
i)	100 mm Sidewalk	SD-228A					
;	Less than 5 sq.m.		m²	45			
I	5 sq.m. to 20 sq.m.		m²	340			
	c) Greater than 20 sq.m.		m²	590			
A.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	25			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
A.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	25		
A.14	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	30		
A.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
A.16	Detectable Warning Surface Tiles	CW 3326-R3	each	12		
A.17	Planing of Tie-ins and Approaches	E13	m²	50		
	ROADWORKS - NEW CONSTRUCTION					
A.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	510		
A.19	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	510		
A.20	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Separate)	SD-203A	m	20		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	30		
iii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement), Slip Form Paving	SD-200	m	450		
iv)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	160		
v)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	25		
A.21	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Type IA		tonne	500		
ii)	Tie-ins and Approaches					
	Type IA		tonne	30		
	JOINT AND CRACK SEALING					
A.22	Reflective Crack Maintenance	CW 3250-R7	m	50		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.23	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
A.24	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
;	In a Trench, Class B Type Sand Bedding, Class 2 Backfill		m	60		
A.25	Sewer Inspection	CW2145-R3				
i)	250 mm, PVC		m	60		
A.26	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
A.27	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
	Connecting to 400 X 2515 mm (Type Combined) Sewer		each	6		
A.28	Removal of Existing Catch Basins	CW 2130-R12	each	6		
A.29	Removal of Existing Catch Pit	CW 2130-R12	each	3		
A.30	Installation of Subdrains	CW 3120-R4	m	72		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.31	Watermain and Water Service Insulation	E11				
i)	Pipe Under Roadway Excavation (SD-018)		m²	90		
	ADJUSTMENTS					
A.32	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
A.33	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
A.34	Adjustment of Valve Boxes	CW 3210-R7	each	5		
A.35	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
	LANDSCAPING					
A.36	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	400		
ii)	width > or = 600 mm		m²	3100		
A.37	Hydro Excavation	E12	hrs	8		
A	ASPHALT RECONSTRUCTION: MOORGATE	AVENUE TO				
	LODGE AVENUE				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	REHABILITATION: STONEBRIDGE LANE - D PLACE	ALE BOULEVAF	RD TO M	<u>OSSWOOD</u>		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m³	10		
B.2	Supplying and Placing Base Course Material	CW 3110-R19	m³	10		
B.3	Grading of Boulevards	CW 3110-R19	m²	350		
	ROADWORKS - RENEWALS					
B.4	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	10		
B.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	50		
B.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
B.7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	50		
B.8	Concrete Curb Removal	CW 3240-R10				
i)	Lip Curb	SD-202C	m	150		
B.9	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	100		
ii)	Barrier (100 mm reveal ht, Separate)	SD-203A	m	10		
iii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	45		
B.10	Pavement Repair Fabric	E9	m²	150		
	ROADWORKS - NEW CONSTRUCTION					
B.11	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Type IA		tonne	140		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
	JOINT AND CRACK SEALING					
B.12	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	60		
B.13	Reflective Crack Maintenance	CW 3250-R7	m	160		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.14	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
B.15	Catch Basin Cleaning	CW 2140-R3	each	1		
	ADJUSTMENTS					
B.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
B.17	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
B.18	Adjustment of Valve Boxes	CW 3210-R7	each	2		
	LANDSCAPING					
B.19	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	400		
В	REHABILITATION: STONEBRIDGE LANE - D. PLACE	ALE BOULEVAR	RD TO M	<u>OSSWOOD</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	C REHABILITATION: DALE BOULEVARD - RANNOCK AVENUE TO #958					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m³	50		
C.2	Supplying and Placing Base Course Material	CW 3110-R19	m³	50		
C.3	Grading of Boulevards	CW 3110-R19	m²	700		
	ROADWORKS - RENEWALS					
C.4	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	200		
C.5	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	110		
C.6	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	15		
ii)	200 mm Concrete Pavement (Type B)		m²	50		
iii)	200 mm Concrete Pavement (Type D)		m²	100		
C.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	110		
C.8	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	50		
C.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	175		
C.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	330		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.11		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	40		
C.12		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	20		
C.13		Concrete Curb Installation	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Separate)	SD-203A	m	80		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	75		
iii)		Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	10		
C.14		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	3 m to 30 m		m	80		
	b)	Greater than 30 m		m	50		
ii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	45		
C.15		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	30		
C.16		Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)		Main Line Paving					
	a)	Type IA		tonne	950		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	110		
C.17		Planing of Tie-ins and Approaches	E13	m²	145		
C.18		Pavement Repair Fabric	E9	m²	450		
C.19		Detectable Warning Surface Tiles	CW 3326-R3	each	14		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
C.20	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
C.21	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m²	200		
C.22	100 mm Concrete Sidewalk (Tied)	CW 3325-R5, E10	m²	760		
	JOINT AND CRACK SEALING					
C.23	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	250		
C.24	Reflective Crack Maintenance	CW 3250-R7	m	950		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.25	Sewer Inspection	CW2145-R3				
i)	250 mm, PVC		m	10		
C.26	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	6		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	6		
C.27	Catch Basin Cleaning	CW 2140-R3	each	8		
	ADJUSTMENTS					
C.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	18		
C.29	Lifter Rings	CW 3210-R7				
i)	51 mm		each	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
C.30	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	50		
ii)	width > or = 600 mm		m²	650		
С	REHABILITATION: DALE BOULEVARD - RANNOCK AVENUE TO #955 DALE BOULEVARD				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2	MANITOBA HYDRO FUNDED W	ORK				
D	NEW STREET LIGHT INSTALLATION					
	DALE BOULEVARD FROM ACORN PLACE TO SHEPTON BAY SOUTH					
D.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E14	each	7		
0.2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E14	lin.m	425		
D.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E14	each	7		
0.4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E14	each	2		
0.5	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E14	each	7		
0.6	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E14	per span	10		
).7	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E14	per span	10		
0.8	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E14	each	4		
0.9	Removal of luminaire and appurtenances.	E14	each	2		
0.10	Installation of luminaire and appurtenances.	E14	each	2		
).11	Installation of break-away base and reaction plate on base mounted poles up to 35'.	E14	each	9		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	MOORGATE STREET FROM BRUCE AVENUE TO LODGE AVENUE					
D.12	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E14	each	5		
D.13	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E14	lin.m	305		
D.14	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E14	each	5		
D.15	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E14	each	1		
D.16	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E14	each	5		
D.17	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E14	per span	5		
D.18	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E14	per span	5		
D.19	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E14	each	1		
D	NEW STREET LIGHT INSTALLATION		.		Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
	SUMMARY						
PART 1 CITY FUNDED WORK							
Α	A ASPHALT RECONSTRUCTION: MOORGATE STREET FROM BRUCE AVENUE TO LODGE AVENUE Subtotal:						
B REHABILITATION: STONEBRIDGE LANE - DALE BOULEVARD TO MOSSWOOD PLACE Subt					Subtotal:		
С	C REHABILITATION: DALE BOULEVARD - RANNOCK AVENUE TO #955 DALE BOULEVARD						
				(total	price) PART 1		
PART 2	MANITOBA HYDRO FUNDED W	ORK					
D	NEW STREET LIGHT INSTALLATION				Subtotal:		
	(total price) PART 2						
TOTAL BID PRICE (GST extra) (in figures)							

(Seal)

Template Version: C420160226 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THA	AT
(hereinafter called the "Principal") and	
called the "Obligee") in the sum of ten percer	d firmly bound unto THE CITY OF WINNIPEG (hereinaftent (10%) of the Total Bid Price set out in the Bid hereinaften Principal and Surety bind themselves, their heirs, executors and severally, firmly by these presents.
WHEREAS the Principal has submitted a Bid t	to the Obligee for
BID OPPORTUNITY NO. 170-2017	
2017 LOCAL STREET RENEWAL PROGRAM BOULEVARD	1: MOORGATE STREET, STONEBRIDGE LANE AND DALE
as more fully set out in the Bid Opportunity.	
if said Bid is accepted and the Principal, in accepted said Obligee and furnishes the required pe	ation is such that if the Bid of the Principal is not accepted, of cordance with the terms of the Bid, enters into a Contract with erformance security for guaranteeing the faithful performance at otherwise shall remain in full force and effect.
IN WITNESS WHEREOF the Principal and Su	rety have signed and sealed this bond the
day of	, 20
SIGNED AND SEALED in the presence of: (Witness as to Principal if no seal)	(Name of Principal) Per: (Seal)
	(Name of Surety)

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 170-2017 2017 LOCAL STREET RENEWAL PROGRAM: MOORGATE STREET, STONEBRIDGE LANE AND DALE BOULEVARD in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)	
Corpo Mater 185 K	City of Winnipeg brate Finance Department ials Management Division ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 170-2017
	2017 LOCAL STREET RENEWAL PROGRAM: MOORGATE STREET, STONEBRIDGE LANE AND DALE BOULEVARD
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter paym	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	ps)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 19, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	(Authorized Signing Officer)
Per:	(Authorized Signing Officer)