#### FORM A: BID (See B9)

1.	Contract Title	2017 WATER MAIN RE	ENEWALS - CONTRACT NO. 5	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bide	der as it appears on Invoice (if different f	rom above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if	applicable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business ur	nder the above name.	
3.	Contact Person	The Bidder hereby aut the Bidder for purposes	norizes the following contact pe of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall ha General Conditions.	ve the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

(SEE B9)

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 5

UNIT P		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
<u>A</u>	Belmont Avenue - Andrews Street to 93 E of Powers Street					
A. 1 a) i)	Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	288.0		
A. 2 a)	Hydrant Assembly SD-007	CW 2110	each	2.0		
A. 3 a)	Watermain Valve 150mm	CW 2110	each	3.0		
A. 4 a) i)	Fittings Reducers 250mm - 150mm	CW 2110	each	2.0		
A. 5 a) i)	Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	35.0		
A. 6 a)	Corporation Stops 19mm	CW 2110	each	46.0		
A. 7 a)	Curb Stops 19mm	CW 2110	each	2.0		
A. 8 a)	Curb Stop Boxes 19mm	CW 2110	each	2.0		
A. 9 a)	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing	CW 2110				
i) A. 10	150mm  Connecting Existing Copper Water	CW 2110	each	2.0		
a)	Services to New Watermains  19mm	OW 2110	each	46.0		

(SEE B9)

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 5

CIVITI		SPEC.	I	APPROX.	UNIT	
ITEM	DESCRIPTION		UNIT			AMOUNT
		REF.		QUANTITY	PRICE	
A. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services	OW 2110		48.0		
(a)	On water Services		each	10.0		
۸ 40	Dortiol Clab Databas	<b>-</b> -				
A. 12	Partial Slab Patches 150mm reinforced concrete	E5		20.0		
a)	pavement		m²	20.0		
A. 13	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)		m²	75.0		
ر م ا	Cidowani (OD 2201)					
A. 14	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	40.0		
b)	Ramp curb		m	10.0		
	Trainp sais		'''	10.0		
A. 15	Construction of Asphaltic Concrete	CW 3410	tonne	3.0		
	Overlays Type 1A					
	Belmont Avenue - Andrews Street to 9	3 E of Power	s Street		Subtotal A:	
	Powers Street - Hartford Avenue to					
<u>B</u>	145 E of Hartford Avenue			_		
B. 1	Watermain Renewal	CW 2110				
		CVV 2110				
a)	250mm					
i)			m	145.0		
	bedding, Class 3 backfill					
		0144 044 0				
B. 2	Watermain Valve	CW 2110		2.0		
a)	250mm		each	3.0		
D 2	Eittings	CW 2440				
B. 3	Fittings	CW 2110				
a)	Crosses					
i)	250mm X250mm X 250mm X		each	1.0		
<b>1</b>	250mm					
B. 4	Connecting to Existing Watermains and	CW 2110				
D. 4	Large Diameter Water Services	O V V Z 1 1 0				
a)	In-line connection - no plug existing					
i)			aach	2.0		
ı 1)			each	∠.∪		

(SEE B9)

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 5

	RICES	SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
		IXEI .		Q071111111	111102	
B. 5	Partial Slab Patches	E5				
a)	150mm reinforced concrete		m²	5.0		
a)	pavement		'''			
B. 6	Miscellaneous Concrete Slab Renewal	CW 3235				
		CW 3233	m²	15.0		
a)	Sidewalk (SD-228A)			10.0		
B. 7	Concrete Curb Renewal	CW 3240				
a)	Ramp curb		m	10.0		
B. 8	Construction of Asphaltic Concrete	CW 3410	tonne	1.0		
	Overlays Type 1A  Powers Street - Hartford Avenue to 14	F E of Hartfa	rd Avon		Subtotal B:	
	Fowers Street - Hartford Avenue to 14	3 E OI HAILIO	iu Aveni	ue	Subiolal B.	
	Jefferson Avenue - Adsum Drive to					
<u>C</u>	Hiddleston Crescent					
C. 1	Watermain Renewal	CW 2110				
a)	150mm	OW 2110				
i)	trenchless installation, Class B sand		l m	3.0		
,	bedding, Class 3 backfill			0.0		
b)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	99.0		
c)	300mm c/w Nitrile Gaskets					
i)	trenchless installation, Class B sand		m	50.0		
	bedding, Class 3 backfill					
C. 2	Hydrant Assembly	CW 2110		2.0		
a)	SD-006		each	2.0		
C. 3	Watermain Valve	CW 2110				
a)	300mm	O * * 2110	each	1.0		
"	550.11111		Caon			
C. 4	Fittings	CW 2110				
a)	Tees					
i)	300mm x 300mm x 150 mm		each	1.0		
ii)	300mm x 300mm x 300 mm		each	1.0		
b)	Bends (SD-004)					
i)	300mm - 11 1/4°		each	2.0		

(SEE B9)

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 5

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	Panda (SD 005)	REF.		QUANTITY	PRICE	
c) i)	Bends (SD-005) 300mm - 45°		ooob	2.0		
"	30011111 - 45		each	2.0		
C. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
C. 6	Corporation Stops	CW 2110				
a)	19mm		each	6.0		
b)	25mm		each	2.0		
C. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1.0		
ii)	300mm		each	3.0		
C. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	6.0		
b)	25mm		each	2.0		
	40.016	0141.044.0				
C. 9	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110				
a)	On Water Services		each	8.0		
C. 10	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m²	25.0		
C. 11	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)		m²	20.0		

(SEE B9)

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 5

UNITP	INICES			I		
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
		0144 00 40				
C. 12	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	15.0		
b)	Ramp curb		m	10.0		
C. 13	Construction of Asphaltic Concrete	CW 3410	tonne	2.5		
	Overlays Type 1A					
	Jefferson Avenue - Adsum Drive to Hi	ddleston Cre	scent		Subtotal C:	
	Logan Avenue - Patrick Street to					
<u>D</u>	Fountain Street			<u> </u>		
D. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand		m	58.0		
,	bedding, Class 3 backfill					
b)	200mm					
i)	trenchless installation, Class B sand		m	4.0		
,	bedding, Class 3 backfill					
c)	250mm					
i)	trenchless installation, Class B sand		m	5.0		
	bedding, Class 3 backfill					
d)	300mm					
i)	trenchless installation, Class B sand		m	265.0		
	bedding, Class 3 backfill					
D. 2	Watermain Valve	CW 2110				
a)	150mm	CVV Z110	each	4.0		
,				3.0		
b)	300mm		each	3.0		
D. 3	Fittings	CW 2110				
a)	Tees					
i)	300mm x 300mm x 150 mm		each	1.0		
b)	Bends (SD-004)					
i)	, ,		each	4.0		
	250mm - 45°			2.0		
ii)			each	2.0		
c)	Bends (SD-005)					
i)	150mm - 45°		each	4.0		
d)	Crosses					
i)	300mm X300mm X 300mm X		each	3.0		
'/	300mm		Guon			

(SEE B9)

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 5

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
e)	Reducers	NEF.		QUANTITI	FRICE	
i)	300mm - 150mm		each	5.0		
ii)	300mm - 200mm		each	1.0		
iii)	300mm - 250mm		each	1.0		
"")	30011111 - 230111111		Cacii	1.0		
D. 4	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
c)	50mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	4.0		
D. 5	Corporation Stops	CW 2110				
a)	19mm		each	6.0		
b)	25mm		each	1.0		
c)	50mm		each	2.0		
D. 6	Curb Stops	CW 2110				
a)	19mm		each	5.0		
D. 7	Curb Stop Boxes	CW 2110				
a)	19mm		each	5.0		
D. 8	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	6.0		
ii)	200mm		each	1.0		
iii)	250mm		each	1.0		
iv)	300mm		each	1.0		

(SEE B9)

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 5

TEM   DESCRIPTION   SPEC.   UNIT   APPROX.   QUANTITY   PRICE	OINIT	THOLO					
Services to New Watermains   each   6.0   each   1.0   each   2.0	ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 10   10.9 Kilogram Sacrificial Zinc Anodes   CW 2110   each   2.0	D. 9		CW 2110				
D. 10   10.9 Kilogram Sacrificial Zinc Anodes   CW 2110   each   9.0	a)	19mm		each	6.0		
D. 10 10.9 Kilogram Sacrificial Zinc Anodes On Water Services  D. 11 Partial Slab Patches E5 m² 65.0  D. 12 Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)  D. 13 Concrete Curb Renewal Barrier curb (SD-204) B) Ramp curb  D. 14 Construction of Asphaltic Concrete CW 3410 tonne 7.2	b)	25mm		each	1.0		
a) On Water Services  D. 11 Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours)  D. 12 Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)  D. 13 Concrete Curb Renewal Barrier curb (SD-204) m 75.0 m 24.0  D. 14 Construction of Asphaltic Concrete CW 3410 tonne 7.2	c)	50mm		each	2.0		
i) 200mm reinforced concrete pavement for early opening (24 hours)  D. 12 Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)  D. 13 Concrete Curb Renewal Barrier curb (SD-204) m 75.0 m 24.0  D. 14 Construction of Asphaltic Concrete CW 3410 tonne 7.2			CW 2110	each	9.0		
a) Sidewalk (SD-228A)  D. 13 Concrete Curb Renewal a) Barrier curb (SD-204) b) Ramp curb  CW 3240 m 75.0 m 24.0  D. 14 Construction of Asphaltic Concrete  CW 3410 tonne 7.2		200mm reinforced concrete pavement for early opening (24	E5	m²	65.0		
a) Barrier curb (SD-204)       m       75.0         b) Ramp curb       m       24.0         D. 14 Construction of Asphaltic Concrete       CW 3410 tonne       7.2			CW 3235	m²	135.0		
a) Barrier curb (SD-204)       m       75.0         b) Ramp curb       m       24.0         D. 14 Construction of Asphaltic Concrete       CW 3410 tonne       7.2	D. 13	Concrete Curb Renewal	CW 3240				
D. 14 Construction of Asphaltic Concrete CW 3410 tonne 7.2	a)	Barrier curb (SD-204)		m	75.0		
	b)	Ramp curb		m	24.0		
	D. 14		CW 3410	tonne	7.2		
Logan Avenue - Patrick Street to Fountain Street Subtotal D:		Logan Avenue - Patrick Street to Four	tain Street			Subtotal D:	
Salter Street - At Bannerman Avenue, Atlantic Avenue and Luxton Avenue	<u>E</u>	Atlantic Avenue and Luxton Avenue		T	T		
E. 1 Watermain Renewal CW 2110	E. 1	Watermain Renewal	CW 2110				
a) 150mm	a)	150mm					
i) trenchless installation, Class B sand m 134.0 bedding, Class 3 backfill	i)	· ·		m	134.0		
E. 2 Hydrant Assembly CW 2110	E. 2	Hydrant Assembly	CW 2110				
a) SD-006 each 1.0		1 -		each	1.0		
b) SD-007 each 2.0					2.0		
E. 3 Watermain Valve CW 2110	E. 3	Watermain Valve	CW 2110				
a) 150mm each 5.0		150mm		each	5.0		

(SEE B9)

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 5

UNIT P		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
E. 4	Fittings	CW 2110				
a)	Fittings Tees	CVV 2110				
i)	150mm X 150mm X 150mm		each	3.0		
b)	Bends (SD-004)					
j ,	150mm - 45°		each	14.0		
c)	Crosses					
i)	150mm X 150mm X 150mm X 150mm		each	1.0		
E. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	40.0		
E. 6	Corporation Stops	CW 2110				
a)	19mm		each	6.0		
E. 7	Curb Stops	CW 2110				
a)	19mm	OW 2110	each	3.0		
	0 1 0: 5	0141 0440				
E. 8	Curb Stop Boxes 19mm	CW 2110	ooob	3.0		
a)	1911111		each	0.0		
E. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	11.0		
E. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	6.0		
E. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains	OW 2110	each	4.0		
b)	On Water Services		each	8.0		
			Caon	0.0		
E. 12	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m²	10.0		

(SEE B9)

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 5

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 13 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	35.0		
E. 14	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	15.0		
b)	Ramp curb		m	10.0		
E. 15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	0.5		
	Salter Street - At Bannerman Avenue,	Atlantic Aven	ue and	Luxton	Subtotal E:	
	Avenue West					
<u>F</u>	Provisional Items	CW 2030,				
F. 1	Cement Stabilized Fill	CW 2160	$m^3$	10.0		
F. 2	Sodding	CW 3510	$m^2$	50.0		
F. 3	Continuity Bonding	CW 2110	each	25.0		
F. 4	Maintaining Curb Stop Excavations	CW 2110	day	25.0		
F. 5	Watermain Repair - Up To 3.0 metres Long	CW 2110				
a)	150mm					
i)	Class 3 backfill		each	2.0		
b)	200mm					
i)	Class 3 backfill		each	2.0		
c)	250mm					
i)	Class 3 backfill		each	2.0		
d)	300mm					
i)	Class 3 backfill		each	2.0		
F. 6	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	300mm - 45°		each	2.0		
b)	Bends (SD-005)					
i)	150mm - 45°		each	4.0		
ii)	200mm - 45°		each	2.0		

(SEE B9)

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 5

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	AMOUNT
F. 7 a)	Regrading of Existing Sewer Service - Up to 1.5 metres Long 150mm	CW 2110	each	20.0		
F. 8 a) F. 9	Regrading of Existing Sewer Service - Longer Than 1.5 metres 150mm Remove and Replace Existing Catch Basin	CW 2110	m	20.0		
Γ. 9	Dasiii	CVV 2130				
a)	SD-024		each	5.0		
F. 7	Temporary Surface Restoration	E8				
a)	Street Pavement		m2	25.0		
b)	Sidewalk		m2	45.0		
Provisional Items Subtotal F:						
Grand Total:						

TOTAL BID PRICE (GST extra)	(in figures)\$	
(in words)		
		Name of Bidder

(Seal)

Template Version: C120150806- C BCivil

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

## BID BOND

BID BOND				
KNOW ALL MEN BY THESE PRESENTS	THAT			
(hereinafter called the "Principal") and				
called the "Obligee") in the sum of ten pe described, for the payment of which sum to	and firmly bound unto <b>THE CITY OF WINNIPEC</b> recent (10%) of the Total Bid Price set out in the Bithe Principal and Surety bind themselves, their heir intly and severally, firmly by these presents.	id hereinafter		
WHEREAS the Principal has submitted a E	Bid to the Obligee for			
BID OPPORTUNITY NO. 178-2017				
2017 WATER MAIN RENEWALS - CONTR	RACT NO. 5			
as more fully set out in the Bid Opportunity	·			
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	bligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a d performance security for guaranteeing the faithfuld, but otherwise shall remain in full force and effect.	Contract with		
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the			
day of	, 20			
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)		
(Witness as to Principal if no seal)	Per:	,		
	(Name of Surety)			

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 178-2017 2017 WATER MAIN RENEWALS - CONTRACT NO. 5 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
Corpor Materia 185 Ki	ity of Winnipeg rate Finance Department als Management Division ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 178-2017
	2017 WATER MAIN RENEWALS - CONTRACT NO. 5
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	standby Letter of Credit may be drawn on by you at any time and from time to time upon written not for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and we	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 26, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	