

**FORM A: BID**  
(See B9)

1. Contract Title FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF  
CONTRACT 5 EAST STAGE 2

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6. Bid Security In accordance with B13.1, the Bidder encloses bid security in the form of:  
(Choose one)  
 a bid bond (Form G1: Bid Bond and Agreement to Bond)  
 an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)  
 a certified cheque or draft  
and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:  
No. \_\_\_\_\_ Dated \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>Assiniboine Avenue - Bourkevale Drive to Winston Drive</u></b>					
A.1	Sewers	CW 2130 SP E10				
a)	250mm PVC SDR35 (WWS)					
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	90		
b)	375mm PVC SDR35 (CS)					
i)	In a trench, Class B Type 3 bedding,		m	6		
c)	450mm RCP C-76 CL IV / PVC SDR-35					
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	75		
d)	525mm RCP C-76 CL IV					
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	85		
e)	750mm RCP C-76 CL IV					
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	90		
A.2	Manholes	CW 2130				
a)	SD-010					
i)	1500mm Diam 1800 high base S572		vt.m	3.6		
ii)	1800mm Diam 1800 high base S563		vt.m	5.2		
iii)	1800mm Diam 1800 high base S560		vt.m	4		
iv)	1200mm Diam 1800 high base S561		vt.m	3.5		
v)	1200mm Diam 1800 high base D560A		vt.m	2.9		
vi)	1200mm Diam 1800 high base D561A		vt.m	2.6		
A.3	Connection to Existing Sewer	CW 2130				
a)	375mm		each	1		
A.4	Remove and Replace Existing Catch Basin / Catch Pit	CW 2130 SP E21				
a)	SD-023 (AP-011 Frame and AP-012 Cover)		each	1		
b)	SD-024 (AP-015 Frame and AP-016 Cover) (1200 deep)		each	1		
A.5	Catch Basins	CW 2130 SP E21				
a)	SD-024 (AP-011 Frame and AP-012 Cover)(1800 Deep)		each	2		

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.6	Sewer Services	CW 2130 SP E22				
a)	trenchless installation, Class B Type 3 bedding, Class 5 backfill		m	90		
A.7	Connect Existing Sewer Service to New Sewer	CW 2130 SP E22				
a)	150mm		each	9		
A.8	Abandon Existing Manholes, Catch Basins and Catch Pits	CW 2130 SP E21				
a)	Manhole		each	2		
b)	Catch Basin		each	2		
A.9	Removal Existing Manholes, Catch Basins and Catch Pits	CW 2130				
a)	Catch Basin		each	1		
A.10	Catch Basin Lead	CW 2130				
a)	250mm SDR 35					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	35		
A.11	Catch Basin Lead Riser	CW 2130				
a)	SD-015					
i)	250mm		vt.m	3		
A.12	Connection to Existing Manholes, Catch Basin/Catch Pit	CW 2130 SP E21				
a)	250mm CB Lead (to catch basin)		each	3		
b)	250mm WWS (to manhole)		each	1		
A.13	Abandon Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130				
a)	600mm Combined Sewer		m <sup>3</sup>	25		
b)	375mm Combined Sewer		m <sup>3</sup>	0.5		
A.14	Abandon Existing Catch Basin Lead Under Pavement	CW 2130	each	6		
A.15	Catch Basin / Catch Pit Cleaning	SP E18	each	2		

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.16	Sewer Cleaning	CW 2140 SP E20				
a)	375mm Combined Sewer		m	85		
A.17	Sewer Inspection					
a)	250mm		m	90		
a)	450mm		m	80		
b)	525mm		m	85		
c)	750mm		m	90		
A.18	Repeat Sewer Inspection (PVC pipe)	CW 2145 SP E19, E20				
a)	250mm		m	90		
a)	450mm		m	76		
<b>A</b>	<b><u>Assiniboine Avenue - Bourkevale Drive to Winston Drive</u></b>			<b>SUBTOTAL</b>		

<b>B <u>Bourkevale Drive - Assiniboine Avenue to Portage Avenue</u></b>						
B.1	Sewers	CW 2130 SP E10				
a)	375mm PVC SDR-35					
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	78		
b)	450mm RCP C-76 CL IV / PVC SDR-35					
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	218		
B.2	Manholes	CW 2130				
a)	SD-010					
i)	1200mm Diam 1800 high base S573		vt.m	3.8		
ii)	1200mm Diam 1800 high base S574		vt.m	3.7		
iii)	1200mm Diam 1800 high base S575		vt.m	3.6		
iv)	1200mm Diam 1800 high base S576		vt.m	3.6		
B.3	Connection to Existing Sewer	CW 2130				
a)	250mm SDR35		each	1		

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.4	Remove and Replace Existing Catch Basin / Catch Pit	CW 2130 SP E21				
a)	SD-023 (AP-015 Frame and AP-016 Cover)		each	1		
B.5	Catch Basins	CW 2130 SP E21				
a)	SD-024 (AP-015 Frame and AP-016 Cover) (1200 Deep)		each	1		
B.6	Abandon Existing Manholes, Catch Basins and Catch Pits	CW 2130 SP E21				
a)	Catch Basin		each	2		
B.7	Removal Existing Manholes, Catch Basins and Catch Pits	CW 2130 SP E21				
a)	Catch Pit		each	1		
B.8	Catch Basin Lead	CW 2130				
a)	250mm SDR 35					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	65		
B.9	Connection to Existing Catch Basin / Catch Pit	CW 2130 SP E21				
a)	250mm SDR35		each	6		
B.10	Abandon Existing Catch Basin Lead Under Pavement	CW 2130	each	9		
B.11	Catch Basin / Catch Pit Cleaning	SP E18	each	13		
B.12	Sewer Cleaning	CW 2140 SP E20				
a)	300mm Combined Sewer		m	110		
b)	375mm Combined Sewer		m	90		
B.13	Sewer Inspection	CW 2145 SP E19, E20				
a)	375mm		m	78		
b)	450mm		m	218		

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.14	Repeat Sewer Inspection (PVC pipe)	CW 2145 SP E19, E20				
a)	375mm		m	78		
b)	450mm		m	218		
<b>B</b>	<b><i>Bourkevale Drive - Assiniboine Avenue to Portage Avenue</i></b>				SUBTOTAL	

<b>C <i>Cavell Drive - Assiniboine Avenue to Portage Avenue</i></b>						
C.1	Sewers	CW 2130 SP E10				
a)	375mm PVC SDR-35					
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	145		
b)	450mm RCP C-76 CL IV / PVC SDR 35					
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	206		
c)	525mm RCP C-76 CL IV					
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	12		
C.2	Manholes	CW 2130				
a)	SD-010					
i)	1200mm Diam 1800 high base S564		vt.m	4.6		
ii)	1200mm Diam 1800 high base S565		vt.m	4.5		
iii)	1200mm Diam 1800 high base S566		vt.m	4.8		
iv)	1200mm Diam 1800 high base S567		vt.m	4.6		
v)	1200mm Diam 1800 high base S568		vt.m	4.1		
vi)	1200mm Diam 1800 high base S569		vt.m	4.0		
C.3	Connection to Existing Sewer	CW 2130				
a)	250mm SDR35		each	2		
C.4	Remove and Replace Existing Catch Basin / Catch Pit	CW 2130 SP E21				
a)	SD-023 (AP-015 Frame and AP-016 Cover)		each	2		
C.5	Abandon Existing Catch Basin / Catch Pit	CW 2130 SP E21				
			each	2		



**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.6	Catch Basin Lead	CW 2130				
a)	250mm SDR 35					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	60		
C.7	Connection to Existing Catch Basin / Catch Pit	CW 2130				
a)	250mm		each	6		
C.8	Abandon Existing Catch Basin Lead Under Pavement	CW 2130	each	10		
C.9	Catch Basin / Catch Pit Cleaning	SP E17	each	7		
C.10	Sewer Cleaning	CW 2140 SP E19				
a)	375mm Combined Sewer		m	110		
C.11	Sewer Inspection	CW 2145 SP E18, E19				
a)	300mm		m	145		
b)	450mm		m	206		
c)	525mm		m	12		
C.12	Repeat Sewer Inspection (PVC pipe)	CW 2145 SP E18, E19				
a)	300mm		m	145		
b)	450mm		m	206		
<b>C</b>	<b><u>Cavell Drive - Assiniboine Avenue to Portage Avenue</u></b>			<b>SUBTOTAL</b>		
<b>D</b>	<b><u>Winston Drive - Assiniboine Avenue to Parkside Drive</u></b>					
D.1	Sewers	CW 2130 SP E10				
a)	750mm RCP C-76 CL IV					
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	185		

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.2	Manholes	CW 2130				
a)	SD-010					
i)	1500mm Diam 1800 high base S558		vt.m	6.5		
ii)	1500mm Diam 1800 high base S559		vt.m	4.8		
D.3	Remove and Replace Existing Catch Basin / Catch Pit	CW 2130 SP E21				
a)	SD-024 (AP-011 Frame and AP-012 Cover) (1800 Deep)		each	1		
D.4	Catch Basin Lead	CW 2130				
a)	250mm SDR 35					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	11		
D.5	Connection to Existing Catch Basin	CW 2130 SP E21				
a)	250mm		each	1		
D.6	Abandon Existing Catch Basin Lead Under Pavement	CW 2130	each	2		
D.7	Catch Basin / Catch Pit Cleaning	SP E18	each	2		
D.8	Sewer Cleaning	CW 2140 SP E20				
a)	375mm Combined Sewer		m	125		
D.9	Sewer Inspection	CW 2145				
d)	750mm		m	185		
D.10	Full Slab Replacement (Open cut areas)	CW 3230 SP E14				
a)	150mm Reinforced Concrete Pavement		m <sup>2</sup>	400		
D.11	Concrete Curb Installation (Open cut areas)	CW 3240 SP E14				
a)	Barrier Curb (SD-204)		m	110		
D.12	Topsoil and Sodding	CW 3510 SP E17				
			m <sup>2</sup>	500		
<b>D</b>	<b><u>Winston Drive - Assiniboine Avenue to Parkside Drive</u></b>			<b>SUBTOTAL</b>		

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>E</b>	<b><u>Provisional Items</u></b>					
E.1	Trenchless Obstructions	SP E13	Allowance	\$50,000.00		\$50,000.00
E.2	Replacing Existing Risers	CW 2130				
a)	900mm Diam on New C/B		vt.m	2		
b)	900mm Diam on Existing C/B		vt.m	2		
c)	1200mm Diam on Existing Manholes		vt.m	2		
E.3	Remove and Replace Existing Catch Basin / Catch Pit (AP 011 Frame and AP 012 Cover)	CW 2130 SP E21				
a)	SD-023		each	2		
b)	SD-024		each	2		
E.4	Remove and Replace Existing Catch Basin / Catch Pit (AP 015 Frame and AP 016 Cover)	CW 2130 SP E21				
a)	SD-023		each	2		
b)	SD-024		each	2		
E.5	Remove and Replace Existing Catch Basin / Catch Pit (AP 006 Frame and AP 008 Cover)	CW 2130 SP E21				
a)	SD-025		each	2		
E.6	Connecting Existing Sewer Service To New Sewer	CW 2130 SP E21				
a)	Catch Basin Lead		each	3		
E.7	Abandoning Existing Sewers With Cement Stabilized Flowable Fill	CW 2130				
a)	300mm and larger		m <sup>3</sup>	10		
E.8	Regrading of Existing Sewer Service	CW 2110 SP E22				
a)	100 or 150 mm					
i)	Up to 1.5 m long		each	8		
ii)	Longer than 1.5 m		m	50		

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.9	Misc. Sewer Inspection (Existing Sewers)	CW 2130				
a)	300mm		m	40		
E.10	Catch Basin / Catch Pit Cleaning	SP E18	each	5		
E.11	Water Service Replacement	CW 2110 SP E22				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	3		
E.12	Corporation Stops	CW 2110 SP E22				
a)	19mm		each	5		
b)	25mm		each	3		
E.13	Curb Stops	CW 2110 SP E22				
a)	19mm		each	5		
b)	25mm		each	3		
E.14	Curb Stop Boxes	CW 2110 SP E22				
a)	19mm		each	5		
b)	25mm		each	3		
E.15	10.9 Kilogram Zinc Anodes	CW 2110 SP E22				
a)	On water service		each	10		
E.16	Board Insulation	CW 2110 SP E23	m <sup>2</sup>	20		
E.17	Manhole Lifter Rings (AP-007)	CW 3210				
a)	38mm		each	3		
b)	51mm		each	3		

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.18	Replacing Standard Frames and Covers	CW 2130 SP E21				
a)	AP-004 Frame		each	2		
b)	AP-005 Solid Cover		each	2		
c)	AP-011 Mountable Curb Frame & Cover		each	2		
E.19	Replacing Existing Manhole or Catch Basin Rungs	CW 2130 SP E21	each	10		
E.20	Replacing Existing Catch Basin Hoods	CW 2130 SP E21	each	2		
E.21	Patching Existing Manhole or Catch Basin	CW 2130 SP E21	each	2		
E.22	Foundation, Bedding and Backfill	CW 2030 SP E11				
a)	Cement Stabilized Backfill Material		m <sup>3</sup>	30		
E.23	150mm Sacrificial Concrete Pavement	SP E15	m <sup>2</sup>	100		
E.24	Partial Slab Patches	CW 3230				
a)	150mm Reinforced Concrete Pavement		m <sup>2</sup>	100		
E.25	Concrete Curb Installation	CW 3240				
a)	Barrier Curb (SD-204)		m	30		
b)	Mountable Curb (SD-201)		m	30		
E.26	Detectable Warning Surface Tiles	CW 3326				
a)	610mm x 1210mm tile		each	2		
E.27	Construction of Asphaltic Concrete Overlay					
a)	Tie-ins and Approaches Type 1A	CW 3410	tonne	30		
E.28	Supplying and Placing Base Course Material	CW 3110				
a)	Limestone		m <sup>3</sup>	30		

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.29	Replacement of Existing Private Sidewalks	CW 3330 SP E16				
a)	Interlocking Paving Stone		m <sup>2</sup>	20		
b)	Sidewalk Blocks		m <sup>2</sup>	20		
c)	Cast In Place Concrete		m <sup>2</sup>	20		
E.30	Topsoil and Sodding	CW 3510	m <sup>2</sup>	200		
E.31	Tree Removal	SP E6				
a)	0 to 10cm		each	2		
b)	10 to 30cm		each	2		
c)	over 30cm		each	6		
E.32	Boulevard and Yard Trees	SP E24				
a)	Manitoba Maple - 60-70mm cal		each	4		
b)	Delta Hackberry - 50-60mm cal		each	4		
c)	Littleleaf Linden - 60-70mm cal		each	4		
d)	Discovery Elm - 60-70mm cal		each	8		
e)	Black Hills Spruce - 1.5m		each	2		
<b>E</b>	<b><u>Provisional Items</u></b>			<b>SUBTOTAL</b>		

**FORM B: PRICES**  
**FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 EAST - STAGE 2**  
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
------	-------------	------------	------	------------------	------------	--------

**Summary**

**Part A - Assiniboine Avenue - Bourkevale Drive to Winston Drive**

**Part B - Bourkevale Drive - Assiniboine Avenue to Portage Avenue**

**Part C - Cavell Drive - Assiniboine Avenue to Portage Avenue**

**Part D - Winston Drive - Assiniboine Avenue to Parkside Drive**

**Part E - Provisional Items**

**TOTAL BID PRICE (GST extra) (in figures)**

---



---



---



---



---



---



---

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B13)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 269-2017

FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT 5 EAST STAGE 2

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)



**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B13)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 269-2017

FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT 5 EAST STAGE 2

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)



**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B13)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 11, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)