FORM A: BID (See B8)

| 1. | Contract Title | 2017 LOCAL SIDEWALK RENEWALS AND A | SSOCIATED WORKS |
|----|--------------------------------|---|----------------------------|
| 2. | Bidder | Name of Bidder | |
| | | Usual Business Name of Bidder as it appears on Invoice | (if different from above) |
| | | Street | |
| | | City Province | Postal Code |
| | | Email Address of Bidder | |
| | | Facsimile Number | |
| | (Mailing address if different) | Street or P.O. Box | |
| | | City Province | Postal Code |
| | | The Bidder is: | |
| | (Choose one) | a sole proprietor | |
| | | a partnership | |
| | | a corporation | |
| | | carrying on business under the above name. | |
| 3. | Contact Person | The Bidder hereby authorizes the following c the Bidder for purposes of the Bid. | ontact person to represent |
| | | Contact Person Title | |
| | | Telephone Number Facsimile Number | 9r |
| 4. | Definitions | All capitalized terms used in the Contract ascribed to them in the General Conditions an | |
| 5. | Offer | The Bidder hereby offers to perform the Wo Contract for the Total Bid Price, in Canadian Prices, appended hereto. | |

| 6. | Bid Security | In accordance with B12.1, the Bidder encloses bid security in the form of: |
|-----|-----------------------------|--|
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) |
| | | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) |
| | | a certified cheque or draft |
| | | and agrees that it shall be held by the City in accordance with the Contract. |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: |
| | | No Dated |
| | | |
| | | |
| | | |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline. |

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

| UNIT PR | CES | (SEE B9) | | | | |
|---------|--|---------------|--------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| Α | SIDEWALK RENEWAL - LINWOOD ST FRO | OM BRUCE AVE | TO POP | RTAGE AVE | | |
| | <u>(E. SIDE)</u> | ĺ | | | | |
| | EARTH AND BASE WORKS | | | | | |
| A.1 | Excavation | CW 3110-R19 | m³ | 7 | | |
| A.2 | Sub-Grade Compaction | CW 3110-R19 | m² | 35 | | |
| A.3 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 16 | | |
| A.4 | Grading of Boulevards | CW 3110-R19 | m² | 600 | | |
| | ROADWORK - REMOVALS/RENEWALS | | | | | |
| A.5 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 42 | | |
| A.6 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | | m² | 157 | | |
| A.7 | Miscellaneous Concrete Slab Installation | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | m² | 171 | | |
| ii) | Monolithic Curb and Sidewalk | SD-228B | m² | 8 | | |
| 4.8 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| а |) Less than 5 sq.m. | | m² | 5 | | |
| b |) 5 sq.m. to 20 sq.m. | | m² | 10 | | |
| C |) Greater than 20 sq.m. | | m² | 299 | | |
| ii) | 150 mm Reinforced Sidewalk | | | | | |
| а |) 5 sq.m. to 20 sq.m. | | m² | 6 | | |
| iii) | Monolithic Curb and Sidewalk | SD-228B | m² | 96 | | |
| ۹.9 | Adjustment of Precast Sidewalk Blocks | CW 3235-R9 | m² | 30 | | |
| 4.10 | Supply of Precast Sidewalk Blocks | CW 3235-R9 | m² | 10 | | |
| A.11 | Removal of Precast Sidewalk Blocks | CW 3235-R9 | m² | 10 | | |
| A.12 | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | Barrier Separate | | m | 2 | | |
| | | | | | | |

| JNIT PRIC | CES | (SEE B9) | | | | |
|-----------|---|--------------------|--------------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| ii) | Curb Ramp | | m | 3 | | |
| A.13 | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229A,B,C | m | 10 | | |
| A.14 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Barrier (150 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| a) | Less than 3 m | | m | 2 | | |
| b) | 3 m to 30 m | | m | 5 | | |
| ii) | Modified Barrier (150 mm reveal ht, Dowelled) | SD-203B | m | 5 | | |
| iii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 15 | | |
| iv) | Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width) | SD-223A | m | 4 | | |
| A.15 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 14 | | |
| A.16 | Construction of Asphalt Patches | CW 3410-R11 | m² | 20 | | |
| A.17 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 6 | | |
| | ADJUSTMENTS | | | | | |
| A.18 | Adjustment of Valve Boxes | CW 3210-R7 | each | 2 | | |
| A.19 | Valve Box Extensions | CW 3210-R7 | each | 1 | | |
| 4.20 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 7 | | |
| 4.21 | Curb Stop Extensions | CW 3210-R7 | each | 4 | | |
| | LANDSCAPING | | | | | |
| 4.22 | Sodding | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m² | 200 | | |
| ii) | width > or = 600 mm | | m² | 400 | | |
| | SIDEWALK RENEWAL - LINWOOD ST FR | OM BRUCE AVE | <u>TO PO</u> | RTAGE AVE | | |
| Α | <u>(E. SIDE)</u> | | | | Subtotal: | |

| UNIT PR | ICES | (SEE B9) | | | | |
|---------|---|---------------------|---------------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| в | SIDEWALK RENEWAL - BRUCE AVE FROM | <u>M LINWOOD ST</u> | <u>TO WIN</u> | <u>CHESTER ST</u> | | |
| | <u>(S. SIDE)</u> | 1 | | | | |
| | EARTH AND BASE WORKS | | | | | |
| B.1 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 5 | | |
| B.2 | Grading of Boulevards | CW 3110-R19 | m² | 234 | | |
| | ROADWORK - REMOVALS/RENEWALS | | | | | |
| B.3 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 150 mm Concrete Pavement (Type B) | | m² | 2 | | |
| B.4 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 43 | | |
| B.5 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| ä | a) Less than 5 sq.m. | | m² | 5 | | |
| ł | b) 5 sq.m. to 20 sq.m. | | m² | 5 | | |
| (| c) Greater than 20 sq.m. | | m² | 106 | | |
| ii) | Monolithic Curb and Sidewalk | SD-228B | m² | 45 | | |
| B.6 | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | Barrier Separate | | m | 5 | | |
| B.7 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Barrier (150 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| â | a) Less than 3 m | | m | 6 | | |
| ł | b) 3 m to 30 m | | m | 5 | | |
| ii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 26 | | |
| B.8 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | M2 | 5 | | |
| B.9 | Construction of Asphalt Patches | CW 3410-R11 | m² | 4 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |

| | | (SEE 69) | | | | |
|----------|--|--------------|--------|------------|------------|--------|
| UNIT PRI | CES | | | | | |
| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT PRICE | AMOUNT |
| | | REF. | | QUANTITY | | |
| B.10 | AP-005 - Standard Solid Cover for Standard | | each | 1 | | |
| | Frame | | | | | |
| | ADJUSTMENTS | | | | | |
| B.11 | Supply of Curb Inlet Frames | CW 3210-R7 | each | 1 | | |
| | | | | | | |
| B.12 | Adjustment of Curb and Gutter Inlet Frames | CW 3210-R7 | each | 1 | | |
| | | | | | | |
| | LANDSCAPING | | | | | |
| B.13 | Sodding | CW 3510-R9 | | | | |
| | | | | | | |
| i) | width < 600 mm | | m² | 78 | | |
| ::) | width > or = 600 mm | | m² | 156 | | |
| ii) | | | 104 | 100 | | |
| В | SIDEWALK RENEWAL - BRUCE AVE FROM | A LINWOOD ST | TO WIN | CHESTER ST | | |
| D | (<u>S. SIDE)</u> | | | | Subtotal: | |

| JNIT PRI | CES | (SEE B9) | | | | |
|----------|--|--------------------|----------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| с | SIDEWALK RENEWAL - EUGENIE ST FROM | M DES MEURON | VS ST TO | <u>O YOUVILLE</u> | | |
| | <u>ST (BOTH SIDES)</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| C.1 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 17 | | |
| C.2 | Grading of Boulevards | CW 3110-R19 | m² | 760 | | |
| | ROADWORK - REMOVALS/RENEWALS | | | | | |
| C.3 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 38 | | |
| C.4 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| а | Less than 5 sq.m. | | m² | 5 | | |
| b |) 5 sq.m. to 20 sq.m. | | m² | 5 | | |
| C |) Greater than 20 sq.m. | | m² | 550 | | |
| C.5 | Adjustment of Precast Sidewalk Blocks | CW 3235-R9 | m² | 10 | | |
| C.6 | Supply of Precast Sidewalk Blocks | CW 3235-R9 | m² | 5 | | |
| C.7 | Removal of Precast Sidewalk Blocks | CW 3235-R9 | m² | 5 | | |
| C.8 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Barrier (150 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| а |) Less than 3 m | | m | 10 | | |
| ii) | Modified Barrier (180 mm reveal ht, Dowelled) | SD-203B | m | 7 | | |
| iii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 23 | | |
| C.9 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 5 | | |
| C.10 | Construction of Asphalt Patches | CW 3410-R11 | m² | 1 | | |
| | ADJUSTMENTS | | | | | |
| C.11 | Adjustment of Valve Boxes | CW 3210-R7 | each | 2 | | |
| C.12 | Valve Box Extensions | CW 3210-R7 | each | 1 | | |
| C.13 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 10 | | |

| | | (OLL D3) | | | | |
|----------|---|------------|------|----------|------------|--------|
| UNIT PRI | CES | | | | | |
| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT PRICE | AMOUNT |
| | | REF. | | QUANTITY | | |
| C.14 | Curb Stop Extensions | CW 3210-R7 | each | 5 | | |
| | | | | | | |
| | | | | | | |
| | LANDSCAFING | | | | | |
| C.15 | Sodding | CW 3510-R9 | | | | |
| | | | | | | |
| i) | width < 600 mm | | m² | 255 | | |
| ii) | width > or = 600 mm | | m² | 505 | | |
| ") | | | | 505 | | |
| с | SIDEWALK RENEWAL - EUGENIE ST FROM DES MEURONS ST TO YOUVILLE | | | | | |
| L | <u>ST (BOTH SIDES)</u> | | | | | |

| JNIT PR | ICES | (SEE B9) | | | | |
|---------|--|---------------|-------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| D | SIDEWALK RENEWAL - OAKENWALD AVE | - POINT RD TO | NORTH | | | |
| | EARTH AND BASE WORKS | | | | | |
| D.1 | Excavation | CW 3110-R19 | m³ | 92 | | |
| D.2 | Sub-Grade Compaction | CW 3110-R19 | m² | 525 | | |
| | | | | | | |
| D.3 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 34 | | |
| D.4 | Grading of Boulevards | CW 3110-R19 | m² | 1,605 | | |
| | ROADWORK - REMOVALS/RENEWALS | | | | | |
| D.5 | Partial Slab Patches | CW 3230-R8 | | | | |
| i) | - Early Opening (72 hour) 150 mm Concrete Pavement (Type B) | | m² | 20 | | |
| D.6 | Drilled Dowels | CW 3230-R8 | | | | |
| | 19.1 mm Diameter | | each | 10 | | |
| i) | | | each | 10 | | |
| D.7 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 24 | | |
| D.8 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | | m² | 910 | | |
| ii) | 150 mm Reinforced Sidewalk | | m² | 15 | | |
| D.9 | Miscellaneous Concrete Slab Installation | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | m² | 1,108 | | |
| ii) | 150 mm Reinforced Sidewalk | | m² | 15 | | |
| iii) | Monolithic Curb and Sidewalk | SD-228B | m² | 28 | | |
| D.10 | Adjustment of Precast Sidewalk Blocks | CW 3235-R9 | m² | 20 | | |
| D.11 | Supply of Precast Sidewalk Blocks | CW 3235-R9 | m² | 10 | | |
| | | | | | | |
| D.12 | Removal of Precast Sidewalk Blocks | CW 3235-R9 | m² | 10 | | |
| D.13 | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | Barrier (150 mm reveal ht, Dowelled) | SD-205 | m | 7 | | |
| ii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229A,B,C | m | 10 | | |

| JNIT PRI | CES | (SEE B9) | | | | |
|----------|---|--------------------|-------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| D.14 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Barrier (150 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| a) | Less than 3 m | | m | 10 | | |
| b) | 3 m to 30 m | | m | 10 | | |
| ii) | Modified Barrier (150 mm reveal ht, Dowelled) | SD-203B | m | 15 | | |
| iii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 30 | | |
| D.15 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 5 | | |
| D.16 | Construction of Asphalt Patches | CW 3410-R11 | m² | 46 | | |
| | ADJUSTMENTS | | | | | |
| D.17 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 38 mm | | each | 1 | | |
| D.18 | Adjustment of Valve Boxes | CW 3210-R7 | each | 7 | | |
| D.19 | Valve Box Extensions | CW 3210-R7 | each | 3 | | |
| D.20 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 10 | | |
| D.21 | Curb Stop Extensions | CW 3210-R7 | each | 5 | | |
| | LANDSCAPING | | | | | |
| D.22 | Sodding | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m² | 535 | | |
| ii) | width > or = 600 mm | | m² | 1,070 | | |
| D | <u>SIDEWALK RENEWAL - OAKENWALD AVI SIDE)</u> | E - POINT RD TO | NORTH | H DR (S. | | |
| | | | | | Subtotal: | |

| UNIT PRI | CES | (SEE B9) | | | | |
|----------|---|--------------------|----------------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| Е | <u>SIDEWALK RENEWAL - KYLEMORE AVE F (BOTH SIDES)</u> | ROM DALY ST | <u>s. to o</u> | <u>SBORNE ST</u> | | |
| | EARTH AND BASE WORKS | | | | | |
| E.1 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 37 | | |
| E.2 | Grading of Boulevards | CW 3110-R19 | m² | 1,774 | | |
| | ROADWORK - REMOVALS/RENEWALS | | | | | |
| E.3 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 155 | | |
| E.4 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| а |) Less than 5 sq.m. | | m² | 10 | | |
| b |) 5 sq.m. to 20 sq.m. | | m² | 20 | | |
| С |) Greater than 20 sq.m. | | m² | 1,458 | | |
| E.5 | Adjustment of Precast Sidewalk Blocks | CW 3235-R9 | m² | 30 | | |
| E.6 | Supply of Precast Sidewalk Blocks | CW 3235-R9 | m² | 10 | | |
| E.7 | Removal of Precast Sidewalk Blocks | CW 3235-R9 | m² | 10 | | |
| E.8 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Barrier (150 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| а |) Less than 3 m | | m | 20 | | |
| b |) 3 m to 30 m | | m | 10 | | |
| ii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 93 | | |
| E.9 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 10 | | |
| E.10 | Construction of Asphalt Patches | CW 3410-R11 | m² | 14 | | |
| E.11 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 2 | | |
| | ADJUSTMENTS | | | | | |
| E.12 | Adjustment of Valve Boxes | CW 3210-R7 | each | 5 | | |
| E.13 | Valve Box Extensions | CW 3210-R7 | each | 2 | | |

| | | (366 69) | | | | |
|-----------|---|------------|--------|-----------|------------|--------|
| UNIT PRIC | CES | • | | | | |
| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT PRICE | AMOUNT |
| | | REF. | | QUANTITY | | |
| E.14 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 38 | | |
| | | | | | | |
| E.15 | Curb Stop Extensions | CW 3210-R7 | each | 19 | | |
| | | | | | | |
| | | | | | | |
| | LANDSCAPING | | | | | |
| E.16 | Sodding | CW 3510-R9 | | | | |
| - | | | | | | |
| i) | width < 600 mm | | m² | 591 | | |
| ., | | | | | | |
| ii) | width > or = 600 mm | | m² | 1,182 | | |
| , | | | | .,.02 | | |
| | | POM DALVST | S TO O | SBODNE ST | | |
| Е | SIDEWALK RENEWAL - KYLEMORE AVE FROM DALY ST S. TO OSBORNE ST (BOTH SIDES) | | | | | |
| | | Subtotal: | | | | |

| | CES | (SEE B9) | | | | | |
|------|--|--------------------|------|---------------------|------------|--------|--|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | |
| F | SIDEWALK RENEWAL - AUTUMNWOOD DR FROM DRAKE BLVD TO ECHO | | | | | | |
| | <u>BAY (N. LEG) (N. & E. SIDES)</u> | | | | | | |
| | EARTH AND BASE WORKS | | | | | | |
| F.1 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 27 | | | |
| F.2 | Grading of Boulevards | CW 3110-R19 | m² | 1,233 | | | |
| | ROADWORK - REMOVALS/RENEWALS | | | | | | |
| F.3 | Drilled Tie Bars | CW 3230-R8 | | | | | |
| i) | 15 M Deformed Tie Bar | | each | 50 | | | |
| F.4 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | | |
| a) | Less than 5 sq.m. | | m² | 10 | | | |
| b) | 5 sq.m. to 20 sq.m. | | m² | 18 | | | |
| C) | Greater than 20 sq.m. | | m² | 1,000 | | | |
| ii) | 150 mm Reinforced Sidewalk | | | | | | |
| a | 5 sq.m. to 20 sq.m. | | m² | 47 | | | |
| iii) | Monolithic Curb and Sidewalk | SD-228B | m² | 13 | | | |
| F.5 | Adjustment of Precast Sidewalk Blocks | CW 3235-R9 | m² | 10 | | | |
| F.6 | Supply of Precast Sidewalk Blocks | CW 3235-R9 | m² | 5 | | | |
| F.7 | Removal of Precast Sidewalk Blocks | CW 3235-R9 | m² | 5 | | | |
| F.8 | Concrete Curb Renewal | CW 3240-R10 | | | | | |
| i) | Barrier (150 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | | |
| a) | Less than 3 m | | m | 10 | | | |
| ii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 30 | | | |
| F.9 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 2 | | | |
| F.10 | Construction of Asphalt Patches | CW 3410-R11 | m² | 5 | | | |
| | ADJUSTMENTS | | | | | | |
| F.11 | Adjustment of Valve Boxes | CW 3210-R7 | each | 4 | | | |

| (SEE B9) | | | | | | |
|-------------|--|------------|------|----------|------------|--------|
| UNIT PRICES | | | | | | |
| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT PRICE | AMOUNT |
| | | REF. | | QUANTITY | | |
| F.12 | Valve Box Extensions | CW 3210-R7 | each | 2 | | |
| F.13 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 10 | | |
| F.14 | Curb Stop Extensions | CW 3210-R7 | each | 5 | | |
| | | | | | | |
| | LANDSCAPING | | | | | |
| F.15 | Sodding | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m² | 411 | | |
| ii) | width > or = 600 mm | | m² | 822 | | |
| | | | | | | |
| F | SIDEWALK RENEWAL - AUTUMNWOOD DR FROM DRAKE BLVD TO ECHO | | | | | |
| | BAY (N. LEG) (N. & E. SIDES) | | | | | |

| JNIT PRI | CES | (SEE B9) | | | | |
|----------|---|---------------|------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| G | DETECTABLE WARNING SURFACE TILE I | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| G.1 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 2 | | |
| G.2 | Grading of Boulevards | CW 3110-R19 | m² | 6 | | |
| | ROADWORK - REMOVALS/RENEWALS | | | | | |
| G.3 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 23 | | |
| G.4 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a | Less than 5 sq.m. | | m² | 10 | | |
| ii) | Monolithic Curb and Sidewalk | SD-228B | m² | 48 | | |
| G.5 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 14 | | |
| ii) | Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width) | SD-223A | m | 7 | | |
| G.6 | Construction of Asphalt Patches | CW 3410-R11 | m² | 4 | | |
| G.7 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 4 | | |
| | LANDSCAPING | | | | | |
| G.8 | Salt Tolerant Grass Seeding | E17 | m² | 6 | | |
| G | DETECTABLE WARNING SURFACE TILE I | NSTALLATION | | I | Subtotal: | |

| | | (SEE B9) | | | | |
|--|--|---------------|------|---------------------|------------|--------|
| UNIT PRIC | CES | | | | | |
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| | SUMMARY | | | | | |
| Α | SIDEWALK RENEWAL - LINWOOD ST FRO (E. SIDE) | Subtotal: | | | | |
| В | SIDEWALK RENEWAL - BRUCE AVE FROM LINWOOD ST TO WINCHESTER ST (S. SIDE) | | | | Subtotal: | |
| С | SIDEWALK RENEWAL - EUGENIE ST FROM DES MEURONS ST TO YOUVILLE ST (BOTH SIDES) | | | | Subtotal: | |
| D | SIDEWALK RENEWAL - OAKENWALD AVE - POINT RD TO NORTH DR (S. SIDE) | | | | Subtotal: | |
| Е | SIDEWALK RENEWAL - KYLEMORE AVE FROM DALY ST S. TO OSBORNE ST (BOTH SIDES) | | | | Subtotal: | |
| F | SIDEWALK RENEWAL - AUTUMNWOOD DR FROM DRAKE BLVD TO ECHO BA' (N. LEG) (N. & E. SIDES) | | | | Subtotal: | |
| G | DETECTABLE WARNING SURFACE TILE INSTALLATION | | | | Subtotal: | |
| TOTAL BID PRICE (GST extra) (in figures) | | | | | | |

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 277-2017

2017 LOCAL SIDEWALK RENEWALS AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

| day of | | |
|---------------------------------------|---------------------|--------|
| SIGNED AND SEALED in the presence of: | (Name of Principal) | |
| | Per: | (Seal) |
| (Witness as to Principal if no seal) | Per: | |
| | (Name of Surety) | |
| | By: | (Seal) |

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 277-2017

2017 LOCAL SIDEWALK RENEWALS AND ASSOCIATED WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 277-2017

2017 LOCAL SIDEWALK RENEWALS AND ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 24, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

| (Name of bank or financial institution) | |
|---|--|
| Per: | |

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)