## FORM A: BID (See B8)

1.	Contract Title	2017 Regional Streets – Salter	Street Concrete Reconstruction	n			
2.	Bidder	Name of Bidder					
		Usual Business Name of Bidder as it appears on Invoice (if different from above)					
		Street					
		City	Province	Postal Code			
		Email Address of Bidder					
		Facsimile Number					
	(Mailing address if different)	Street or P.O. Box					
		City	Province	Postal Code			
	(Chaosa ana)	The Bidder is:					
	(Choose one)	a sole proprietor					
		a partnership					
		a corporation carrying on business under the above name.					
		carrying on business under the	above name.				
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		o represent			
		Contact Person	Title				
		Telephone Number	Facsimile Number				
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings			
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.					

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the foot					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.					
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.					
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.					

# 12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

JNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	SALTER STREET, INKSTER BLVD TO CAT RECONSTRUCTION	HEDRAL AVEN	<u>IUE, CO</u>	NCRETE		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	5,020		
A.2	Sub-Grade Compaction	CW 3110-R19	m²	6,200		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	2,900		
ii)	100 mm		tonne	4,200		
<u>.</u> 4	Supplying and Placing Base Course Material	CW 3110-R19	m³	550		
A.5	Grading of Boulevards	CW 3110-R19	m²	400		
.6	Separation Geotextile Fabric	CW 3130-R4	m²	5,800		
A.7	Supply and Install Geogrid	CW 3135-R1	m²	700		
	ROADWORK - REMOVALS/RENEWALS					
8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	5,600		
ii)	Temporary Asphalt Pavement		m²	100		
.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	285		
ii)	28.6 mm Diameter		each	5		
.10	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	170		
ii)	20 M Deformed Tie Bar		each	310		
iii)	25 M Deformed Tie Bar		each	5		

UNIT F	RIC	CES .	(SEE B9)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.11		Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)		100 mm Sidewalk		m²	1,300		
A.12		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	5 sq.m. to 20 sq.m.		m²	30		
A.13		Concrete Curb Renewal	CW 3240-R10				
i)		Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	15		
ii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
A.14		Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)		Temporary Asphalt Pavement					
	a)	Туре ІА		tonne	25		
ii)		Tie-ins and Approaches					
	a)	Туре ІА		tonne	5		
A.15		Construction of Asphalt Patches	CW 3410-R11	m²	20		
A.16		Detectable Warning Surface Tiles	CW 3326-R3	each	32		
		ROADWORK - NEW CONSTRUCTION					
A.17		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)		Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	4,200		
ii)		Construction of 200 mm Concrete Pavement (Reinforced)		m²	100		
iii)		Construction of 150 mm Concrete Pavement (Reinforced)		m²	15		

JNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.18	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m²	630		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m²	700		
A.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	500		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	100		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	200		
A.20	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1,100		
A.21	100 mm Concrete Sidewalk	CW 3325-R5	m²	2,300		
4.22	Interlocking Paving Stones	CW 3335-R1 E15	m²	125		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.23	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	10		
A.24	New Manholes on Existing Sewer	CW 2130-R12				
i)	SD-010		vert m	3.5		
A.25	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a	In a Trench, Class B Bedding with sand, Class 3 Backfill		m	10		
b	Trenchless Installation, Class B Bedding with sand, Class 3 Backfill		m	60		
4.26	Sewer Service Risers	CW 2130-R12				
i)	250 mm					
a	) SD-015		vert m	18		

		(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
4.27	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	8		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	8		
4.28	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm Catch Basin Lead					
a)	Connecting to 750 mm Storm Relief Sewer		each	6		
4.29	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	2		
A.30	Removal of Existing Catch Basins	CW 2130-R12	each	10		
A.31	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or smaller)		each	10		
4.32	Abandoning Existing Drainage Inlets	CW 2130-R12	each	10		
4.33	Installation of Subdrains	CW 3120-R4	m	120		
A.34	Sewer Service Inspection	CW 2145-R4 E14				
i)	250 mm		m	15		
A.35	Sewer Inspection	CW 2145-R4 E14				
i)	300 Combined Sewer		m	80		
A.36	Conduit Installation	E12	m	100		
4.37	Watermain and Water Service Insulation	CW 2110-R11 E13				
i)	Pipe Under Roadway Excavation (SD-018)		m²	150		
	ADJUSTMENTS					
A.38	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	9		

ITEM	CES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
4.39	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2		
ii)	Brick Risers		vert. m	0.5		
A.40	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	2		
ii)	64 mm		each	6		
A.41	Adjustment of Valve Boxes	CW 3210-R8	each	8		
A.42	Valve Box Extensions	CW 3210-R8	each	5		
A.43	Adjustment of Curb Stop Boxes	CW 3210-R8	each	20		
A.44	Curb Stop Extensions	CW 3210-R8	each	5		
A.45	Patching of Existing Manholes	CW 2130-R12	vert. m	2		
A.46	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	25		
	LANDSCAPING					
A.47	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	250		
ii)	width > or = 600 mm		m²	150		
Α	SALTER STREET, INKSTER BLVD TO CAT RECONSTRUCTION	HEDRAL AVEN	IUE, CO	NCRETE	Subtotal:	

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 299-2017

2017 Regional Streets – Salter Street Concrete Reconstruction

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	_ Per: Per:	
	(Name of Surety) By:	(Seal)

\_\_\_\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ , 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 299-2017

2017 Regional Streets – Salter Street Concrete Reconstruction

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_,

(Name of Surety)

By: (Seal) (Seal)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 299-2017

2017 Regional Streets – Salter Street Concrete Reconstruction

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 29, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)