### FORM A: BID (See B8)

1.	Contract Title	2017 Regional Street Renewal Program – McGillivray Boulevard Rehabilitation and Kenaston Boulevard Pavement Widening
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
	(Choose one)	The Bidder is: a sole proprietor a partnership a corporation carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Chasse and)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
	(Choose one)	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

## 12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

# FORM B: PRICES

(SEE B9)

JNIT PR	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	McGILLIVRAY BLVD - WAVERLEY ST TO F (2017)	ENNELL ST - R	EHABILI	ITATION		
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R19 E12	tonne	2000		
A.2	Grading of Boulevards	CW 3110-R19	m²	8500		
	ROADWORKS - RENEWALS					
A.3	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	215		
ii)	Asphalt Pavement		m²	150		
A.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	215		
A.5	Partial Slab Patches	CW 3230-R8				
i)	- Early Opening (72 hour) 200 mm Concrete Pavement (Type A)		m²	40		
ii)	200 mm Concrete Pavement (Type B)		m²	520		
iii)	200 mm Concrete Pavement (Type C)		m²	20		
iv)	200 mm Concrete Pavement (Type D)		m²	500		
A.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	1250		
A.7	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	20		
ii)	20 M Deformed Tie Bar		each	1900		
A.8	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Bullnose	SD-227C	m²	25		
A.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	a) Less than 5 sq.m.		m²	10		
b	o) 5 sq.m. to 20 sq.m.		m²	25		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUN
A.10	Concrete Curb Removal	CW 3240-R10				
i)	Barrier	SD-202C	m	1250		
ii)	Modified Barrier (Integral)		m	35		
iii)	Splash Strip Monolithic		m	15		
A.11	Concrete Curb Installation	CW 3240-R10				
i)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	1300		
A.12	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	20		
A.13	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
а	) Type IA		tonne	3700		
ii)	Tie-ins and Approaches					
а	) Type IA		tonne	125		
A.14	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	500		
ii)	50 - 100 mm Depth (Asphalt)		m²	100		
iii)	1 - 50 mm Depth (Concrete)		m²	20		
A.15	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	JOINT AND CRACK SEALING					
A.16	Reflective Crack Maintenance	CW 3250-R7	m	3350		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.17	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	1		
A.18	Frames & Covers	CW3210-R8				
i)	AP-009 - Beehive Manhole Cover		each	4		
4.19	Concrete Spillways c/w Curb Inlet Grate	E13	each	11		
A.20	Grouted Stone Riprap	CW 3615-R4	m³	20		
4.21	Straw Wattles	E17	m	30		
4.22	Asphalt Swale	E14	m²	1700		
4.23	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5 E16				
i)	300 mm (1.6 mm Wall C/W Bevelled End Section)		m	17		
4.24	Corrugated Steel Pipe Culvert - Install	CW 3610-R5 E16				
i)	300 mm (1.6 mm Wall)		m	17		
	ADJUSTMENTS					
A.25	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
A.26	Replacing Existing Manhole or Catchbasin Rungs	CW 2130-R12	each	2		
A.27	Adjustment of Valve Boxes	CW 3210-R8	each	5		
4.28	Valve Box Extensions	CW 3210-R8	each	2		
A.29	Adjustment of Curb Stop Boxes	CW 3210-R8	each	5		
4.30	Curb Stop Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
4.31	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	50		
ii)	width > or = 600 mm		m²	4700		
A.32	Salt Tolerant Grass Seeding	E8	m²	3800		
	McGILLIVRAY BLVD - WAVERLEY ST TO	 FENNELL <u>ST -</u> R	EHABIL	ITATION		
Α	<u>(2017)</u>					

UNIT PRICES

UNIT PR ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
в	McGILLIVRAY BLVD - FENNELL ST TO PEI (2018)	MBINA HWY - R	EHABILI	TATION		
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R19 E12	tonne	3100		
B.2	Grading of Boulevards	CW 3110-R19	m²	8000		
	ROADWORKS - RENEWALS					
B.3	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	250		
ii)	Asphalt Pavement		m²	220		
B.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	250		
B.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	50		
ii)	200 mm Concrete Pavement (Type B)		m²	300		
iii)	200 mm Concrete Pavement (Type C)		m²	20		
iv)	200 mm Concrete Pavement (Type D)		m²	20		
B.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	600		
B.7	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	25		
ii)	20 M Deformed Tie Bar		each	830		
B.8	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Bullnose	SD-227C	m²	10		
B.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	) Less than 5 sq.m.		m²	10		
b	) 5 sq.m. to 20 sq.m.		m²	50		

UNIT P	RIC	CES	(SEE B9)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUN
3.10		Concrete Curb Removal	CW 3240-R10				
i)		Barrier	SD-202C	m	1150		
ii)		Modified Barrier (Integral)		m	20		
B.11		Concrete Curb Installation	CW 3240-R10				
i)		Splash Strip (100 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	150		
ii)		Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	1050		
B.12		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	3 m to 30 m		m	70		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
iii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	10		
B.13		Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)		Main Line Paving					
	a)	Туре IA		tonne	3700		
ii)		Tie-ins and Approaches					
	a)	Туре IA		tonne	150		
B.14		Planing of Pavement	CW 3450-R6				
i)		1 - 50 mm Depth (Asphalt)		m²	1000		
ii)		50 - 100 mm Depth (Asphalt)		m²	300		
iii)		1 - 50 mm Depth (Concrete)		m²	20		
B.15		Detectable Warning Surface Tiles	CW 3326-R3	each	8		
		JOINT AND CRACK SEALING					
B.16		Reflective Crack Maintenance	CW 3250-R7	m	1500		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
3.17	Frames & Covers	CW3210-R8				
i)	AP-009 - Beehive Manhole Cover		each	3		
3.18	Connecting to Existing Catch Basin	CW 2130-R12				
i)	300 mm Corrugated Steel Pipe		each	1		
3.19	Grouted Stone Riprap	CW 3615-R4	m³	12		
3.20	Straw Wattles	E17	m	30		
B.21	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5 E16				
i)	300 mm (1.6 mm Wall C/W Bevelled End Section)	EIO	m	2		
B.22	Corrugated Steel Pipe Culvert - Install	CW 3610-R5 E16				
i)	300 mm (1.6 mm Wall)	210	m	2		
3.23	Supply and Installation of CSP Bar Screens	E15	each	1		
	ADJUSTMENTS					
3.24	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
B.25	Replacing Existing Manhole or Catchbasin Rungs	CW 2130-R12	each	2		
3.26	Adjustment of Valve Boxes	CW 3210-R8	each	5		
B.27	Valve Box Extensions	CW 3210-R8	each	2		
B.28	Adjustment of Curb Stop Boxes	CW 3210-R8	each	3		
B.29	Curb Stop Extensions	CW 3210-R8	each	1		
	LANDSCAPING					
B.30	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	100		
ii)	width > or = 600 mm		m²	4500		
B.31	Salt Tolerant Grass Seeding	E8	m²	3250		
	MISCELLANEOUS					
B.32	Coordination of Construction with CN Rail	E11	L.S.	1		
в	McGILLIVRAY BLVD - FENNELL ST TO PE	MBINA HWY - R	EHABILI	TATION		
В	<u>(2018)</u>					

## FORM B: PRICES

(SEE B9)

INIT PRIO	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
с	KENASTON BLVD - McGILLIVRAY BLVD		NDIN BL			
2	SOUTHBOUND WIDENING (2017)		l			
.1	EARTH AND BASE WORKS	CW 3110-R19	m³	4000		
.2			m²	5300		
	Sub-Grade Compaction	CW 3110-R19	111-	5500		
.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	4400		
ii)	150 mm - Limestone		tonne	2000		
.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	625		
5.5	Grading of Boulevards	CW 3110-R19	m²	1000		
6.6	Preparation of Existing Ground	CW 3170-R3	m²	4000		
5.7	Ditch Grading	CW 3110-R19	m²	4000		
.8	Separation Geotextile Fabric	CW 3130-R4	m²	5300		
.9	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	130		
	ROADWORKS - RENEWALS					
.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	2400		
ii)	Asphalt Pavement		m²	600		
.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	60		
.12	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	45		
ii)	20 M Deformed Tie Bar		each	850		
.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m²	90		
ii)	100 mm Sidewalk		m²	70		
·						
iii)	150 mm Reinforced Sidewalk		m²	5		

	1050	(SEE B9)				
UNIT PR ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.14	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Median Slab	SD-227A	m²	5		
ii)	100 mm Sidewalk	SD-228A	m²	170		
iii)	150 mm Reinforced Sidewalk		m²	5		
C.15	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a	a) Type IA		tonne	20		
C.16	Planing of Pavement	CW 3450-R6				
i)	0 - 50 mm Depth (Asphalt)		m²	170		
C.17	Detectable Warning Surface Tiles	CW 3326-R3	each	14		
C.18	Removal and Disposal of Interlocking Paving Stones	E19	m²	120		
C.19	Removal and Salvage of Garbage Receptacle	E22	each	2		
	ROADWORKS - NEW CONSTRUCTION					
C.20	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	3,850		
C.21	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m²	300		
C.22	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	65		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	150		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	20		
iv)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	40		
C.23	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	630		
C.24	Supply and Installation of Skewed Dowel Assemblies (1:6 Skew)	CW 3310-R17 E20	m	150		
C.25	Interlocking Paving Stones	CW 3335-R1 E19	m²	115		
C.26	Lean Concrete Base	CW 3335-R1	m²	115		

UNIT PRICES

ITEN	Л	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUI
C.27		Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)		Mainline (Shoulder)					
	a)	Type IA		tonne	350		
ii)		Mainline (Path)					
	a)	Туре IA		tonne	40		
		JOINT AND CRACK SEALING					
C.28		Reflective Crack Maintenance	CW 3250-R7	m	250		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.29		Catch Basin	CW 2130-R12				
i)		SD-024, 1200 mm deep		each	1		
ii)		SD-024, 1800 mm deep		each	1		
C.30		Sewer Service	CW 2130-R12				
i)		250 mm, PVC					
		In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	2		
	b)	Trenchless Installation		m	12		
C.31		Frames & Covers	CW3210-R8				
i)		AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)		AP-007 - Standard Solid Cover for Standard Frame		each	1		
0.32		Connecting to Existing Catch Basin	CW 2130-R12				
i)		300 mm Corrugated Steel Pipe		each	1		
C.33		Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)		250 mm		each	2		
C.34		Connecting New Subdrain to Existing Subdrain	E21				
i)		150 mm		each	1		
C.35		Removal of Existing Catch Basins	CW 2130-R12	each	2		
C.36		Removal of Existing Pipes	E18	m	12		
C.37		Installation of Subdrains	CW 3120-R4	m	180		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.38	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5 E16				
i)	300 mm (1.6 mm Wall C/W Bevelled End Section)		m	5		
C.39	Corrugated Steel Pipe Culvert - Install	CW 3610-R5 E16				
i)	300 mm (1.6 mm Wall)		m	5		
C.40	Concrete Spillway	E13	each	2		
C.41	Relocate Existing 300 Corrugated Steel Pipe Culvert		m	10		
C.42	Supply and Installation of CSP Bar Screens	E15	each	1		
C.43	Straw Wattles	E17	m	3		
	ADJUSTMENTS					
C.44	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
	LANDSCAPING					
C.45	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	50		
ii)	width > or = 600 mm		m²	1000		
C.46	Salt Tolerant Grass Seeding	E8	m²	4000		
C.47	Tree Removal	E23	each	15		
С	KENASTON BLVD - McGILLIVRAY BLVD TO SOUTHBOUND WIDENING (2017)	D BISHOP GRA	NDIN BL	<u>.VD -</u>	Subtotal:	

#### FORM B: PRICES

(SEE B9)

		(SEE D9)				
UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	L					
	SU	IMMARY				
A	McGILLIVRAY BLVD - WAVERLEY ST TO FENNELL ST - REHABILITATION					
	(2017)	Oubtatal				
					Subtotal:	
в	McGILLIVRAY BLVD - FENNELL ST TO PEMBINA HWY - REHABILITATION					
	(2018)					
					Subtotal:	
с	KENASTON BLVD - McGILLIVRAY BLVD TO					
	SOUTHBOUND WIDENING (2017)					
					Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 300-2017

2017 Regional Street Renewal Program – M<sup>c</sup>Gillivray Boulevard Rehabilitation and Kenaston Boulevard Pavement Widening

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	_ Per: Per:	
	(Name of Surety) By:	(Seal)

\_\_\_\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

# AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ , 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 300-2017

2017 Regional Street Renewal Program – M<sup>c</sup>Gillivray Boulevard Rehabilitation and Kenaston Boulevard Pavement Widening

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_.

By:

(Name of Surety)

\_\_\_\_\_ (Seal)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B12)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

### RE: BID SECURITY – BID OPPORTUNITY NO. 300-2017

2017 Regional Street Renewal Program – M<sup>c</sup>Gillivray Boulevard Rehabilitation and Kenaston Boulevard Pavement Widening

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 4, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)