



REFERENCE NOTES

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. BASELINE IS CENTRE LINE RIGHT-OF-WAY
- C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- D. REFER TO AECOM FIELDBOOK NO. 4975

CONSTRUCTION NOTES

1. PLANE EXISTING ASPHALT AND CONSTRUCT NEW ASPHALTIC PAVEMENT TYPE 1A (AVG THICKNESS 85mm)
2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w ASPHALIC OVERLAY
3. RENEW EXISTING 100mm CONCRETE SIDEWALK
4. CONSTRUCT NEW 100mm CONCRETE SIDEWALK
5. CONSTRUCT NEW CURB RAMP (10mm REVEAL HT. MONOLITHIC)
6. CONSTRUCT NEW MODIFIED BARRIER CURB (150mm REVEAL HT. DOWELLED)
7. CONSTRUCT NEW MONOLITHIC CONCRETE BULLNOSE
8. RENEW EXISTING CONCRETE BARRIER CURB (150mm REVEAL HT. DOWELLED)
9. CONSTRUCT NEW CONCRETE BARRIER CURB (150mm REVEAL HT. SEPERATE)
10. RENEW EXISTING MONOLITHIC CONCRETE SPLASH STRIP (150mm REVEAL HT. DOWELLED)
11. CONSTRUCT NEW MONOLITHIC CONCRETE SPLASH STRIP (150mm REVEAL HT. DOWELLED)
12. INSTALL NEW CURB AND GUTTER INLET c/w CATCHPIT (SD-023) AND CONNECT TO EXISTING CATCHBASIN
13. ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
14. REMOVE EXISTING FRAME AND COVER AND INSTALL NEW FRAME AND SOLID COVER (AP-006 AND AP-007)
15. INSTALL NEW CAST IRON RISER RING
16. ADJUST EXISTING WATER VALVE TO GRADE
17. INSTALL NEW DETECTABLE WARNING SURFACE TILES
18. INSTALL NEW CURB AND GUTTER INLET c/w CATCHPIT (SD-023) AND CONNECT TO EXISTING DITCH



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.		300mm L.D.S.		250mm W.W.S.		HYDRO		PROPERTY LINE		SURVEY BAR		ELEVATION		TREE		SIDEWALK RAMP		CONCRETE SIDEWALK		FENCE		
WATERMAIN	HYDRANT	VALVE	LAND DRAINAGE SEWER	WASTEWATER SEWER	MANHOLE	CATCH BASIN	CATCH PIT	JUNCTIONS	CULVERT	GAS	EXISTING	PROPOSED	EXISTING	PROPOSED	EXISTING	PROPOSED	EXISTING	PROPOSED	EXISTING	PROPOSED	EXISTING	PROPOSED

LOCATION APPROVED UNDERGROUND STRUCTURES		DATE	
SUPV. U/G STRUCTURES COMMITTEE			

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. ELEV.		47 - 055 84R780 - N.E. Cor. Lakewood Blvd. & Edgewater Dr. Tbt. on top of 0.05 m dia. x 2.4 m iron pipe .5 m S. of N.L. of Edgewater Dr. & on E.L. of Lakewood Blvd.	
1	MISCELLANEOUS REVISIONS	05/15/17	BC
0	ISSUED FOR TENDER	05/10/17	BC
A	ISSUED FOR REVIEW	05/01/17	BC

AECOM

DESIGNED BY: SS
CHECKED BY: TDW/KWR

DRAWN BY: PB/SS
APPROVED BY:

HOR. SCALE: 1:250
VERTICAL: 1:10

RELEASED FOR CONSTRUCTION BY:

CONSULTANT DRAWING NO. CT-17

THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2017 LOCAL STREET RENEWAL PROGRAM

LAKWOOD BLVD - WEATHERSTONE PLACE TO FERMOR AVE.
PAVEMENT REHABILITATION
STATION 0+320 TO FERMOR AVENUE

CITY DRAWING NUMBER
SHEET 17 OF 27