# FORM A: BID (See B9)

		,		
1.	Contract Title	2017 WATER MAIN REN	EWALS CONTRACT NO. 9	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different fr	rom above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if ap	plicable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes o	rizes the following contact per f the Bid.	rson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Offer		s to perform the Work in acc I Price, in Canadian funds, se	

Prices, appended hereto.

5.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
6.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
7.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
8.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
9.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
10.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

11.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

IT	EM	DESCRIPTION  SPEC. UNIT APPROX. UNIT QUANTITY PRICE  AMOUNT								
Α		Hunterspoint Road - The Bridle Path to Horseshoe Bay								
A.		Water Main Renewal 150 mm	CW 2110							
	i)	trenchless installation, class B sand bedding, Class 3 backfill trenchless installation, class B sand bedding, Class 5 backfill		m m	65.0 75.0					
A.	2 a)	Hydrant Assembly SD-006	CW 2110	each	1					
A.	3 a)	Water Main Valve 150mm	CW 2110	each	3					
A.	a)	Fittings Tees	CW 2110							
	b)	150mm X 150mm X 150mm Bends (SD-004) 150mm - 22 1/2°		each each	2					
	c)	Bends (SD-005) 150mm - 45°		each	2					
A.	5 a)	Water Service 19mm	CW 2110							
	i)			m	25.0					
A.	6 a)	Corporation Stops 19mm	CW 2110	each	6					
A.	7 a)	Curb Stops 19mm	CW 2110	each	6					
A.	8 a)	Curb Stop Boxes 19mm	CW 2110	each	6					
A.	9	Connecting to Existing Water Mains and Large Diameter Water Services	CW 2110							

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		Inline Connection - no plug existing 150mm		each	3		
Α	10 a)	10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains	CW 2110	aaab	4		
	b)	On Water Services		each each	1 6		
А		Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	25.0		
А	12 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m <sup>2</sup>	E6	m²	5.0		
Α	13 a)	Concrete Curb Renewal Barrier curb (SD-204)	E7				
	i) b)	Less than 3 m Lip curb & gutter		m	5.0		
	i) c)	Less than 3 m Ramp curb		m	10.0		
	i)	Less than 3 m		m	3.0		
А		Construction of Asphaltic Concrete Patches Type 1A	E9	m²	10.0		
				Hunt	erspoint Ro	oad Subtotal	

В		Horseshoe Bay - West Limit of Horseshoe Bay to Hunterspoint Road					
B.	a)	Water Main Renewal 150 mm	CW 2110				
	,	trenchless installation, class B sand bedding, Class 3 backfill		m	40.0		
B.	2	Hydrant Assembly	CW 2110				
	a)	SD-006		each	1		
B.	3	Water Main Valve	CW 2110				
	a)	150mm		each	1		

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

	PRIC		SPEC.		APPROX.	UNIT	446
ITE	EM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
B.	4	Fittings	CW 2110				
	a)	Bends (SD-004)					
	i)	150mm - 22 1/2°		each	1		
B.		Water Service	CW 2110				
		19mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
В.	6	Corporation Stops	CW 2110				
	a)	19mm		each	7		
B.	7	Courts Change	OW 2440				
Б.	7 a)	Curb Stops 19mm	CW 2110	each	1		
	a)	1311111		Cacii	'		
В.	8	Curb Stop Boxes	CW 2110				
	a)	19mm		each	1		
В.	9	Connecting Existing Copper Water					
	Ū	Services to New Watermains	CW 2110				
	a)	19mm		each	6		
В.	10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	c)	On Water Services	011 2110	each	7		
	·						
B.		Partial Slab Patches	E5				
	a)	150mm reinforced concrete pavement		m²	20.0		
В.	12	Miscellaneous Concrete Slab Renewal	E6				
	a)	Sidewalk (SD-228A)					
	i)			m²	10.0		
B.		Concrete Curb Renewal	E7				
	a)	Barrier curb (SD-204)					
	i)	Less than 3 m		m	10.0		
	p)	Ramp curb					
	i)	Less than 3 m		m	3.0		
				ŀ	lorseshoe E	Bay Subtotal	

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С		Quailridge Road - 133 m N of Quailridge F	1 1				
C.	1	Water Main Renewal	CW 2110				
		300 mm					
	i)	trenchless installation, class B sand		m	15.0		
	::\	bedding, Class 3 backfill			10.0		
	11)	trenchless installation, class B sand bedding, Class 5 backfill		m	5.0		
		250 mm					
	i)	trenchless installation, class B sand		m	20.0		
	ii)	bedding, Class 3 backfill trenchless installation, class B sand			4000		
	,	bedding, Class 5 backfill		m	160.0		
		200 mm					
	i)	trenchless installation, class B sand bedding, Class 3 backfill		m	5.0		
	ii)	trenchless installation, class B sand			5.0		
	·	bedding, Class 5 backfill		m	5.0		
		150 mm					
	i)	trenchless installation, class B sand		m	10.0		
	ii)	bedding, Class 3 backfill trenchless installation, class B sand			45.0		
	,	bedding, Class 5 backfill		m	15.0		
C.	2	Hydrant Assembly	CW 2110				
	a)	SD-007		each	2.0		
C.	3	Water Main Valve	CW 2110				
		150mm		each	3		
		200mm		each	1		
	d)	300mm		each	1		
С.		Fittings	CW 2110				
	-	Tees		'			
		250mm X 250mm X 150mm 300mm X 300mm X 300mm		each each	3 1		
		Bends (SD-004)		eacii	'		
		200mm - 45°		each	2		
		250mm - 11 1/4°		each	3		

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	iii)	300mm - 22 1/2°		each	1		
	iv)	300mm - 45°		each	2		
	c)	Bends (SD-005)					
	i)	150mm - 45°		each	6		
	d)	Reducers					
	i)	250mm - 200mm		each	1		
	ii)	300mm - 250mm		each	1		
C.	5	Connecting to Existing Water Mains and	CW 2110				
	a)	Large Diameter Water Services Inline Connection - no plug existing	CVV 2110				
		150mm		each	3		
		200mm		each	1		
		300mm		each	2		
	,	000111111		Caon	_		
C.	6	Partial Slab Patches	E5				
	a)	200mm reinforced concrete pavement		m²	30.0		
		,					
C.	7	Miscellaneous Concrete Slab Renewal	E6				
	a)	Sidewalk (SD-228A)					
	i)	Less than 5 m <sup>2</sup>		m²	5.0		
C.	8	Concrete Curb Renewal	E7				
	a)	Barrier curb (SD-204)					
	i)			m	10.0		
	p)	Ramp curb					
	i)	Less than 3 m		m	5.0		
C.	9	Construction of Asphaltic Concrete		m²	10.0		
		Patches Type 1A	E9	m²	10.0		
				Qu	ail Ridge Ro	oad Subtotal	

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

0
0
5.0
3
3
0.0
1
),

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.		Connecting to Existing Water Mains and Large Diameter Water Services Inline Connection - no plug existing	CW 2110				
	i)	200mm		each	2		
	ii)	300mm		each	2		
D.		Connecting Existing Copper Water Services to New Watermains	CW 2110	b	20		
	a)	19mm		each	20		
D.		10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Metallic Watermains		each	1		
	b)	On Water Services		each	21		
D.	12	Continuity Bonding	CW 2110	each	21		
D.	13	Partial Slab Patches	E5				
	a)	150mm reinforced concrete pavement		m²	40.0		
	b)	200mm reinforced concrete pavement		m²	10.0		
D.	14 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E6				
	i)	Less than 5 m <sup>2</sup>		m²	40.0		
D.	15	Concrete Curb Renewal	E7				
	a)	Barrier curb (SD-204)					
	i) b)	Less than 3 m Lip curb & gutter		m	15.0		
	i)	Less than 3 m		m	25.0		
	c)	Ramp curb					
	i)	Less than 3 m		m	10.0		
D.		Construction of Asphaltic Concrete Patches Type 1A	E9	m²	15.0		
D.		Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	10.0		
				Mea	<u>                                     </u>	ce Subtotal	

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
E		Athlone Drive - Meadowlark Place to 45 i		ingo Aveu	-	TRIOL	
E.	1	Water Main Renewal	CW 2110				
		150 mm					
	I)	trenchless installation, class B sand bedding, Class 3 backfill		m	75.0		
	ii)	trenchless installation, class B sand		m	135.0		
		bedding, Class 5 backfill			100.0		
E.	2	Hydrant Assembly	CW 2110				
	a)	SD-007		each	3		
E.	3	Water Main Valve	CW 2110				
	a)	150mm	011 2110	each	2		
E.		Fittings Bends (SD-004)	CW 2110				
		150mm - 22 1/2°		each	6		
	,						
E.	5	Corporation Stops	CW 2110				
	a)	19mm		each	20		
E.	6	Connecting to Existing Water Mains and					
	3)	Large Diameter Water Services Inline Connection - no plug existing	CW 2110				
		150mm		each	1		
E.	7	Connecting Existing Copper Water Services to New Watermains	CW 2110				
	a)	19mm	011 2110	each	20		
_							
E.	8 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	20		
	a)	On water services		Cacii	20		
E.	9	Continuity Bonding	CW 2110	each	20		
E.	10	Partial Slab Patches	E5				
۲.	a)	150mm reinforced concrete pavement		m²	30.0		
	•	·					
E.		Miscellaneous Concrete Slab Renewal	E6				
	a)	Sidewalk (SD-228A)					

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

İTI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i)	Less than 5 m <sup>2</sup>		m²	40.0		
E.	12 a)	Concrete Curb Renewal Lip curb & gutter	E7				
	i)	Less than 3 m		m	15.0		
E.	13	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	10.0		
					Athlone Dr	ive Subtotal	
F		Listowel Bay - Braintree Crescent (W Leg	g) to Braintr	ee Cresce	nt (N Leg)		
F.		Water Main Renewal 150 mm	CW 2110				
	i)	trenchless installation, class B sand		m	280.0		
	ii)	bedding, Class 3 backfill trenchless installation, class B sand bedding, Class 5 backfill		m	15.0		
F.		Hydrant Assembly	CW 2110				
	a)	SD-006		each	3		
F.	3	Water Main Valve	CW 2110				
	a)	150mm		each	3		
F.		Fittings Tees	CW 2110				
	i)	150mm X 150mm X 150mm		each	1		
	i)	Bends (SD-004) 150mm - 45°		each	2		
		Bends (SD-005) 150mm - 45°		each	2		
F.	5	Corporation Stops	CW 2110				
	a)	19mm		each	18		
F.	6 a)	Connecting to Existing Water Mains and Large Diameter Water Services Inline Connection - no plug existing	CW 2110				
		150mm		each	2		

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

	- 5.6	DESCRIPTION	SPEC.	LINUT	APPROX.	UNIT	AMOUNT		
ITE	= IVI	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT		
F.	7 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	18				
F.	8 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	18				
F.	9	Continuity Bonding	CW 2110	each	18				
F.	10 a)	Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	60.0				
F.	11 a) i)	Concrete Curb Renewal Barrier curb (SD-204) Less than 3 m	E7	m	30.0				
F.	12	Construction of Asphaltic Concrete Patches Type 1A	E9	m²	50.0				
					Listowel E	Bay Subtotal			
G		Braintree Crescent (N Leg) - Listowel Ba	Braintree Crescent (N Leg) - Listowel Bay (E Leg) to Ladywood Drive						
G.									
0.	a)	Water Main Renewal 200 mm trenchless installation, class B sand bedding, Class 5 backfill	CW 2110	m	2.0				
5.	a) i) b) i)	200 mm trenchless installation, class B sand	CW 2110	m m m	2.0 160.0 10.0				
G.	a) i) b) i) ii)	200 mm trenchless installation, class B sand bedding, Class 5 backfill  150 mm trenchless installation, class B sand bedding, Class 3 backfill trenchless installation, class B sand	CW 2110	m	160.0				

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

	PRIC		SPEC.		APPROX.	UNIT	
ITE	ΞM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
G.	4	Fittings	CW 2110				
	a)	Tees					
	i)	150mm X 150mm X 150mm		each	1		
		Bends (SD-004)					
	-	150mm - 22 1/2°		each	4		
	-	Reducers					
	i)	200mm - 150mm		each	1		
G.	5	Water Service	CW 2110				
	a)	19mm					
	i)	· ·		m	15.0		
		bedding, Class 3 backfill		•••			
G.	6	Corporation Stops	CW 2110				
	a)	19mm		each	17		
0	7						
G.	7	Curb Stops	CW 2110				
	a)	19mm		each	1		
G.	8	Curb Stop Boxes	CW 2110				
	a)	19mm		each	1		
G.	9	Connecting to Existing Water Mains and	CW 2110				
	a)	Large Diameter Water Services Inline Connection - no plug existing	CVV 2110				
		150mm		each	1		
		200mm		each	1		
	,						
G.	10	Connecting Existing Copper Water					
	- \	Services to New Watermains	CW 2110		4.0		
	a)	19mm		each	16		
G.	11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Water Services		each	17		
_							
G.	12	Continuity Bonding	CW 2110	each	17		
G.	13	Partial Slab Patches	E5				
		150mm reinforced concrete pavement		m²	40.0		

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.	14	Concrete Curb Renewal	E7				
	a)	Barrier curb (SD-204)					
	i)	Less than 3 m		m	25.0		
G.	15	Construction of Asphaltic Concrete Patches Type 1A	E9	m²	40.0		
				Braiı	ntree Cresc	ent Subtotal	
Н		Kensington Street - Ness Avenue to Silve	er Street				
Н.	1	Water Main Renewal	CW 2110				
		200 mm					
	i)	trenchless installation, class B sand		m	2.0		
		bedding, Class 3 backfill					
	b)	150 mm					
		trenchless installation, class B sand			405.0		
		bedding, Class 3 backfill		m	435.0		
Н.	2	Hydrant Assambly	CW 2110				
П.		Hydrant Assembly SD-007	CVV 2110	each	5		
	u)	OD-007		eacii			
Н.	3	Water Main Valve	CW 2110				
	a)	150mm		each	5		
H.		Fittings	CW 2110				
		Bends (SD-004)					
		150mm - 45°		each	2		
		Bends (SD-005) 150mm - 22 1/2°		each	2		
		Reducers		eacii	2		
		200mm - 150mm		each	1		
	,			-			
Н.	5	Water Service	CW 2110				
	a)	19mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	65.0		
		bedding, Class 3 backill					
Н.	6	Corporation Stops	CW 2110				
	a)	19mm		each	6		

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

ITE	M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Н.	7	Curb Stops	CW 2110				
		19mm		each	6		
Н.	8	Curb Stop Boxes	CW 2110				
	a)	19mm		each	6		
Н.		Connecting to Existing Water Mains and					
		Large Diameter Water Services Inline Connection - no plug existing	CW 2110				
		150mm		each	1		
	ii)	200mm		each	1		
Н.	10	Connecting Existing Copper Water					
	a)	Services to New Watermains 19mm	CW 2110	each	70		
H.	11 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	68		
H.	12	Continuity Bonding	CW 2110	each	68		
H.		Partial Slab Patches	E5				
		150mm reinforced concrete pavement		m²	165.0		
	b)	200mm reinforced concrete pavement		m²	10.0		
Н.		Miscellaneous Concrete Slab Renewal	E6				
	a) i)	Sidewalk (SD-228A) Less than 5 m <sup>2</sup>		m²	205.0		
	45	Occupate Out Demonst					
H.	a)	Concrete Curb Renewal Barrier curb (SD-204)	E7				
	a) i)	Less than 3 m		m	125.0		
	b)	Ramp curb		• • • • • • • • • • • • • • • • • • • •	125.0		
	i)	Less than 3 m		m	10.0		
Н.	16	Construction of Asphaltic Concrete		m²	165.0		
		Patches Type 1A	E9	111	105.0		
			<u> </u>	Ker	sington Str	eet Subtotal	

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

	PRIC		SPEC.		APPROX.	UNIT	4146:::::=	
ITE	=M	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT	
I		Rue des Trappistes - Rue du Monastere to 450 m W of Villeneuve Boulevard						
I.		Water Main Renewal	CW 2110					
		200 mm trenchless installation, class B sand						
	1)	bedding, Class 3 backfill		m	20.0			
	ii)	trenchless installation, class B sand bedding, Class 5 backfill		m	85.0			
I.	2	Fittings	CW 2110					
	a)	Tees						
	-	200mm X 200mm X 200mm		each	1			
		Bends (SD-004)						
		200mm - 22 1/2°		each	2			
		200mm - 45° Bends (SD-005)		each	2			
		200mm - 45°		each	4			
	,							
I.	3	Water Main Insulation	CW 2110					
		In a trench (SD-018)						
	i)	100mm thick		m	25.0			
I.	4	Connecting to Existing Water Mains and						
	•	Large Diameter Water Services	CW 2110					
		Inline Connection - no plug existing						
	ii)	200mm		each	3			
I.	5	Silt Fence	E12					
	a)	Supply and Install	L 12	m	90.0			
	-	Maintain until Nov. 1, 2017		l.s.	1			
			1	Rue	des Trappist	es Subtotal		
J		Provisional Items						
J.	1	Street Light Cable	E13		<del>                                     </del>			
J.		trench installation	LIS	m	50.0			
	,	trenchless installation		m	50.0			
	,							

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

OINI	PRIC	,E3	SDEC.		APPROX.	UNIT	
ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
J.	2	Water Services	CW 2110		QOANTITI	TRIOL	
		25mm	011 2110				
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
J.	3	Corporation Stops	CW 2110				
		25mm		each	6		
J.	4	Curb Stops	CW 2110				
0.		25mm	CVV 2110	each	6		
	۵,	2011111		Cacii			
J.	5	Curb Stop Boxes	CW 2110				
	a)	25mm		each	6		
J.	6	Water Main Repair - Up To 3.0 metres					
	,	Long	CW 2110				
	a) ;\	100mm Class 3 backfill		ooob	1		
	i) b)	150mm		each	1		
	i)	Class 3 backfill		each	1		
	c)	200mm					
	i)	Class 3 backfill		each	1		
	d)	250mm					
	i)	Class 3 backfill		each	1		
	e)	300mm					
	i)	Class 3 backfill		each	1		
J.	7	Water Main Repair - In Addition to First 3.0					
	-\	metres	CW 2110				
	a) i)	100mm Class 3 backfill		m	2.0		
	b)	150mm		111	2.0		
	i)	Class 3 backfill		m	2.0		
	c)	200mm					
	i)	Class 3 backfill		m	2.0		
	d)	250mm					
	i)	Class 3 backfill		m	2.0		
	e) ¡\	300mm Class 3 backfill		m	2.0		
	i)	Oldoo o Daoriiii		m	2.0		
l	ļ				ı İ		

# (SEE B10)

# 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

# **UNIT PRICES**

ITI	ΕM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J.	8	Regrading of Existing Sewer Service - Up to 1.5 metres long	CW 2110				
	a)	150mm		each	5		
	b)	200mm		each	5		
	c)	250mm		each	5		
J.	9	Remove and Replace Existing Catch Basin	CW 2130				
	a)	SD-024		each	4.0		
J.	10	Temporary Surface Restorations	E9				
	a)	Street Pavement		m²	50.0		
	b)	Sidewalk		m²	25.0		
J.	11	Maintaining Curb Stop Excavations	CW 2110	each/day	5.0		
				Pro	visional Ite	ms Subtotal	
	Grand Total:						

TOTAL BID PRICE (GST extra)	(in figures)\$
(in words)	

Name of Bidder

(Seal)

Template Version: C120170317 - C BCivil

# FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

# **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	IHAI	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto <b>THE CITY OF WINNIPEG</b> reent (10%) of the Total Bid Price set out in the Bid he Principal and Surety bind themselves, their heir ntly and severally, firmly by these presents.	d hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 415-2017		
2017 WATER MAIN RENEWALS CONTRA	ACT NO. 9	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a 0 performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

(Attorney-in-Fact)

(Seal)

Template Version: C120170317 - C BCivil

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 415-2017 2017 WATER MAIN RENEWALS CONTRACT NO. 9 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety)

By: (Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department ials Management Division ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 415-2017
	2017 WATER MAIN RENEWALS CONTRACT NO. 9
Pursua	ant to the request of and for the account of our customer,
(Name	of Bidder)
WE H	es of Bidder) EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	es)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 8, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	(Name of bank or financial institution)				
Per:					
	(Authorized Signing Officer)				
Per:					
	(Authorized Signing Officer)				