FORM A: BID (See B9)

1.	Contract Title	Regional Streets Renewal Program – I Intersection Improvements	Provencher, Mill & Fills, and
2.	Bidder	Name of Bidder	
		Usual Business Name of Bidder as it appears or	Invoice (if different from above)
		Street	
		City Province	e Postal Code
		Email Address of Bidder	
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City Province	e Postal Code
	(0)	The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above	name.
3.	Contact Person	The Bidder hereby authorizes the follothe Bidder for purposes of the Bid.	owing contact person to represent
		Contact Person Title	
		Telephone Number Facsimi	e Number
4.	Definitions	All capitalized terms used in the Coascribed to them in the General Condit	
5.	Offer	The Bidder hereby offers to perform Contract for the Total Bid Price, in Ca Prices, appended hereto.	

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
		a bid bond (Form G1: Bid Bond and Agreement to Bond)
	(Choose one)	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Provencher Blvd EB Lanes from East Limit Rehabilitation	t of RRX to Arci	hibald S	<u>t -</u>		
EARTH AND BASE WORKS					
Grading of Boulevards	CW 3110-R19	m²	1100		
ROADWORK - REMOVALS/RENEWALS					
Pavement Removal	CW 3110-R19				
Concrete Pavement		m²	130		
Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
200 mm Concrete Pavement (Type A)		m²	10		
200 mm Concrete Pavement (Type B)		m²	180		
200 mm Concrete Pavement (Type C)		m²	5		
Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
200 mm Concrete Pavement (Reinforced)		m²	210		
Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
200 mm Concrete Pavement (Type B)		m²	270		
200 mm Concrete Pavement (Type D)		m²	20		
Drilled Dowels	CW 3230-R8				
19.1 mm Diameter		each	500		
Drilled Tie Bars	CW 3230-R8				
20 M Deformed Tie Bar		each	1210		
Miscellaneous Concrete Slab Removal	CW 3235-R9				
100 mm Sidewalk		m²	15		
	EARTH AND BASE WORKS Grading of Boulevards ROADWORK - REMOVALS/RENEWALS Pavement Removal Concrete Pavement Partial Slab Patches - Early Opening (24 hour) 200 mm Concrete Pavement (Type A) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type C) Slab Replacement - Early Opening (72 hour) 200 mm Concrete Pavement (Reinforced) Partial Slab Patches - Early Opening (72 hour) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type B) 100 mm Concrete Pavement (Type D) Drilled Dowels 19.1 mm Diameter Drilled Tie Bars 20 M Deformed Tie Bar Miscellaneous Concrete Slab Removal	Provencher Blvd EB Lanes from East Limit of RRX to Arci Rehabilitation EARTH AND BASE WORKS Grading of Boulevards CW 3110-R19 ROADWORK - REMOVALS/RENEWALS Pavement Removal Concrete Pavement Partial Slab Patches - Early Opening (24 hour) 200 mm Concrete Pavement (Type A) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type C) Slab Replacement - Early Opening (72 hour) CW 3230-R8 200 mm Concrete Pavement (Reinforced) Partial Slab Patches - Early Opening (72 hour) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type B) CW 3230-R8 19.1 mm Diameter Drilled Tie Bars CW 3230-R8 20 M Deformed Tie Bar Miscellaneous Concrete Slab Removal CW 3235-R9	Provencher Blvd EB Lanes from East Limit of RRX to Archibald S Rehabilitation EARTH AND BASE WORKS CW 3110-R19 m² Grading of Boulevards CW 3110-R19 m² ROADWORK - REMOVALS/RENEWALS CW 3110-R19 m² Pavement Removal CW 3110-R19 m² Concrete Pavement CW 3230-R8 m² Partial Slab Patches - Early Opening (24 hour) m² m² 200 mm Concrete Pavement (Type B) m² m² 200 mm Concrete Pavement (Type C) m² m² Slab Replacement - Early Opening (72 hour) CW 3230-R8 m² 200 mm Concrete Pavement (Reinforced) m² m² Partial Slab Patches - Early Opening (72 hour) CW 3230-R8 m² 200 mm Concrete Pavement (Type B) m² m² 200 mm Concrete Pavement (Type B) m² m² 200 mm Concrete Pavement (Type D) m² m² Drilled Dowels CW 3230-R8 each 19.1 mm Diameter each Drilled Tie Bars CW 3230-R8 each Miscellaneous Concrete Slab Removal CW 3235-R9	Provencher Blvd EB Lanes from East Limit of RRX to Archibald St - Rehabilitation EARTH AND BASE WORKS CW 3110-R19 m² 1100 ROADWORK - REMOVALS/RENEWALS CW 3110-R19 m² 130 Pavement Removal CW 3110-R19 m² 130 Concrete Pavement Removal CW 3230-R8 m² 10 Concrete Pavement (Type A) m² 10 m² 10 200 mm Concrete Pavement (Type B) m² 180 m² 5 200 mm Concrete Pavement (Type B) m² 5 5 Slab Replacement - Early Opening (72 hour) CW 3230-R8 m² 210 Partial Slab Patches - Early Opening (72 hour) CW 3230-R8 m² 270 200 mm Concrete Pavement (Type B) m² 270 200 mm Concrete Pavement (Type B) m² 270 200 mm Concrete Pavement (Type D) m² 20 Drilled Dowels CW 3230-R8 each 500 Drilled Tie Bars CW 3230-R8 each 500 Miscellaneous Concrete Slab Removal CW 3235-R9 <t< td=""><td>Provencher Blvd EB Lanes from East Limit of RRX to Archibald St-Rehabilitation EARTH AND BASE WORKS CW 3110-R19 m² 1100 ROADWORK - REMOVALS/RENEWALS CW 3110-R19 m² 130 Pavement Removal CW 3110-R19 m² 130 Concrete Pavement m² 10 m² 10 Partial Slab Patches - Early Opening (24 hour) m² 10 m² 10 200 mm Concrete Pavement (Type A) m² 180 m² 180 200 mm Concrete Pavement (Type B) m² 5 5 Slab Replacement - Early Opening (72 hour) CW 3230-R8 m² 210 200 mm Concrete Pavement (Reinforced) m² 210 Partial Slab Patches - Early Opening (72 hour) CW 3230-R8 270 200 mm Concrete Pavement (Type B) m² 270 200 mm Concrete Pavement (Type B) m² 20 200 mm Concrete Pavement (Type D) m² 20 Drilled Dowels CW 3230-R8 each 500 19.1 mm Diameter each 500</td></t<>	Provencher Blvd EB Lanes from East Limit of RRX to Archibald St-Rehabilitation EARTH AND BASE WORKS CW 3110-R19 m² 1100 ROADWORK - REMOVALS/RENEWALS CW 3110-R19 m² 130 Pavement Removal CW 3110-R19 m² 130 Concrete Pavement m² 10 m² 10 Partial Slab Patches - Early Opening (24 hour) m² 10 m² 10 200 mm Concrete Pavement (Type A) m² 180 m² 180 200 mm Concrete Pavement (Type B) m² 5 5 Slab Replacement - Early Opening (72 hour) CW 3230-R8 m² 210 200 mm Concrete Pavement (Reinforced) m² 210 Partial Slab Patches - Early Opening (72 hour) CW 3230-R8 270 200 mm Concrete Pavement (Type B) m² 270 200 mm Concrete Pavement (Type B) m² 20 200 mm Concrete Pavement (Type D) m² 20 Drilled Dowels CW 3230-R8 each 500 19.1 mm Diameter each 500

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.9	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Median Slab	SD-227A	m²	10		
ii)	100 mm Sidewalk	SD-228A	m²	30		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Safety Median	SD-226B	m²	60		
ii)	100 mm Sidewalk	SD-228A				
a) Less than 5 sq.m.		m²	15		
b	5 sq.m. to 20 sq.m.		m²	35		
C	Greater than 20 sq.m.		m²	570		
iii)	150 mm Reinforced Sidewalk					
a	5 sq.m. to 20 sq.m.		m²	10		
iv)	Bullnose	SD-227C	m²	6		
A.11	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	240		
A.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	20		
A.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	105		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	20		
iii)	Splash Strip, (Separate, 600 mm width)	SD-223B	m	400		
A.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a	Less than 3 m		m	25		
t	3 m to 30 m		m	52		
C	Greater than 30 m		m	385		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	20		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	1100		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	130		
A.16	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	1690		
ii)	50 - 100 mm Depth (Asphalt)		m²	3900		
A.17	Pavement Repair Fabric	E13	m²	380		
A.18	Detectable Warning Surface Tiles	CW 3326-R3	each	5		
A.19	Asphalt Levelling over Full Depth Concrete Repairs	E14				
i)	Type IA		tonne	100		
	ROADWORK - NEW CONSTRUCTION					
A.20	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	130		
	JOINT AND CRACK SEALING					
A.21	Reflective Crack Maintenance	CW 3250-R7	m	300		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
.22	Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
A.23	Sewer Service	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	12		
.24	Drainage Connection Pipe	CW 2130-R12	m	22		
A.25	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	2		
26	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		m	16		
27	Frames & Covers	CW3210-R8				
i)	AP-011 - Barrier Curb and Gutter Frame		each	1		
ii)	AP-012 - Barrier Curb and Gutter Cover		each	1		
A.28	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1		
A.29	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	3		
ii)	300 mm Drainage Connection Pipe		each	1		
A.30	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	1		

REF. QUANTITY
A.32 Abandoning Existing Drainage Inlets
ADJUSTMENTS A.33 Lifter Rings (AP-010) CW 3210-R8 i) 38 mm each 1 ii) 51 mm each 3 A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
ADJUSTMENTS A.33 Lifter Rings (AP-010) CW 3210-R8 i) 38 mm each 1 ii) 51 mm each 3 A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
ADJUSTMENTS A.33 Lifter Rings (AP-010) CW 3210-R8 i) 38 mm each 1 ii) 51 mm each 3 A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
A.33 Lifter Rings (AP-010) i) 38 mm each 1 ii) 51 mm each 3 A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
A.33 Lifter Rings (AP-010) i) 38 mm each 1 ii) 51 mm each 3 A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
i) 38 mm each 1 ii) 51 mm each 3 A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
i) 38 mm each 1 ii) 51 mm each 3 A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
ii) 51 mm each 3 A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
ii) 51 mm each 3 A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
A.34 Adjustment of Valve Boxes CW 3210-R8 each 1 A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
A.35 Valve Box Extensions CW 3210-R8 each 1 LANDSCAPING
LANDSCAPING
LANDSCAPING
A.36 Sodding CW 3510-R9
i) width > or = 600 mm m ² 700
A.37 Supply and Installation of River Stone E16 m ² 45
Provencher Blvd EB Lanes from East Limit of RRX to Archibald St -
A Rehabilitation Subtotal:

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Lagimodiere Blvd NB Lanes from Dugald F	Rd to Regent Av	re W - M	ill & Fill		
	ROADWORK - REMOVALS/RENEWALS					
B.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m²	5		
ii)	230 mm Concrete Pavement (Type B)		m²	75		
3.2	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	75		
3.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type B)		m²	110		
ii)	230 mm Concrete Pavement (Type D)		m²	75		
3.4	Partial Depth Planing of Existing Joints	E11	m²	320		
3.5	Asphalt Patching of Partial Depth Joints	E11	m²	320		
3.6	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	250		
3.7	Drilled Tie Bars	CW 3230-R8				
i)	25 M Deformed Tie Bar		each	300		
3.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	40		
3.9	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Integral)	SD-204	m	90		
ii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	90		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.10	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	12		
3.11	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	2000		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	130		
3.12	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	2100		
ii)	50 - 100 mm Depth (Asphalt)		m²	10500		
iii)	1 - 50 mm Depth (Concrete)		m²	140		
3.13	Pavement Repair Fabric	E13	m²	100		
3.14	Detectable Warning Surface Tiles	CW 3326-R3	each	16		
3.15	Asphalt Levelling over Full Depth Concrete Repairs	E14				
i)	Type IA		tonne	45		
	JOINT AND CRACK SEALING					
3.16	Reflective Crack Maintenance	CW 3250-R7	m	350		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
3.17	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.18	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		m	2		
B.19	Sewer Inspection (following repair)	CW2145-R3				
i)	250 mm, PVC		m	5		
B.20	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		
B.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	8		
B.22	Sewer Cleaning	CW 2140-R4	m	15		
	ADJUSTMENTS					
B.23	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
B.24	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	2		
	MISCELLANEOUS					
B.25	Tree Removal	E15	each	1		
В	Lagimodiere Blvd NB Lanes from Dugald F	Rd to Regent Av	re W - M	ill & Fill	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Broadway from Portage Ave to Sherbrook	St - Mill & Fill				
	ROADWORK - REMOVALS/RENEWALS					
C.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	80		
C.2	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	140		
C.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	110		
ii)	200 mm Concrete Pavement (Type C)		m²	10		
iii)	200 mm Concrete Pavement (Type D)		m²	40		
C.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	125		
C.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	160		
2.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	40		
b	5 sq.m. to 20 sq.m.		m²	20		
ii)	Bullnose	SD-227C	m²	4		
C.7	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	65		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.8		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
á	a)	Less than 3 m		m	50		
t	b)	3 m to 30 m		m	25		
ii)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	55		
C.9		Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)		Main Line Paving					
í	a)	Type IA		tonne	1175		
ii)		Tie-ins and Approaches					
í	a)	Type IA		tonne	50		
C.10		Planing of Pavement	CW 3450-R6				
i)		1 - 50 mm Depth (Asphalt)		m²	2035		
ii)		50 - 100 mm Depth (Asphalt)		m²	4730		
C.11		Pavement Repair Fabric	E^	m²	100		
C.12		Detectable Warning Surface Tiles	CW 3326-R3	each	18		
C.13		Asphalt Levelling over Full Depth Concrete Repairs	E14				
i)		Type IA		tonne	50		
		JOINT AND CRACK SEALING					
C.14		Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	30		
C.15		Reflective Crack Maintenance	CW 3250-R7	m	350		
C 16		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS	CW 2420 D40				
C.16		Catch Pit	CW 2130-R12				
i)		SD-023		each	4		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.17	Drainage Connection Pipe	CW 2130-R12	m	5		
C.18	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	2		
C.19	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		m	9		
C.20	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1		
0.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	6		
C.22	Connecting to Existing Sewer	CW 2130-R12				
i)	Connecting to 600 mm (Combined) Sewer		each	1		
0.23	Abandoning Existing Catch Basins	CW 2130-R12	each	2		
C.24	Abandoning Existing Drainage Inlets	CW 2130-R12	each	4		
C.25	Catch Basin Cleaning	CW 2140-R3	each	4		
C.26	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	24		
	ADJUSTMENTS					
C.27	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
0.28	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.6		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.29	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	5		
C.30	Adjustment of Valve Boxes	CW 3210-R8	each	6		
C.31	Valve Box Extensions	CW 3210-R8	each	2		
С	Broadway from Portage Ave to Sherbrook St - Mill & Fill					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	McPhillips St NB Lanes from Redwood Av	e to College Ave	e - Mill 8	. Fill		
	ROADWORK - REMOVALS/RENEWALS					
D.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	10		
D.2	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	15		
ii)	200 mm Concrete Pavement (Type D)		m²	20		
D.3	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	40		
D.4	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	50		
D.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	22		
b)	5 sq.m. to 20 sq.m.		m²	25		
D.6	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	10		
D.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a	Less than 3 m		m	20		
b	3 m to 30 m		m	15		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	8		

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Construction of Asphaltic Concrete Overlay	CW 3410-R11				
Main Line Paving					
Type IA		tonne	250		
Tie-ins and Approaches					
Type IA		tonne	80		
Planing of Pavement	CW 3450-R6				
1 - 50 mm Depth (Asphalt)		m²	540		
50 - 100 mm Depth (Asphalt)		m²	1250		
Pavement Repair Fabric	E13	m²	100		
Detectable Warning Surface Tiles	CW 3326-R3	each	2		
Asphalt Levelling over Full Depth Concrete Repairs	E14				
Type IA		tonne	8		
JOINT AND CRACK SEALING					
Reflective Crack Maintenance	CW 3250-R7	m	60		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
200 mm					
Class 3 Backfill		each	1		
250 mm					
Class 3 Backfill		each	1		
Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
200 mm					
Class 3 Backfill		m	1		
	DESCRIPTION Construction of Asphaltic Concrete Overlay Main Line Paving Type IA Tie-ins and Approaches Type IA Planing of Pavement 1 - 50 mm Depth (Asphalt) 50 - 100 mm Depth (Asphalt) Pavement Repair Fabric Detectable Warning Surface Tiles Asphalt Levelling over Full Depth Concrete Repairs Type IA JOINT AND CRACK SEALING Reflective Crack Maintenance ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Sewer Repair - Up to 3.0 Meters Long 200 mm Class 3 Backfill 250 mm Class 3 Backfill Sewer Repair - In Addition to First 3.0 Meters 200 mm	DESCRIPTION SPEC. REF. Construction of Asphaltic Concrete Overlay CW 3410-R11 Main Line Paving Type IA Tie-ins and Approaches Type IA Planing of Pavement CW 3450-R6 1 - 50 mm Depth (Asphalt) 50 - 100 mm Depth (Asphalt) Pavement Repair Fabric E13 Detectable Warning Surface Tiles CW 3326-R3 Asphalt Levelling over Full Depth Concrete Repairs Type IA JOINT AND CRACK SEALING Reflective Crack Maintenance CW 3250-R7 ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Sewer Repair - Up to 3.0 Meters Long CW 2130-R12 200 mm Class 3 Backfill 250 mm Class 3 Backfill Sewer Repair - In Addition to First 3.0 Meters CW 2130-R12	DESCRIPTION SPEC. REF. Construction of Asphaltic Concrete Overlay CW 3410-R11 Main Line Paving Type IA tonne Tie-ins and Approaches Type IA CW 3450-R6 1 - 50 mm Depth (Asphalt) m² 50 - 100 mm Depth (Asphalt) m² Detectable Warning Surface Tiles CW 3326-R3 each Asphalt Levelling over Full Depth Concrete Repairs Type IA tonne JOINT AND CRACK SEALING Reflective Crack Maintenance CW 3250-R7 m ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Sewer Repair - Up to 3.0 Meters Long CW 2130-R12 200 mm Class 3 Backfill each Sewer Repair - In Addition to First 3.0 Meters CW 2130-R12 200 mm	DESCRIPTION	DESCRIPTION

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	250 mm					
a)	Class 3 Backfill		m	2		
D.16	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
	ADJUSTMENTS					
D.17	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
D.18	Adjustment of Valve Boxes	CW 3210-R8	each	1		
D.19	Valve Box Extensions	CW 3210-R8	each	1		
D	McPhillips St NB Lanes from Redwood Ave	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	McPhillips St SB Lanes from Mountain Ave	to Redwood A	ve - Mill	<u>& Fill</u>		
	ROADWORK - REMOVALS/RENEWALS					
Ξ.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	20		
≣.2	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	120		
Ξ.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	30		
ii)	200 mm Concrete Pavement (Type C)		m²	10		
iii)	200 mm Concrete Pavement (Type D)		m²	20		
Ξ. 4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	95		
E.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	182		
Ξ.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Median Slab	SD-227A	m²	45		
ii)	100 mm Sidewalk	SD-228A				
а) Less than 5 sq.m.		m²	10		
b	5 sq.m. to 20 sq.m.		m²	28		
C	Greater than 20 sq.m.		m²	225		
iii)	Bullnose	SD-227C	m²	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
.7	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	30		
E.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	40		
b)	3 m to 30 m		m	55		
c)	Greater than 30 m		m	100		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	6		
. .9	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	480		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	105		
.10	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	960		
ii)	50 - 100 mm Depth (Asphalt)		m²	2240		
11	Pavement Repair Fabric	E13	m²	100		
.12	Detectable Warning Surface Tiles	CW 3326-R3	each	2		
.13	Asphalt Levelling over Full Depth Concrete Repairs	E14				
i)	Type IA		tonne	25		
	JOINT AND CRACK SEALING					
.14	Reflective Crack Maintenance	CW 3250-R7	m	120		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.15	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	200 mm					
a)	Class 3 Backfill		each	3		
E.16	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	200 mm					
a)	Class 3 Backfill		m	1		
E.17	Frames & Covers	CW3210-R8				
i)	AP-011 - Barrier Curb and Gutter Frame		each	1		
ii)	AP-012 - Barrier Curb and Gutter Cover		each	1		
E.18	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
E.19	Catch Basin Cleaning	CW 2140-R3	each	2		
E.20	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	9		
	ADJUSTMENTS					
E.21	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
E.22	Adjustment of Valve Boxes	CW 3210-R8	each	3		
E.23	Valve Box Extensions	CW 3210-R8	each	1		
E	McPhillips St SB Lanes from Mountain Ave	to Redwood A	ve - Mill	& Fill	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	Ness Ave from Moray St to Braintree St - N	1ill & Fill				
	ROADWORK - REMOVALS/RENEWALS					
F.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	70		
F.2	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	55		
F.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	110		
ii)	200 mm Concrete Pavement (Type D)		m²	20		
=.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	260		
- .5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	390		
- .6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Median Slab	SD-227A	m²	45		
ii)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	60		
F.7	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	40		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	30		
b)	3 m to 30 m		m	20		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
9	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	950		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	90		
10	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	2200		
ii)	50 - 100 mm Depth (Asphalt)		m²	4350		
F.11	Pavement Repair Fabric	E13	m²	100		
12	Detectable Warning Surface Tiles	CW 3326-R3	each	26		
⁻ .13	Asphalt Levelling over Full Depth Concrete Repairs	E14				
i)	Type IA		tonne	35		
	JOINT AND CRACK SEALING					
=.14	Reflective Crack Maintenance	CW 3250-R7	m	65		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F.15	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
- .16	Drainage Connection Pipe	CW 2130-R12	m	2		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
Г 17	Source Donoir - Unito 2.0 Material and	REF.		QUANTITY		
F.17	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	1		
F.18	Frames & Covers	CW3210-R8				
i)	AP-011 - Barrier Curb and Gutter Frame		each	1		
ii)	AP-012 - Barrier Curb and Gutter Cover		each	1		
F.19	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
F.20	Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
	ADJUSTMENTS					
F.21	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	2		
ii)	51 mm		each	4		
F.22	Adjustment of Valve Boxes	CW 3210-R8	each	4		
F.23	Valve Box Extensions	CW 3210-R8	each	4		
F	Ness Ave from Moray St to Braintree St - M	lill & Fill			Subtotal:	



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	Lagimodiere Blvd at Sage Creek Blvd - Inte	ersection Impro	vements	<u> </u>		
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R19	m³	850		
G.2	Sub-Grade Compaction	CW 3110-R19	m²	1020		
G.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	345		
ii)	150 mm - Limestone		tonne	1000		
G.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	160		
G.5	Ditch Grading	CW 3110-R19	m²	110		
G.6	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	1		
G.7	Separation Geotextile Fabric	CW 3130-R4	m²	1020		
G.8	Supply and Install Geogrid	CW 3135-R1	m²	255		
G.9	Common Excavation- Suitable site material	CW 3170-R3	m³	70		
G.10	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	70		
	ROADWORK - REMOVALS/RENEWALS					
G.11	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	130		
ii)	Asphalt Pavement		m²	440		
G.12	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.13	Drilled Tie Bars	CW 3230-R8				
i)	25 M Deformed Tie Bar		each	680		
G14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	4		
G15	Concrete Curb Removal	CW 3240-R10				
i)	Modified Barrier (Integral)		m	140		
ii)	Splash Strip Separate		m	140		
G.16	Detectable Warning Surface Tiles	CW 3326-R3	each	1		
	ROADWORK - NEW CONSTRUCTION					
G.17	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	230		
ii)	Construction of Concrete Median Slabs	SD-227A	m²	390		
iii)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	2		
G.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	20		
ii)	Construction of Curb and Gutter (120mm ht, Mountable Curb, Integral, 600 mm width, 230	E13	m	60		
iii)	Construction of Curb and Gutter (120mm ht, Mountable Curb, Integral, 600 mm width, 330 mm Plain Concrete Pavement)	E13	m	70		
iv)	Construction of Curb and Gutter (100mm ht, Mountable Curb, Integral, 600 mm width, 330 mm Plain Concrete Pavement)	E13	m	30		
v)	Construction of Mountable Curb 120 mm (Integral)	SD-201	m	210		
vi)	Construction of Mountable Curb 100 mm (Integral)	E13	m	30		
vii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	2		
viii)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	90		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.19	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	210		
G.20	100 mm Concrete Sidewalk	CW 3325-R5	m²	2		
G.21	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
	LANDSCAPING					
G.22	Seeding	CW 3520-R7	m²	110		
	MISCELLANEOUS					
G.23	Construction of Cast-In-Place Concrete Pile Foundations	E18	each	1		
G.24	Supply and Installation of Crash Attenuation Barriers	E17	each	2		
G.25	Supply and Installation of Steel Overhead Sign Support Structures	E19	each	1		
G	Lagimodiere Blvd at Sage Creek Blvd - Inte	ersection Impro	vements	<u> </u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	Provencher Blvd EB Lanes from East Limit of RRX to Archibald St - Rehabilitation					
В	Lagimodiere Blvd NB Lanes from Dugald Rd to Regent Ave W - Mill & Fill				Subtotal:	
С	Broadway from Portage Ave to Sherbrook St - Mill & Fill				Subtotal:	
D	McPhillips St NB Lanes from Redwood Ave to College Ave - Mill & Fill			Subtotal:		
E	McPhillips St SB Lanes from Mountain Ave to Redwood Ave - Mill & Fill			& Fill	Subtotal:	
F	Ness Ave from Moray St to Braintree St - Mill & Fill			Subtotal:		
G	Lagimodiere Blvd at Sage Creek Blvd - Inte	ersection Impro	vements	<u>5</u>	Subtotal:	
TOTAL BI	TOTAL BID PRICE (GST extra) (in figures)					

(Seal)

Template Version: C420170317 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND				
KNOW ALL MEN BY THESE PRESENTS 1	ГНАТ			
(hereinafter called the "Principal") and				
the "Obligee") in the sum of ten percent (10	d firmly bound unto THE CITY OF WINNIPEG (hereing %) of the Total Bid Price set out in the Bid hereinafter and Surety bind themselves, their heirs, executors, admily, firmly by these presents.	described,		
WHEREAS the Principal has submitted a B	id to the Obligee for			
BID OPPORTUNITY NO. 459-2017				
Regional Streets Renewal Program – Prove	encher, Mill & Fills, and Intersection Improvements			
as more fully set out in the Bid Opportunity.				
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a Coll performance security for guaranteeing the faithful per, but otherwise shall remain in full force and effect.	ontract with		
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the			
day of	, 20			
SIGNED AND SEALED in the presence of:	(Name of Principal)			
(Witness as to Principal if no seal)	Per:	(Seal)		

(Name of Surety)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 459-2017 Regional Streets Renewal Program - Provencher, Mill & Fills, and Intersection Improvements in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______,

(Name of Surety)

(Seal) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1	
RE: BID SECURITY – BID OPPORTUNITY NO. 459-2017	
Regional Streets Renewal Program – Provencher, Mill & Fills, and Intersection	Improvements
Pursuant to the request of and for the account of our customer,	
(Name of Bidder)	,
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a in the aggregate	a sum not exceeding Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time of the payment made upon us by you. It is understood that we are obligated under this State for the payment of monies only and we hereby agree that we shall honour your demand inquiring whether you have a right as between yourself and our customer to make such recognizing any claim of our customer or objection by the customer to payment by us.	— upon written demand ındby Letter of Credit I for payment without
The amount of this Standby Letter of Credit may be reduced from time to time only by a it by you or by formal notice in writing given to us by you if you desire such reduction or made.	
Partial drawings are permitted.	
We engage with you that all demands for payment made within the terms and currency of Credit will be duly honoured if presented to us at:	of this Standby Letter
(Address)	

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 28, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)