

JAW

GATE HINGE PINS TO BE 5/8" BENT GALVANIZED THREADED RODS C/W FASTENING NUTS & WASHERS IN 3/4" INSIDE DIA. SLOTS (3" LONG) WELDED TO FRAME (TYP.).

-2" x 4" WOOD TOP PLATE SPLIT FROM 2" x 8" BOARD C/W CHAMFERED EDGE ON RINK SIDE

-1 1/2" x 1 1/2" HSS WELDED TO FORM GATE FRAME & ATTACH TO RINK BOARDS WITH 1/2" Ø CARRIAGE BOLTS 2" x 6" BRACING B/S OF GATE OPENING.

-2" x 6" WOOD CROSS BRACE

-1 1/2" x 1 1/2" HSS CROSS BRACE WELDED TO GATE FRAME

-REMOVABLE FREEZE BOARD TO CONSIST OF BUILT UP 2 x 3, 2 x 4, 2 x 6 & 2 x 8 PRESSURE TREATED LUMBER. FACE OF FREEZE BOARD TO BE FLUSH WITH FACE OF RINK BOARDS.

180° BRACE BANDS @ BOTTOM (TYP.)

-NEW HOCKEY BASE CONSTRUCTION

	PROJECT	CC-064
ATE ELEVATION	PARK CITY WEST COMMUNITY CENTRE	
	OUTDOOR RINK REPLACEMENT	
	115 SANFORD FLEMING ROAD	BID OPP#617-2017
DATE:	SCALE:	SHEET No:
2017.07.21	AS SHOWN	• •
eFILE: 2017087V0.dwg	PROJECT No: 2017-087	A3
DRAWING SHEET SIZE: ANSI "B" (11"v17") PLOT 1:1		

DRAWING SHEET SIZE: ANSI "B" (11"x17") PLOT 1:1