

**FORM A: BID**  
(See B8)

1. Contract Title 2018 Local Streets Package – Kernaghan Avenue, Hatcher Road South Leg and Various Other Locations
  
2. Bidder  
\_\_\_\_\_  
Name of Bidder  
  
\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)  
  
\_\_\_\_\_  
Street  
  
\_\_\_\_\_  
City Province Postal Code  
  
\_\_\_\_\_  
Email Address of Bidder  
  
\_\_\_\_\_  
Facsimile Number  
  
(Mailing address if different) \_\_\_\_\_  
Street or P.O. Box  
  
\_\_\_\_\_  
City Province Postal Code  
  
The Bidder is:  
(Choose one)  a sole proprietor  
 a partnership  
 a corporation  
carrying on business under the above name.
  
3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.  
  
\_\_\_\_\_  
Contact Person Title  
  
\_\_\_\_\_  
Telephone Number Facsimile Number
  
4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
  
5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security

(Choose one)

In accordance with B12.1, the Bidder encloses bid security in the form of:

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.		Dated	
_____		_____	
_____		_____	
_____		_____	

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Indigenous Self-Declaration

The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.

- YES, 51% Indigenous ownership
- NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>HATCHER ROAD - BOURNAIS DR ROUGEAU AVE -REHABILITATION</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Excavation	CW 3110-R19	m <sup>3</sup>	10		
A.2	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	10		
A.3	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	2900		
	<b>ROADWORKS - RENEWALS</b>					
A.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	205		
A.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m <sup>2</sup>	30		
ii)	150 mm Concrete Pavement (Type B)		m <sup>2</sup>	720		
iii)	150 mm Concrete Pavement (Type C)		m <sup>2</sup>	50		
A.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	1300		
A.7	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	25		
ii)	20 M Deformed Tie Bar		each	1560		
A.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	35		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	45		
A.9	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	15		
A.10	Supply of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	5		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (75 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	850		
c)	Greater than 30 m		m	150		
ii)	Modified Barrier (75 mm reveal ht, Dowelled)	SD-203B	m	110		
iii)	Modified Lip Curb (25 mm reveal ht, Dowelled)	SD-202C	m	65		
iv)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
A.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	10		
A.13	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	850		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	100		
A.14	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m <sup>2</sup>	200		
ii)	1 - 50 mm Depth (Concrete)		m <sup>2</sup>	90		
A.15	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
A.16	100 mm Concrete Sidewalk	CW 3325-R5	m <sup>2</sup>	50		
A.17	Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	5		
<b>JOINT AND CRACK SEALING</b>						
A.18	Reflective Crack Maintenance	CW 3250-R7	m	1300		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
A.19	Catch Pit	CW 2130-R12				
i)	SD-023		each	10		
A.20	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	2		
A.21	Drainage Connection Pipe	CW 2130-R12	m	35		
A.22	Removal of Roots per Sewer Segment	CW 2140-R4	each	1		
A.23	Sewer Inspection	CW2145-R4				
i)	250 mm, PVC		m	15		
A.24	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	5		
A.25	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	3		
A.26	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	8		
A.27	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	1		
A.28	Abandoning Existing Drainage Inlets	CW 2130-R12	each	10		
A.29	Removal of Existing Pipes	E9	m	30		
<b>ADJUSTMENTS</b>						
A.30	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	5		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.31	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.1		
A.32	Manhole Inspection	CW 2145-R4	each	2		
A.33	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	1		
A.34	Adjustment of Valve Boxes	CW 3210-R8	each	5		
A.35	Valve Box Extensions	CW 3210-R8	each	2		
A.36	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
A.37	Patching of Existing Manholes	CW 2130-R12	vert. m	1.0		
	<b>LANDSCAPING</b>					
A.38	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	50		
ii)	width > or = 600 mm		m <sup>2</sup>	2850		
<b>A</b>	<b><u>HATCHER ROAD - BOURNAIS DR ROUGEAU AVE -REHABILITATION</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B</b>	<b><u>KERNAGHAN AVENUE - PLESSIS RD TO HOKA ST - REHABILITATION</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Excavation	CW 3110-R19	m <sup>3</sup>	180		
B.2	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	10		
B.3	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	3000		
	<b>ROADWORKS - RENEWALS</b>					
B.4	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	380		
B.5	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m <sup>2</sup>	10		
ii)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	150		
iii)	200 mm Concrete Pavement (Type C)		m <sup>2</sup>	45		
iv)	200 mm Concrete Pavement (Type D)		m <sup>2</sup>	40		
B.6	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	160		
B.7	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m <sup>2</sup>	15		
ii)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	200		
iii)	200 mm Concrete Pavement (Type C)		m <sup>2</sup>	45		
iv)	200 mm Concrete Pavement (Type D)		m <sup>2</sup>	110		
B.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	760		

\_\_\_\_\_  
 Name of Bidder



**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.9	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	35		
ii)	20 M Deformed Tie Bar		each	1000		
B.10	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m <sup>2</sup>	10		
ii)	150 mm Reinforced Sidewalk		m <sup>2</sup>	15		
B.11	Removal of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	15		
B.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	65		
c)	Greater than 30 m		m	900		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	200		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	40		
B.13	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	25		
B.14	Salvage of Existing Interlocking Paving Stones	CW 3330-R5, E10	m <sup>2</sup>	190		
B.15	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	860		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	240		
B.16	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m <sup>2</sup>	450		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.17	Detectable Warning Surface Tiles	CW 3326-R3	each	1		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
B.18	100 mm Concrete Sidewalk	CW 3325-R5	m <sup>2</sup>	960		
B.19	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	150 mm Reinforced Sidewalk		m <sup>2</sup>	30		
	<b>JOINT AND CRACK SEALING</b>					
B.20	Reflective Crack Maintenance	CW 3250-R7	m	1200		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
B.21	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
B.22	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	2.9		
B.23	Drainage Connection Pipe	CW 2130-R12	m	1.6		
B.24	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	6.0		
B.25	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		m	1.0		
B.26	Sewer Inspection ( following repair)	CW2145-R4				
i)	250 mm, Conc		m	110		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.27	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	11		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	7		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	4		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	5		
v)	AP-012 - Barrier Curb and Gutter Cover		each	5		
B.28	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
B.29	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	1		
<b>ADJUSTMENTS</b>						
B.30	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	16		
B.31	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
B.32	Manhole Inspection	CW 2145-R4	each	1		
B.33	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	11		
ii)	76 mm		each	2		
B.34	Adjustment of Valve Boxes	CW 3210-R8	each	13		
B.35	Valve Box Extensions	CW 3210-R8	each	5		
B.36	Replacing Existing Catch Basin Hoods	CW 2130-R12	each	6		
B.37	Patching of Existing Manholes	CW 2130-R12	vert. m	1.0		
B.38	New Hydrant Assembly on Existing Watermain	CW 2110-R12	each	1		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>LANDSCAPING</b>					
B.39	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	200		
ii)	width > or = 600 mm		m <sup>2</sup>	2800		
B.40	Tree Removal	E11				
i)	Over 30 cm Diameter		each	1		
<b>B</b>	<b><u>KERNAGHAN AVENUE - PLESSIS RD TO HOKA ST - REHABILITATION</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
<b>C</b>	<b><u>RAVELSTON AVENUE WEST - CHRISLIND ST TO PLESSIS RD</u></b>						
	<b>EARTH AND BASE WORKS</b>						
C.1	Excavation	CW 3110-R19	m <sup>3</sup>	75			
C.2	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	10			
C.3	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	1500			
	<b>ROADWORKS - RENEWALS</b>						
C.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R8					
i)	200 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	70			
C.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8					
i)	200 mm Concrete Pavement (Type A)		m <sup>2</sup>	5			
ii)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	385			
iii)	200 mm Concrete Pavement (Type C)		m <sup>2</sup>	10			
iv)	200 mm Concrete Pavement (Type D)		m <sup>2</sup>	100			
C.6	Drilled Dowels	CW 3230-R8					
i)	19.1 mm Diameter		each	680			
C.7	Drilled Tie Bars	CW 3230-R8					
i)	15 M Deformed Tie Bar		each	80			
ii)	20 M Deformed Tie Bar		each	830			
C.8	Miscellaneous Concrete Slab Removal	CW 3235-R9					
i)	100 mm Sidewalk		m <sup>2</sup>	100			

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

**UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	15		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	50		
c)	Greater than 20 sq.m.		m <sup>2</sup>	175		
C.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	50		
c)	Greater than 30 m		m	300		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	115		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	90		
C.11	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	370		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	60		
C.12	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m <sup>2</sup>	40		
ii)	1 - 50 mm Depth (Concrete)		m <sup>2</sup>	20		
C.13	Detectable Warning Surface Tiles	CW 3326-R3	each	18		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
C.14	100 mm Concrete Sidewalk	CW 3325-R5	m <sup>2</sup>	400		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>JOINT AND CRACK SEALING</b>					
C.15	Reflective Crack Maintenance	CW 3250-R7	m	500		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
C.16	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	5		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	4		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	4		
	<b>ADJUSTMENTS</b>					
C.17	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	12		
C.18	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.4		
C.19	Manhole Inspection	CW 2145-R4	each	1		
C.20	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	1		
C.21	Replacing Existing Catch Basin Hoods or Pins	CW 2130-R12	each	6		
C.22	Patching of Existing Manholes	CW 2130-R12	vert. m	1.0		
	<b>LANDSCAPING</b>					
C.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	350		
ii)	width > or = 600 mm		m <sup>2</sup>	1150		
<b>C</b>	<b><u>RAVELSTON AVENUE WEST - CHRISLIND ST TO PLESSIS RD</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>D</b>	<b><u>CULROSS BAY - CLOUSTON DR TO CLOUSTON DR - REHABILITATION</u></b>					
	<b>EARTH AND BASE WORKS</b>					
D.1	Excavation	CW 3110-R19	m <sup>3</sup>	120		
D.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	495		
D.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	170		
D.4	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	40		
D.5	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	330		
D.6	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	495		
	<b>ROADWORKS - RENEWALS</b>					
D.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m <sup>2</sup>	280		
D.8	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	190		
D.9	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m <sup>2</sup>	70		
ii)	150 mm Concrete Pavement (Type B)		m <sup>2</sup>	500		
iii)	150 mm Concrete Pavement (Type C)		m <sup>2</sup>	30		
iv)	150 mm Concrete Pavement (Type D)		m <sup>2</sup>	60		
D.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	900		



**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.11	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	15		
ii)	20 M Deformed Tie Bar		each	1200		
D.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	10		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	30		
D.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	20		
D.14	Supply of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	10		
D.15	Concrete Curb Removal	CW 3240-R10				
i)	Lip Curb	SD-202C	m	70		
D.16	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	60		
ii)	Lip Curb (125 mm reveal ht, Integral)		m	120		
D.17	Concrete Curb Renewal	CW 3240-R10				
i)	Lip Curb (125 mm ht, Integral)	SD-202C	m	120		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
D.18	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	10		
D.19	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	600		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	65		

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.20	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m <sup>2</sup>	350		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
D.21	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	300		
D.22	Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	5		
	<b>JOINT AND CRACK SEALING</b>					
D.23	Reflective Crack Maintenance	CW 3250-R7	m	1200		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
D.24	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	7.0		
D.25	Removal of Existing Pipes	E9	m	7.0		
D.26	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	4		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	4		
D.27	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
	<b>ADJUSTMENTS</b>					
D.28	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	6		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.29	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
D.30	Manhole Inspection	CW 2145-R4	each	2		
D.31	Replace Manhole Benching	E12	each	1		
D.32	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	1		
D.33	Adjustment of Valve Boxes	CW 3210-R8	each	2		
D.34	Valve Box Extensions	CW 3210-R8	each	1		
D.35	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
D.36	Replacing Existing Catch Basin Hoods or Pins	CW 2130-R12	each	8		
D.37	Patching of Existing Manholes	CW 2130-R12	vert. m	1.0		
<b>LANDSCAPING</b>						
D.38	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	80		
ii)	width > or = 600 mm		m <sup>2</sup>	250		
<b>D</b>	<b><u>CULROSS BAY - CLOUSTON DR TO CLOUSTON DR - REHABILITATION</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
<b>A</b>	<b><u>HATCHER ROAD - BOURNAIS DR ROUGEAU AVE -REHABILITATION</u></b>				Subtotal:	
<b>B</b>	<b><u>KERNAGHAN AVENUE - PLESSIS RD TO HOKA ST - REHABILITATION</u></b>				Subtotal:	
<b>C</b>	<b><u>RAVELSTON AVENUE WEST - CHRISLIND ST TO PLESSIS RD</u></b>				Subtotal:	
<b>D</b>	<b><u>CULROSS BAY - CLOUSTON DR TO CLOUSTON DR - REHABILITATION</u></b>				Subtotal:	
TOTAL BID PRICE (GST extra) <span style="float: right;">(in figures) _____</span>						

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B12)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_

(hereinafter called the "Principal") and

\_\_\_\_\_

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 123-2018

2018 Local Streets Package – Kernaghan Avenue, Hatcher Road South Leg and Various Other Locations

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_

(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B12)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 123-2018

2018 Local Streets Package – Kernaghan Avenue, Hatcher Road South Leg and Various Other Locations

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING**  
**(BID SECURITY)** (Page 1 of 2)  
(See B12)

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 123-2018

2018 Local Streets Package – Kernaghan Avenue, Hatcher Road South Leg and Various Other Locations

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING**  
**(BID SECURITY)** (Page 2 of 2)  
(See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 11, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)