




1 MAIN FLOOR ELEVATION
 A2.0 SCALE: 3/16"=1'-0"




2 MAIN FLOOR ELEVATION - WATCH DESK
 A2.0 SCALE: 3/16"=1'-0"




2 MAIN FLOOR ELEVATION - WATCH DESK
 A2.0 SCALE: 3/16"=1'-0"




4 MAIN FLOOR ELEVATION
 A2.0 SCALE: 3/16"=1'-0"




5 MAIN FLOOR ELEVATION - CORRIDOR 103
 A2.0 SCALE: 3/16"=1'-0"




6 MAIN FLOOR ELEVATION-WATCH DESK
 A2.0 SCALE: 3/16"=1'-0"




7 MAIN FLOOR ELEVATION - CAPTAIN'S OFFICE
 A2.0 SCALE: 3/16"=1'-0"




8 MAIN FLOOR ELEVATION -CAPTAIN'S OFFICE
 A2.0 SCALE: 3/16"=1'-0"




9 MAIN FLOOR ELEVATION -CAPTAIN'S OFFICE
 A2.0 SCALE: 3/16"=1'-0"




10 MAIN FLOOR ELEVATION -CAPTAIN'S OFFICE
 A2.0 SCALE: 3/16"=1'-0"




11 MAIN FLOOR ELEVATION - GENERAL OFFICE
 A2.0 SCALE: 3/16"=1'-0"



12 MAIN FLOOR ELEVATION -GENERAL OFFICE
 A2.0 SCALE: 3/16"=1'-0"



13 MAIN FLOOR ELEVATION - GENERAL OFFICE
 A2.0 SCALE: 3/16"=1'-0"



14 MAIN FLOOR ELEVATION - GENERAL OFFICE
 A2.0 SCALE: 3/16"=1'-0"

CONFIRM BULKHEAD COLORS/
 LOCATION ON SITE WITH
 CONTRACT ADMINISTRATOR
 PRIOR TO APPLICATION

CONFIRM BULKHEAD COLORS/
 LOCATION ON SITE WITH
 CONTRACT ADMINISTRATOR
 PRIOR TO APPLICATION

DRAWING NOTES

- WINDOW FRAMES TO BE PAINTED PT-1 UNLESS INDICATED OTHERWISE OR FIBREGLASS FINISH.
- ALL RADIATORS TO BE PAINTED TO MATCH CORRESPONDING WALL COLOR WITH SEMI-GLOSS PAINT FINISH APPROPRIATE FOR HEAT.
- EXISTING BRICK NOT TO BE PAINTED.
- TACKBOARD TO BE FORBO FLOORING SYSTEMS; PRODUCT: BULLETIN BOARD; COLOR: #2204 POPPY SEED. FRAMED WITH 2" WIDE CUSTOM FRAME ALL AROUND. TO BE MDF FINISHED IN PLASTIC LAMINATE. PLASTIC LAMINATE TO BE: PLAM-3 FORMICA AGED ASH # 8844-58; MATTE FINISH

NOTES:

THESE DRAWINGS SHALL NOT BE SCALED. CONSULT WITH CONTRACT ADMINISTRATOR AND DESIGNER ON ANY CONCERNS.

SUBMISSION OF SITE MARK-UPS, AS-BUILTS, OPERATING & MAINTENANCE MANUALS AND OTHER SUPPORTING DOCUMENTS TO CLIENT ARE MANDATORY AT THE COMPLETION OF THIS PROJECT.

THE CONTRACTOR SHALL VISIT THE SITE AND SATISFY HIMSELF ALL DIMENSIONS, DATUM, AND DETAILED INFORMATION SHOWN ARE CORRECT.

THE CONTRACTOR IS TO REVIEW AND COORDINATE ALL ARCHITECTURAL, STRUCTURAL, MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL OPENINGS THROUGH FLOORS, WALLS, AND CEILINGS FOR DUCTS, PIPES & ELECTRICAL RISERS AND ALL OPENINGS NOT SHOWN ON DRAWINGS.

ALL OPENINGS THROUGH FIRE ASSEMBLIES INCLUDING FLOORS AND CEILINGS ARE TO BE FIRE STOPPED AND SEALED WITH ULC APPROVED FIRE STOPPING TO MAINTAIN THE INTEGRITY OF THE FIRE SEPARATION, AND PROVIDE A SMOKE-TIGHT BARRIER.

ALL PRODUCTS AND MATERIALS TO BE USED AND INSTALLED SHALL CONFORM WITH MANUFACTURER'S SPECIFICATIONS, APPLICABLE CODES AND AUTHORITY HAVING JURISDICTION.

THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH AND MAKE GOOD ALL EXISTING CONSTRUCTION AFFECTED BY THE REMOVAL OF ALL ITEMS FORMING PART OF THE RENOVATION WORK.

WHERE NEW FLOORING AND BASE IS TO BE INSTALLED IN EXISTING AREAS (REFER TO FLOOR PLAN AND ROOM SCHEDULE) THE EXISTING FLOORING SURFACE AND BASE MUST BE REMOVED, UNLESS OTHERWISE NOTED. ALL FLOOR SURFACES SHALL BE PREPARED IN ACCORDANCE TO MANUFACTURER'S RECOMMENDATIONS FOR INSTALLATION OF NEW FLOOR.

WHERE PAINTING OF EXISTING WALLS IS INDICATED ON THE ROOM SCHEDULE, THESE WALLS MUST BE CLEANED OF ANY EXISTING WALL COVERING, PATCHED & PREPARED TO ACCEPT NEW MATERIAL, UNLESS OTHERWISE NOTED.

ALL NEW LIGHTING FIXTURES & NEW RECEPTACLES TO BE CONNECTED TO APPROPRIATE PANELS.

GENERAL DUTY RECEPTACLES SHALL BE WHITE & CSA APPROVED, C/W STAINLESS STEEL TRIM PLATES MOUNTED 18" ABOVE FINISHED FLOOR OR OTHERWISE NOTED.

THERMOSTATS, FIRE ALARM PULL STATIONS & OCCUPANCY LIGHT SWITCHES SHALL BE MOUNTED 47" ABOVE FINISHED FLOOR OR OTHERWISE NOTED.

ALL ABANDONED ELECTRICAL FIXTURES, COMPONENTS, RECEPTACLE & DATA WIRING SHALL BE REMOVED BACK TO SOURCE & TERMINATED AS PER APPLICABLE CODES. IF APPLICABLE, THIS INCLUDES WIRING CONTAINED IN HEADER DUCTS IN FLOOR.

REFER TO CITY OF WINNIPEG, MATERIALS MANAGEMENT GENERAL TERMS & CONDITIONS FOR PROJECT: [HTTP://WINNIPEG.CA/MATMGTEGEN_COND.STM](http://WINNIPEG.CA/MATMGTEGEN_COND.STM)

WARNING:
 ASBESTOS KNOWN TO BE PRESENT IN DRYWALL. ABATEMENT BY CITY OF WINNIPEG CONTRACTOR TO PRECEED START OF CONSTRUCTION. ASBESTOS MAY BE PRESENT IN OTHER AREAS. IF ASBESTOS OR ANY HAZARDOUS MATERIAL IS FOUND, STOP WORK IMMEDIATELY & CONTACT CITY OF WINNIPEG, CENTRAL CONTROL, PH: 204-986-2351.

2	ADDENDUM # 2	JULY 20 / 2020
1	ADDENDUM # 1	JULY 15 / 2020
0	ISSUED FOR CONSTRUCTION	JUNE 22 / 2020
00	ISSUED FOR CLIENT REVIEW	MAY 22 / 2020
000	ISSUED FOR CLIENT REVIEW	APRIL 17 / 2020

No.	REVISION/DESCRIPTION	BY	DATE
-----	----------------------	----	------

DRAWN	CHECKED	DESIGNED	APPROVED
KJN	KJN	KJN	
DATE	2020.06.22	USER	APPROVAL

THE CITY OF WINNIPEG
 PLANNING, PROPERTY AND
 DEVELOPMENT DEPARTMENT
 MUNICIPAL ACCOMMODATIONS DIVISION
 3-65 GARRY STREET, R3C 4K4

PROJECT
 WINNIPEG FIRE PARAMEDIC SERVICES
 FIRE STATION # 23
 RENOVATIONS TO WASHROOMS AND SECOND FLOOR
 880 DALHOUSIE DRIVE TENDER NO. 349-2020

SHEET TITLE
 INTERIOR ELEVATIONS
 MAIN FLOOR

SCALE	PROJECT No:	SHEET No:
3/16"=1'-0"	2019-147	A2.0R2