

- REFERENCE NOTES:**
- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - B. BASELINE IS CENTER LINE ROADWAY
 - C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - D. REFER TO AECOM FIELD BOOK NO. 5114
- CONSTRUCTION NOTES:**
1. CONSTRUCT NEW ASPHALT PAVEMENT OVERLAY TYPE 1A (100mm AVG. THICKNESS)
 2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w ASPHALT OVERLAY TYPE IA
 3. ADJUST EXISTING MANHOLE / CATCH BASIN TO GRADE
 4. INSTALL NEW CAST IRON RISER RING
 5. REMOVE EXISTING FRAME AND COVER AND PLACE NEW FRAME AND COVER (AP-006 / AP-007)
 6. ADJUST EXISTING PAVING STONES
 7. ADJUST EXISTING PATIO BLOCKS
 8. REMOVE EXISTING PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
 9. RENEW 100mm CONCRETE SIDEWALK
 10. RENEW EXISTING CONCRETE BARRIER CURB (DOWELED SD-205 100mm REVEAL)
 11. INSTALL CONCRETE BARRIER CURB (SEPARATE SD-203A 150mm REVEAL)
 12. ADJUST EXIST WATER VALVE TO GRADE
 13. INSTALL NEW CURB AND GUTTER INLET c/w CATCH BASIN (SD-024) AND CONNECT TO EXISTING 525 CONCRETE LAND DRAINAGE SEWER
 14. REMOVE EXISTING CONCRETE SIDEWALK
 15. CONTRACT ADMINISTRATOR TO DETERMINE LOCATIONS FOR INSTALLATION OF PAVEMENT REPAIR FABRIC PRIOR TO ASPHALT PAVING
 16. MH20008101 - REPAIR BENCHING AND REPLACE RISER TO 1.2m

ENGINEERS GEOSCIENTISTS MANITOBA
 Certificate of Authorization
 AECOM Canada Ltd.
 No. 4671 Date: 2022/02/17

METRIC
 WHOLE NUMBERS INDICATE MILLIMETRES
 DECIMALIZED NUMBERS INDICATE METRES

150mm W.M.	WATERMAIN	150mm W.M.	HYDRO	Q PROFILE
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	CONCRETE	WEST GUTTER
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	ASPHALT	EAST GUTTER
○	MANHOLE	+	PROPERTY LINE	WEST PROPERTY LINE
□	CATCH BASIN	+	SURVEY BAR	EAST PROPERTY LINE
▽	CATCH PIT	+	ELEVATION (235.750)	
+	JUNCTIONS	+	TREE	
+	CULVERT	+	SIDEWALK RAMP	
+	GAS	+	CONCRETE SIDEWALK	
+	EXISTING	+	FENCE	
+	LEGEND - PLAN	+	LEGEND - PLAN	+
+	PROPOSED	+	PROPOSED	+
+	EXISTING	+	EXISTING	+
+	LEGEND - PROFILE	+	LEGEND - PROFILE	+
+	PROPOSED	+	PROPOSED	+

LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE


NOTE:
 LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. #45 S.E. Corn. Portage Ave. & Parkview Str., Tblt. In N. Conc. Foundation No. 1830 Portage Ave. (Oswald Apts.) 0.5m E. & ELEV. 0.5m below brick of N.W. Corn. of Bldg. ELEVATION 234.937

AECOM

DESIGNED BY	BC	CHECKED BY	BC/TF
DRAWN BY	AA	APPROVED BY	
HOR. SCALE:	1=250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1=10		
DATE	02/17/2022	DATE	

0 ISSUED FOR TENDER 02/17/2022 BC
 A ISSUED FOR REVIEW 01/28/2022 BC
 NO REVISIONS



THE CITY OF WINNIPEG
 PUBLIC WORKS DEPARTMENT
 ENGINEERING DIVISION

2022 LOCAL AND INDUSTRIAL STREET RENEWAL PROGRAM

PARKVIEW STREET - ASSINIBOINE AVENUE TO PORTAGE AVENUE ASPHALT PAVEMENT REHABILITATION STATION 0+210 TO STATION 0+350

CITY DRAWING NUMBER SHEET 02 OF 19

CONSULTANT DRAWING NO. CT-02