



- NOTES:**
1. TOPOGRAPHIC CONTOURS BASED ON KGS GROUP SURVEY JULY 2022. ALL DATA IS IN UTM ZONE 14, NAD83 ORIGINAL, CGVD28.
 2. EXTENT OF SIDEWALK TO BE STABILIZED IS DEFINED BY THE CITY'S EXISTING CHAIN LINK FENCE AS APPROVED BY THE CONTRACT ADMINISTRATOR.
 3. NO EQUIPMENT OR WORK PERMITTED ON RIVERSIDE OF WORK LIMIT LINE.
 4. CONTRACTOR SHALL CONSTRUCT ACCESS RAMP WITH SUITABLE GRADE AND SAFE SIDE SLOPES. ALL ACCESS RAMP TRAFFIC GRAVEL USED SHALL BE REMOVED AND RAMP AREA RESTORED AFTER CONSTRUCTION IS COMPLETE.
 5. PROTECTION AREA / NO WORK ZONE TO BE ENCLOSED WITH RIGID FENCING WITH MINIMUM 3m BUFFER.
 6. ALL LOOSE FAILED MATERIAL IN SCARP TO BE REMOVED OFFSITE AND REBUILT AS PER SPECIFICATIONS (SEE TENSION CRACK DETAIL DWG RW753-22-05).
 7. CONTRACTOR SHALL CONSTRUCT ACCESS RAMP AND TEMPORARY FENCE ENTIRELY WITHIN CITY OF WINNIPEG PROPERTY AS DIRECTED BY THE CONTRACT ADMINISTRATOR.

FPL = 230.63m



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

PROPERTY LIMITS DELINEATION
DELINEATION OF PROPERTY LIMITS AS SHOWN ON THIS DWG DOES NOT REPRESENT A "LEGAL SURVEY". KGS GROUP MAKES NO REPRESENTATION OR WARRANTY AS TO THE ACCURACY OF PROPERTY LIMITS DELINEATED ON THIS DWG, NOR ON THE DIMENSIONAL ACCURACY OF DWG FEATURES RELATIVE TO THOSE PROPERTY LIMITS.

WARNING
1. NOTIFY THE GAS COMPANY OF THE PROPOSED LOCATION OF EXCAVATION.
2. TAKE PRECAUTION TO AVOID DAMAGE TO GAS COMPANY INSTALLATIONS.
3. SEE PROVINCIAL REGULATION 210/72 FOR DETAILS.

ISSUED FOR TENDER

300 LPS	LAND DRAINAGE SEWER	300 LPS	---	FENCE	---	TREE	---
750 WWS	WASTE WATER SEWER	750 WWS	---	TEST HOLE	---	LIGHT POST	---
---	GAS	---	---	GUY WIRE	---	---	---
---	HYDRO	---	---	LIGHT STANDARD	---	---	---
---	M.T.S.	---	---	BACK OF CURB	---	---	---
150 WM	WATERMAIN	150 WM	---	CONCRETE	---	---	---
---	HYDRANT	---	---	ASPHALT	---	---	---
---	VALVE	---	---	SIDEWALK	---	---	---
---	MANHOLE	---	---	PROPERTY LINE	---	---	---
---	CATCH BASIN	---	---	SURVEY BAR	---	---	---
---	CURB INLET	---	---	GEODETIC BENCHMARK	---	---	---
---	POLES	---	---	ELEVATION	---	---	---
---	EXISTING	---	---	LEGEND-PLAN	---	---	---
---	LEGEND-PLAN	---	---	PROPOSED	---	---	---
---	PROPOSED	---	---	EXISTING	---	---	---
---	EXISTING	---	---	LEGEND-PROFILE	---	---	---
---	PROPOSED	---	---	PROPOSED	---	---	---

LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. ELEV.	
NO.	REVISIONS
0	ISSUED FOR TENDER
22/08/12	DATE
BPA	BY
2022-08-12	DATE

KGS GROUP

DESIGNED BY	CR	CHECKED BY	BPA
DRAWN BY	JP	APPROVED BY	BPA
HOR. SCALE:	AS NOTED	RELEASED FOR CONSTRUCTION:	
VERTICAL:		DATE	

ENGINEER'S SEAL

CONSULTANT DRAWING NO. **G02**

THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

PROJECT TITLE
ST. MARY'S ROAD RIVERBANK STABILITY IMPROVEMENT WORKS

GENERAL PLAN AND DETAILED PLAN

SHEET OF
2 OF **5**

COMPUTER FILE NAME
22-0107-010-G02

CITY DRAWING NUMBER
RW753-22-02

File: U:\GIS\22-0107-010-G02-0107-010-G02 - Tab.B Plotted By: jpoon 22/08/12 [Fri 8:53am]
 At: (41.4534) PLO SCALE: 1:1