



# PARTIAL ROOF FRAMING PLAN

- DESIGN LOADS:  
DEAD = 0.86 kPa  
SNOW = 1.73 kPa
- FALL ARREST LOAD AT ANY POINT ALONG FALL ARREST BEAM = 22.5 kN
- SITE CONFIRM LOCATIONS TO HAVE BEAM ALIGN IN CENTRE OF MAINTENANCE BAY



**APEGM**  
 Certificate of Authorization  
 Crosier Kilgour & Partners Ltd.  
 No. 235 Date: 2022-08-26

No.	Date	Issue/Revision	By
0	2022-08-26	ISSUED FOR CONSTRUCTION	JAL

300-275 Carlton Street  
 Winnipeg, Manitoba R3C 5R6  
 T 204. 943. 7501  
 F 204. 943. 7507

**Crosier Kilgour & Partners Ltd.**  
 CONSULTING STRUCTURAL ENGINEERS

Project  
**WINNIPEG TRANSIT**  
 ROOF FALL ARREST  
 FORT ROUGE GARAGE - BUILDING 'A'  
 421 OSBORNE STREET  
 WINNIPEG, MANITOBA

Sheet Title  
 PARTIAL ROOF FRAMING PLAN

File 2021-0352	Date 2022-08-26
Design JAL	Drawn JRM
Revision 0	Sheet No. S1.2