



553-2023 ADDENDUM 3

SUPPLY, DELIVERY AND INSTALLATION OF AIR COMPRESSOR

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
BID/PROPOSAL**

ISSUED: July 19, 2023
BY: Jeff Jones
TELEPHONE NO. 204 619-0542

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID/PROPOSAL AND SHALL FORM
A PART OF THE CONTRACT DOCUMENTS**

Template Version: Add 2021-03-05

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

PART E – SPECIFICATIONS

- Revise: E6.5 to read: External fill point regulated from fill station.
- Revise: E10.5 to read: The Contractor shall complete the initial air sampling and order expedited services for this sampling (**air quality certification**).
- Add: E10.8 The Contractor shall provide the first maintenance services, including but not limited to:
- Add: E10.8(a) Compressor oil change;
- Add: E10.8(b) Oil filter change;
- Add: E10.8(c) Air filter service;
- Add: E10.8(d) Compressor oil inspection.
- Add: E10.8.1 Further to E10.5 and E10.8, the Contractor shall provide a second air quality certification following the first maintenance service.