

www.compost.org

## **SUMMARY OF ANALYSIS REPORT**

To: City Of Winnipeg CQA Member#: 18-3000

1120 Waverlet St.

Winnipeg, Manitoba R3T0P4

Attention: Kimsong Bun Sample I.D.: A23-B1

**Report#:** C23333-10269 **Sample Date:** 11/27/2023

C23333-70012 Reported Date: 2023-12-7

Compost Manufactured in: Manitoba

Feedstock: Leaf & Yard Residues

## **CQA COMPOST QUALITY & VALUE TESTING PARAMETERS REPORT**

SAMPLE ID	RECOMMENDED END USE/MARKET
A23-B1	CATEGORY A
Regulatory	See Appendix I
Product Quality	See Appendix II
Product Value/ Soil	See Appendix III
Suitability*	(Soil, Enviro, Manure Compost)

The Compost Quality Alliance (CQA) is a voluntary quality monitoring program established by the Compost Council of Canada and the compost producers utilizing recognized standardized testing methodologies and uniform operating protocols to provide customer assurance in compost selection its use, and proper end-use utilization.

All analysis of this compost product was conducted and provided by A&L Canada Laboratories Inc. for the Compost Quality Alliance (CQA).

Haifeng Song, Senior Chemist

lan McLachlin, Vice-President

A proud member of



A&L Canada Laboratories Inc. London, Ontario Canada (519) 457-2575

Compost
Compost
Council of Canada
Proud to be a member

\*PLEASE NOTE: Major Nutrients under the Fertilizer Act and Regulations (CFIA)

Please see Appendix III for nutrient content (of impact to claims and labelling if used in declarations).

Compost is classified in Schedule II as a supplement, and as such nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and the label would have to include the guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P205) and Soluble Potash K20. Source: T-4-120 - Regulation of Compost under the Fertilizers Act and Regulations. http://www.inspection.gc.ca/plants/fertilizers/trade-memoranda/t-4-120/eng/1307910204607/1307910352783



#### Appendix I



#### **CCME Guidelines 2005 & CFIA Fertilizer Act & Regulations:**

Alberta, Manitoba, New Brunswick, Nova Scotia, Newfoundland, Prince Edward Island & Territories

#### A. Maximum Concentrations for Trace Metals in Compost+

		Category A	Category B		
Trace Elements	Test Results	Maximum Concentration within Product			
	(ug/g)	(mg/kg	dry weight)		
Arsenic (As)	4.51	13	75		
Cadmium (Cd)	BDL	3	20		
Chromium (Cr)	15.48	210	**		
Cobalt (Co)	2.59	34	150		
Copper (Cu)	32.73	400	**		
Lead (Pb)	26.19	150	500		
Mercury (Hg)	BDL	0.8	5		
Molybdenum (Mo)	1.50	5	20		
Nickel (Ni)	9.19	62	180		
Selenium (Se)	BDL	2	14		
Zinc (Zn)	84.21	700	1850		

<sup>\*\*</sup> Upper limits are not established in the Trade Memorandum.

## B. Foreign Matter in Compost+

	Test Results	Category A	Category B
Foreign Matter		Contains no more than	Contains no more than 2 pieces of
Pieces >25mm/500mL	0	1 piece of foreign matter	foreign matter > 25mm/500mL
Fields >23iiiii/ 300iiiL	0	>25mm/500ml	
Sharp Foreign Matter			No more than 3 pieces of sharp matter
Pieces > 3mm/500mL	0	No sharp foreign matter	< 12.5mm/500mL
Pieces > 12.5mm/500mL	0	>3mm per 500ml	Note: This compost shall not be used in pastures, parks, or residential

## C. Maturity/Stability+

Method	Test Results	Required Limits			
CO2 Respiration Rate	2.50	$\leq$ 4 mg of carbon in the form of carbon dioxide per gram of			
(mg CO2/g O.M./day)	2.50	organic matter per day			
02 Uptake Respiration Rate		≤ 400 mg oxygen/kg of volatile solids (or organic			
(mg 02/kg 0.M./hr)		matter)/hour			

## D. Pathogensi

Pathogen	Test Results	Required Limits
Fecal Coliform (MPN/g dry)	58	<1000 MPN/g of total solids calculated on a dry weight basis
Salmonella (P-A/25g(ml))	NEGATIVE	<3 MPN/4g total solids calculated on a dry weight basis

The following references are from the CCME guidelines (PN1340), October 2005

\*BDL = Below Detectable Limits

#### E. CFIA

Parameter	Test Results
Total Organic Matter (%)	44.56%
Moisture (%)	26.38%

# Appendix II Finished Compost Quality

Parameter	Test Results
рН	7.9
Carbon to Nitrogen Ratio	12:1
Particle Size/Texture (inch)+	1/4
Soluble Salts (ms/cm)	3.2
Sodium Base Saturation (%Na)	2.58%
Major Nutrients	
Available Potassium (%K)	14.84%
Available Magnesium (%Mg)	25.43%
Available Calcium (%Ca)	57.15%

<sup>+</sup> Majority of sample passes through this sieve size

Unrestricted Use: Category A - Compost that can be used in any application, such as agricultural lands, residential gardens, horticultural operations, the nursery industry, and other businesses. Category A criteria for trace elements are achievable using best source separated MSW feedstock, municipal biosolids, pulp and paper mill biosolids, or manure.

Restricted Use: Category B - Compost that has a restricted use because of the presence of sharp foreign matter or higher trace element content. Category B compost may require additional control when deemed necessary by a province or territory.

## Reference Compost Quality Parameters for CQA

Use	рН	C:N	Moisture	Particle Size	Soluble Salts	%Na
Remediation	5.8-8.5	10-40	NA	<2 in	<20	<3%
Soil Amendment	5.8-8.5	10-30	NA	<1/2 in	<6	<2%
Landscaping	5.8-8.5	12-22	<50%	<1/2 in	<5	<2%
Planting Media	5.5-7.8	12-22	<50%	<1/2 in	<4	<2%
Turf Establishment & Topdressing	5.5-7.8	12-22	<50%	<3/8 in	<3	<1%
Greenhouse Seeding	6-7	12-22	<25%	<1/4 in	<2	<0.5%
Greenhouse Establishement	6-7	12-22	<30%	<1/2 in	2-3.5	<0.5%
Field Nursery	5.8-8	10-30	<50%	<1/2 in	<3.5	<1%
Agricultural Soil Amendments	6-8	10-30	<50%	<1/2 in	<20	none
Potting Soil	5.5-7.2	12-22	<50%	<1/4 in	<2	<1%

These are examples of some of the many end uses suitable for compost

The Compost Quality Assurance program goes beyond the provincial requirements to establish full value and appropriate end-use. The Compost Report and Compost End-use table in Appendix II, has 10 different compost application uses from soil remediation, through to potting soil blends. Of note are available soluble salt limits and the percent available sodium for sensitive plants. Appendix III, lists the primary agricultural use parameters and quantitative nutrient content that reflects this compost samples agricultural end-use, and application value. This value includes macro and micro nutrients, soil building properties such as the addition of organic matter, increasing moisture holding capacity, and the soils slow release nutrients. These parameters improve beneficial soil health components soil

Note: For a compost to meet the unrestricted use category, it must meet the unrestricted (Category A) requirements for all trace elements and sharp foreign matter. If the compost fails one criterion of the guideline for unrestricted use but meets the criteria for restricted (Category B) use, then is is classified as a Category B product. Products that do not meet the criteria for either Category A or B must be used or disposed of appropriately.

#### Appendix III



# Compost Agricultural Product Value on as is basis



Agricultural End-Use	Analysis Result	Unit	Quantity in lbs/Ton						
	Physical Parameters								
Dry Matter	73.62%	%							
рН	7.9								
Bulk Density	525	kg/m3							
C:N Ratio	12:1								
	Fertilizer Equivalent Miner	als							
Nitrogen Total	2.0%	%	40.0						
Ammonium Nitrogen	254.70	ppm	0.51						
Total Phosphate (P as P205)	0.49%	%	9.8						
Total Potash (K as K20)	0.99%	%	19.8						
Calcium	7.13%	%	142.6						
Magnesium	3.2%	%	64.0						
Sulfur	1766.44	ppm	3.5						
	Agricultural Index								
Ag Index	23	Can	be used on all soils						

Salt injury probable		o soils with ea		ainage	Can be use	d on soils wi high salt co	-	nage or	Can be used on all soils
1	2	3	4	5	6	7	8	9	>10

Figure 1. Adapted from TMECC 05.02-F1 AgIndex interpretation and use guidelines for common edaphic conditions.

Where 10 is a compost material with low potential for salt injury and 1 materials require dilution to prevent salt injury

The results of our testing on this sample indicates that this product is a fine textured, mature compost (87%+1/4in.), with rich mineral properties, which would meet criteria for agricultural soil amendment, blending and topdressing end-uses purposes. The C:N ratio 12:1 from Appendix II, on the soil suitability report indicates a low C:N ratio and indicating good nitrogen availability. The low C:N ratio in conjunction with the higher total nitrogen content listed in Appendix III indicates early high available nitrogen levels, and should be considered for crop planning.

The proportion of available sodium (2.58% Na), which if used in too heavy a proportion could cause some problems with sensitive species. The sodium levels of this compost sample though high, is suitable for agricultural broadcast field applications and are made to improve the organic matter level and major nutrients phosphorus, potassium and magnesium levels. The compost is also rich in available calcium, sulfur, and iron, which make it ideal for soil enriching, and amendment. We recommend blending this material at a minimum of 2-3 parts soil blended to each part of this compost to dilute the sodium conentration.

Major Nutrients - Compost is classified in Schedule II (CFIA Fertilizer Act & Regulations) as a supplement, and as such, nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and label would have to include the guarantees for the major nutrients. The guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P2O5) and Soluble Potash (K2O).

## **Report Number:** C23333-10269

## A & L Canada Laboratories Inc.

Magnesium



**Account Number: 01707** 

2136 Jetstream Road, London, Ontario, N5V 3P5 Telephone: (519) 457-2575 Fax: (519) 457-2664

To: CITY OF WINNIPEG 1120 WAVERLET ST. WINNIPEG, MB R3T0P4

For: A23-B1

Attn: KIMSONG BUN P.O. Number: 677586

Lime

Reported Date:

Sample

Printed Date: Dec 7, 2023

Lab

## **COMPOST REPORT**

Available

**Phosphorus** 

Potassium

Calcium

Number	Number	рН	Index		Organic Matter %	P ppm	K ppn	1	Mg ppm	Ca ppm
A23-B1	13725	7.9	6.9		35.0	549	2564		1370	5064
Sulfur	Zinc	Manganese	Iron	Copper	Boron	Sodium	Nitrate-N	Soluble	Nitrogen	Chloride
S ppm	Zn ppm	Mn ppm	Fe ppm	Cu ppm	B ppm	Na ppm	NO3-N ppm	Salt ms/cm	(Total) (%)	ppm
143	15.1	31	98	0.8	9.1	263	25	3.2	2.00	1000

#### INTERPRETATION

CEC			Percent Bas	Percent Base Saturation			Proportional Equivalents (meq)				Cation Ratio	
meq/100g	% BS	% K	% Mg	% Ca	% Na	K	Mg	Ca	Na	Mg/K	Ca/Mg	
44.3	100.0	14.84	25.43	57.15	2.58	6.57	11.27	25.32	1.14	2:1	2:1	12:1
Optimum	ı Range:	3 - 5	8 - 20	60 - 80		0.5 - 1.3				7:1	5:1	

CQA

No guarantee or warranty concerning crop performance is made by A & L.

**Results Authorized By:** 



Beth Wood, Agronomist

<sup>\*</sup> Results reported on a dry weight basis.

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

<sup>\*</sup> Crop yield is influenced by a number of factors in addition to soil fertility.

## A & L Canada Laboratories Inc.

**REPORT NUMBER:** C23333-10269 2136 Jetstream Rd, London, Ontario, N5V 3P5 **ACCOUNT NUMBER: 01707** Telephone: (519) 457-2575 Fax: (519) 457-2664



## REPORT OF ANALYSIS

TO: CITY OF WINNIPEG 1120 WAVERLET ST.

RE: A23-B1

WINNIPEG, MB R3T0P4

CQA2300503

**DATE RECEIVED:** 2023-11-29

**DATE REPORTED: 2023-12-07** 

**PAGE:** 1 / 1

**P.O. NUMBER:** 677586

Attn: KIMSONG BUN

CANADA

LAB NO.	SAMPLE ID	ANALYSIS	RESULT	UNIT	METHOD	
13725	A23-B1	Nitrogen (Total)	2.0	%	TMECC.04.02-D	

**Results Authorized By:** 

**REPORT NO.** C23333-70012

# A & L Canada Laboratories Inc.

ACCOUNT NUMBER 01707 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:CITY OF WINNIPEG
1120 WAVERLET ST.
WINNIPEG, MB R3T0P4
CANADA
Canada
ATTN:Kimsong Bun

FOR: A23-B1

**CERTIFICATE OF ANALYSIS** 

**PAGE:** 1 / 3

**PROJECT NO:** 

Phone:204-619-4171

PO#:677586 LAB NUMBER:3337017 SAMPLE ID:A23-B1 SAMPLE MATRIX:COMPOST DATE SAMPLED:2023-11-27 DATE RECEIVED:2023-11-29 DATE REPORTED:

**DATE PRINTED:**2023-12-07

PARAMETER	Result	UNIT	DETECTIO LIMIT	N METHOD REFERENCE
Arsenic	4.51	ug/g	1.00	EPA 3050B/6010B(mod) *
Cadmium	BDL	ug/g	1.00	EPA 3050B/6010B(mod) *
Cobalt	2.59	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Chromium	15.48	ug/g	1.00	TMECC.04.06;EPA 3050/6010(mod*
Copper	32.73	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Mercury	BDL	ug/g	0.10	EPA 7471 *
Molybdenum	1.5	ug/g	1.0	TMECC.04.06;EPA 3050/6010(mod*
Nickel	9.19	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*
Lead	26.19	ug/g	1.00	EPA 3050B/6010B(mod) *
Selenium	BDL	ug/g	1.00	EPA 3050/6010 (mod) *
Zinc	84.21	ug/g	1.00	TMECC 4.06;EPA 3050/6010(mod)*

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

**Results Authorized By:** 

C23333-70012

Haifeng Song, Ph.D., C.Chem. Lab Director

<sup>\* -</sup> accredited test

**REPORT NO.** C23333-70012

## A & L Canada Laboratories Inc.

ACCOUNT NUMBER 01707 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:CITY OF WINNIPEG 1120 WAVERLET ST. WINNIPEG, MB R3T0P4 CANADA Canada

FOR: A23-B1

ATTN:Kimsong Bun Phone:204-619-4171

## **CERTIFICATE OF ANALYSIS**

**PAGE:** 2 / 3

**PROJECT NO:** 

PO#:677586 LAB NUMBER:3337017 SAMPLE ID:A23-B1 SAMPLE MATRIX:COMPOST DATE SAMPLED:2023-11-27 DATE RECEIVED:2023-11-29 DATE REPORTED:

**DATE PRINTED:**2023-12-07

PARAMETER	Result	UNIT I	DETECTION LIMIT	N METHOD REFERENCE
E. coli	5	MPN/g dry	3	TMECC 07.01
Salmonella spp.	NEGATIVE	P-A/	1 CFU	MFLP-75 *
		25.0g(ml)		
Fecal Coliform	58	MPN/g dry	3	TMECC 07.01
Total sharps > 2.8 mm*	0	pieces/500ml		TMECC 03.08
Total sharps > 12.5 mm	0	pieces/500ml		TMECC 03.08
Total FM > 2.8 mm*	BDL	%	0.01	TMECC 03.08
Total FM > 25 mm	0	pieces/500ml		TMECC 03.08
Total plastics > 2.8 mm*	BDL	%	0.01	TMECC 03.08
Total Organic Matter @ 550 deg C	44.56	%	0.10	LOI@550C
Moisture	26.38	%	0.10	TMECC.03.09-A
Sieve 2 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1/2 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 3/8 Inch (% Passing)	96.80	%	0.10	ASTMD422
Sieve 1/4 Inch (% Passing)	86.50	%	0.10	ASTMD422
Compost Stability Index	7			TMECC.05.08-B
Respiration-mgCO2-C/g OM/day	2.50	mgCO2-C/	0.01	TMECC.05.08-B
		gOM/day		
Respiration - mgCO2-C/g TS/day	1.10	mgCO2-C/	0.01	TMECC.05.08-B
		gTS/day		

Maturity Index: 7 - Well matured, aged compost, cured; few limitations for usage.

\* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

**Results Authorized By:** 

C23333-70012

Haifeng Song, Ph.D., C.Chem. Lab Director

**REPORT NO.** C23333-70012

# A & L Canada Laboratories Inc.

ACCOUNT NUMBER 01707 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:CITY OF WINNIPEG 1120 WAVERLET ST. WINNIPEG, MB R3T0P4 CANADA Canada

ATTN:Kimsong Bun Phone:204-619-4171 FOR: A23-B1

## **CERTIFICATE OF ANALYSIS**

**PAGE**: 3 / 3

**PROJECT NO:** 

PO#:677586 LAB NUMBER:3337017 SAMPLE ID:A23-B1 SAMPLE MATRIX:COMPOST DATE SAMPLED:2023-11-27 DATE RECEIVED:2023-11-29 DATE REPORTED: DATE PRINTED:2023-12-07

PARAMETER	Result Dry Weight	Result As Received	UNIT	DETECTION LIMIT	N METHOD REFERENCE
Total Solids (as received)		73.62	%	0.10	Gravimetric
Nitrogen & Carbon					
Total Organic Carbon		24.76	%	0.10	Combustion
Ammonia (NH3/NH4-N)	345.97	254.70	ug/g	.01	Colourimetric
Metals					
Potassium	11082.90	8159.23	ug/g	5.00	TMECC.04.04*
Total Potassium (as K20)	1.34	0.99	%	0.05	ICP
Phosphorus	2942.55	2166.31	ug/g	5.00	TMECC.04.03 *
Total Phosphorus (as P205)	0.67	0.49	%	0.05	ICP
Aluminum	2936.64	2161.95	ug/g	5.00	TMECC.04.07 *
Boron	59.27	43.63	ug/g	1.00	TMECC.04.05 *
Calcium	9.69	7.13	%	0.01	TMECC.04.05*
Iron	5385.22	3964.60	ug/g	5.00	TMECC.04.05 *
Magnesium	4.35	3.20	%	0.01	TMECC.04.05 *
Manganese	174.98	128.82	ug/g	1.00	TMECC.04.05 *
Sodium	0.07	0.05	%	0.01	TMECC.04.05 *
Sulphur	2399.51	1766.52	ug/g	5.00	TMECC.04.05 *
Additional Parameters		·			
Bulk Density (as Recieved)		525	kg/m3	10	Gravimetric

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed. All results are released based on acceptable QC data.

**Results Authorized By:** 

C23333-70012

Haifeng Song, Ph.D., C.Chem. Lab Director

<sup>\* -</sup> accredited test