

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
A.	CSR - ROW BETWEEN CEDAR PL AND HEMLOCK LANE - (SEWER ID # 19950) - 1ST MH NE OF MH AT HEMLOCK LANE (MH # 19949) TO MH AT CEDAR PL (MH # 19940)					
	Sewer Installation					
A.1	Combined Sewers a) 375 mm i) Trenchless installation, Class B Type 2 Bedding, Class 3 Backfill	CW 2130-R8	73.9	lm		
A.2	Manhole Inspection	CW 2145-R1	1.0	each		
A.3	Connecting to Existing Manholes a) 375 mm	CW 2130-R8	1.0	each		
A.4	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R8	9.0	each		
A.5	Abandoning Existing Sewers With Cement-Stabilized Flowable Fill a) 375 mm	CW 2130-R8	8.5	cm		
A.6	Removal of Existing Manholes	CW 2130-R8	1.0	each		
A.7	Construction of Asphalt Patches	CW 2130-R8 & CW 3410 R5	5.0	sm		
A.8	New Manhole on Existing Sewer a) SD-010	CW 2130-R8	4.5	vm		
A.9	Sodding a) Width > 600 mm	CW 2130-R8 CW 3510-R7	435.0	sm		
	Total - ROW between Cedar Pl and Hemlock Lane - (Sewer ID # 19950) - CSR					

 Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
B.	CSR - WALMER ST (CL) - (SEWER ID'S # 20014, 20016 & 20017) - MH AT LYNDALDE CR (MH # 20013) TO MH AT BIRCHDALE AV (MH # 20018)					
	Sewer Installation					
B.1	a) Combined Sewers	CW 2130-R8				
	1) 600 mm		98.6	lm		
	i) Trenchless installation, Class B Type 2 Bedding, Class 3 Backfill					
	b) Land Drainage Sewers (CB Lead)	CW 2130-R8				
	1) 250 mm		11.6	lm		
	i) Trenchless installation, Class B Type 2 Bedding, Class 3 Backfill					
B.2	Sewer Services	CW 2130-R8				
	a) 150 mm		2.0	lm		
	i) Trenchless installation, Class B Type 2 Bedding, Class 3 Backfill					
B.3	Sewer Service Risers	CW 2130-R8				
	a) 150 mm		2.0	vm		
	ii) SD-015					
B.4	Manhole	CW 2130-R8				
	a) SD-011		5.0	vm		
B.5	New Manhole on Existing Sewer	CW 2130-R8				
	a) SD-011		5.0	vm		
B.5	Abandoning Existing Manholes	CW 2130-R8				
			2.0	each		
B.6	Abandoning Existing Sewers With Cement-Stabilized Flowable Fill	CW 2130-R8				
	a) 600 mm		52.9	cm		
	b) 450 mm		1.2	cm		
B.7	Connecting Existing Sewer Service to New Sewer	CW 2130-R8				
	a) 150 mm		1.0	each		
B.8	Connecting to Existing Catch Basin	CW 2130-R8				
	a) 250 mm		2.0	each		
B.9	Connecting to Existing Manholes	CW 2130-R8				
	a) 600 mm		2.0	each		
B.10	Connecting to Existing Sewer	CW 2130-R8				
	a) 600mm pvc connecting pipe to 1500mm concrete sewer		1.0	each		
B.11	Partial Slab Patches					
	a) 150 mm Concrete Pavement	CW 2130-R8 & CW 3230-R4	0.0	sm		
B.12	Construction of Asphaltic Concrete Pavement, Type II					
	a) Main Line Paving	CW 2130-R8 & CW 3410 R5	15.0	tonne		
B.13	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres	CW 2130-R8				
	a) 150 mm		3.0	each		
	Total - Walmer St (CL) - (Sewer ID's # 20014, 20016 & 20017) CSR's					

Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
C.	CSR - TACHE AV (CL) (SEWER ID # 19807) - MH AT EUGENIE ST (MH # 19806) TO MH AT KITSON ST (CL) (MH # 19808) EPR - TACHE AV (SEWER ID # 19843) - MH AT EUGENIE ST (MH # 19806) TO MH AT HORACE ST (MH # 19844) EPR - TACHE AV (SEWER ID # 19816) - MH AT KITSON ST (S OF CL) (MH # 19815) TO MH AT HANBURY ST (MH # 19817) Sewer Installation					
C.1	Combined Sewers a) 300 mm i) Trenchless installation, Class B Type 2 Bedding, Class 3 Backfill	CW 2130-R8	99.1	lm		
C.2	Sewer Repair - Up to 3.0 Metres Long a) 375 mm i) Class 3 Backfill	CW 2130-R8	2.0	each		
C.3	Manhole Inspection	CW 2145-R1	3.0	each		
C.4	Sewer Inspection a) Combined Sewer i) 375 mm	CW 2145-R1	201.0	lm		
C.5	Sewer Services a) 150 mm i) Trenchless installation, Class B Type 2 Bedding, Class 3 Backfill	CW 2130-R8	8.0	lm		
C.6	Sewer Service Risers a) 150 mm i) SD-015	CW 2130-R8	8.0	vm		
C.7	Connecting to Existing Catch Basins a) 250 mm	CW 2130-R8	1.0	each		
C.8	Connecting Existing Sewer Service to New Sewer a) 150 mm	CW 2130-R8	6.0	each		
C.9	New Manhole on Existing Sewer a) SD-010	CW 2130-R8	5.0	vm		
C.10	Connecting to Existing Manholes a) 300 mm	CW 2130-R8	1.0	each		
C.11	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R8	33.0	each		
C.12	Partial Slab Patches a) 200 mm Concrete Pavement	CW 2130-R8 & CW 3230-R4	390.0	sm		
C.13	Construction of Asphaltic Concrete Pavement, Type II a) Main Line Paving	CW 2130-R8 & CW 3410 R5	94.0	tonne		
C.14	Abandoning Existing Sewers With Cement-Stabilized Flowable Fill a) 300 mm	CW 2130-R8	10.6	cm		
C.15	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres a) 150 mm	CW 2130-R8	3.0	each		
C.16	Abandoning Existing Manholes	CW 2130-R8	1.0	each		
C.17	Reform Benching (SD-010)	CW 2130-R8	2.0	each		
C.18	Patching Existing Manholes	CW 2130-R8	0.8	vm		
	Total - Tache Av CSR - (Sewer ID's # 19807, 19843 & 19816) CSR & Two EPR's					

Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
D.	EPR - DES Meurons ST (CL) - (SEWER ID # 19192) - MH AT YELLE ST (MH ID # 19191) TO 1ST MH S OF YELLE ST (MH ID # 19193)					
	EPR - DES Meurons ST (CL) - (SEWER ID # 19446) - MH AT MARION ST (CL) (MH ID # 19220) TO MH AT HORACE ST (CL) (MH ID # 19447)					
D.1	Sewer Repair - Up to 3.0 m long a) 375 mm i) Class 3 Backfill	CW 2130-R8	2.0	each		
D.2	Manhole Inspection	CW 2145-R1	2.0	each		
D.3	Sewer Inspection a) Combined Sewer i) 375 mm	CW 2145-R1	185.5	lm		
D.4	Connecting Existing Sewer Service to New Sewer a) 150 mm	CW 2130-R8	1.0	each		
D.5	Replacing Existing Manhole Frames and Covers i) AP-004 - Manhole Frame ii) AP-005 - Manhole Cover (Solid)	CW 2130-R8	1.0 1.0	each each		
D.6	Reform Benching (SD-010)	CW 2130-R8	2.0	each		
D.7	Remove existing plug in combined sewer	CW 2130-R8	1.0	each		
D.8	Partial Slab Patches a) 200 mm Concrete Pavement	CW 2130-R8 & CW 3230-R4	18.5	sm		
D.9	Construction of Asphaltic Concrete Pavement, Type II a) Main Line Paving	CW 2130-R8 & CW 3410 R5	4.5	tonne		
	Total DES Meurons ST (CL) - (SEWER ID's # 19192 & 19446) - Two EPR's					

 Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
E.	EPR - BIRCHDALE AV (CL)- (SEWER ID # 20024) - 2ND MH N OF LYNDALDE CR (MH ID # 20023) TO MH AT CONISTON ST (CL) (MH ID # 20025)					
	EPR - BIRCHDALE AV - (SEWER ID # 20033) - 1ST MH N OF HIGHFIELD ST (MH ID # 20032) TO MH AT KIRKDALE ST (MH ID # 20034)					
E.1	Sewer Repair - Up to 3.0 m long a) 300 mm i) Class 3 Backfill b) 450 mm i) Class 3 Backfill	CW 2130-R8	1.0	each		
E.2	Sewer Repair - In Addition to the First 3.0 metres a) 450 mm i) Class 3 Backfill	CW 2130-R8	1.6	lm		
E.3	Manhole Inspection	CW 2145-R1	3.0	each		
E.4	Sewer Inspection a) Combined Sewer i) 300 mm ii) 450 mm	CW 2145-R1	95.9 93.2	lm lm		
E.5	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R8	26.0	each		
E.6	Reform Benching (SD-010)	CW 2130-R8	1.0	each		
E.7	Partial Slab Patches a) 150 mm Concrete Pavement	CW 2130-R8	22.0	sm		
E.8	Construction of Asphaltic Concrete Pavement, Type II a) Main Line Paving	CW 2130-R8 & CW 3410 R5	5.0	tonne		
	Total - Birchdale Av - (SEWER ID's # 20024 & 20023) - Two EPR's					

 Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
F.	EPR - DUBUC ST - (SEWER ID # 19569) - MH AT HILL ST (MH ID # 8713) TO MH AT BRAEMAR ST (E OF CL) (MH ID # 19570)					
F.1	Sewer Repair - Up to 3.0 m long a) 450 mm i) Class 3 Backfill	CW 2130-R8	1.0	each		
F.2	Manhole Inspection	CW 2145-R1	1.0	each		
F.3	Sewer Inspection a) Combined Sewer i) 450 mm	CW 2145-R1	96.0	lm		
F.4	Replacing Existing Manhole Frames and Covers i) AP-004 - Manhole Frame ii) AP-005 - Manhole Cover (Solid)	CW 2130-R8	1.0 1.0	each each		
F.5	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R8	17.0	each		
F.6	Patching Existing Manholes	CW 2130-R8	1.0	vm		
F.7	Partial Slab Patches a) 150 mm Concrete Pavement	CW 2130-R8	0.0	sm		
F.8	Construction of Asphaltic Concrete Pavement, Type II a) Main Line Paving	CW 2130-R8 & CW 3410 R5	1.5	tonne		
	Total - Dubuc St - (Sewer ID # 19569) - EPR					

 Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
G.	EPR'S - LYNDALE DR - (SEWER ID # 20135) - 2ND MH S OF MARION PL (MH ID # 20136) TO 1ST MH S OF MARION PL (MH ID # 20137)					
	EPR'S - LYNDALE DR - (SEWER ID # 20138) - 1ST MH S OF MARION PL (MH ID # 20137) TO MH AT MARION PL (MH ID # 20139)					
G.1	Sewer Repair - Up to 3.0 m long a) 375 mm i) Class 3 Backfill	CW 2130-R8	4.0	each		
G.2	Sewer Repair - In Addition to the First 3.0 metres a) 375 mm i) Class 3 Backfill	CW 2130-R8	11.8	lm		
G.3	Manhole Inspection	CW 2145-R1	3.0	each		
G.4	Sewer Inspection a) Combined Sewer i) 375 mm	CW 2145-R1	167.8	lm		
G.5	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R8	39.0	each		
G.6	Connecting Existing Sewer Service to New Sewer a) 150 mm	CW 2130-R8	1.0	each		
G.7	Reform Benching (SD-010)	CW 2130-R8	1.0	each		
G.8	Partial Slab Patches a) 150 mm Concrete Pavement	CW 2130-R8 & CW 3230-R4	62.0	sm		
G.9	Construction of Asphaltic Concrete Pavement, Type II a) Main Line Paving	CW 2130-R8 & CW 3410 R5	15.0	tonne		
	Total - Lyndale Dr - (Sewer ID's 20135 & 20138) - Four EPR's					

 Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
H.	EPR'S - MARION ST - (SEWER ID # 19439) - MH AT DES MEURONS ST (MH ID # 19440) TO NODE AT ENFIELD CR (MH ID # 19441)					
	Sewer Installation					
H.1	Combined Sewers a) 300 mm i) Trenchless installation, Class B Type 2 Bedding, Class 3 Backfill	CW 2130-R8	12.2	lm		
H.2	Sewer Repair - Up to 3.0 m long a) 300 mm i) Class 3 Backfill	CW 2130-R8	1.0	each		
H.3	Sewer Repair - In Addition to the First 3.0 metres a) 300 mm i) Class 3 Backfill	CW 2130-R8	8.2	lm		
H.4	Sewer Inspection a) Combined Sewer i) 300 mm	CW 2145-R1	66.5	lm		
H.5	Connecting to Existing Manholes a) 300 mm	CW 2130-R8	1.0	each		
H.6	Connecting Existing Sewer Service to New Sewer a) 150 mm	CW 2130-R8	1.0	each		
H.7	Abandoning Existing Sewers With Cement-Stabilized Flowable Fill a) 300 mm	CW 2130-R8	0.8	cm		
H.8	Partial Slab Patches a) 200 mm Concrete Pavement	CW 2130-R8 & CW 3230-R4	47.0	sm		
H.9	Construction of Asphaltic Concrete Pavement, Type II a) Main Line Paving	CW 2130-R8 & CW 3410 R5	11.0	tonne		
H.10	New Manhole on Existing Sewer a) SD-010	CW 2130-R8	5.0	vm		
H.11	Watermain Repair – Up to 3.0 Metres Long a) 150mm i) Class 3 Backfill	CW 2110-R7 each	1.0	each		
H.12	Watermain and Water Service Insulation a) In a trench i) 50 mm thick ii) 75 mm thick	CW 2110-R7	5.0 5.0	lm lm		
85 H.13	Fittings b) Bends (SD-005) i) 150mm - 45 degrees	CW 2110-R7	4.0	each		
	Total - Marion St - (Sewer ID 19439) - Two EPR's & WM Repair					

 Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
I.	EPR - LUXTON AV (ROW) - (SEWER ID # 17256) - 4TH MH E OF MAIN ST (MH ID # 17255) TO MH AT ST CROSS ST (CL) (MH ID # 17257)					
	Sewer Installation					
I.1	Land Drainage Sewer (CB Lead) a) 250 mm i) Trenchless installation, Class B Type 2 Bedding, Class 3 Backfill	CW 2130-R8	11.8	lm		
I.2	Sewer Repair - Up to 3.0 m long a) 375 mm i) Class 3 Backfill	CW 2130-R8	1.0	each		
I.3	Sewer Repair - In Addition to the First 3.0 metres a) 375 mm i) Class 3 Backfill	CW 2130-R8	0.4	lm		
I.4	Manhole Inspection	CW 2145-R1	2.0	each		
I.5	Sewer Inspection a) Combined Sewer i) 375 mm	CW 2145-R1	111.9	lm		
I.6	Connecting Existing Sewer Service to New Sewer a) 150 mm	CW 2130-R8	2.0	each		
I.7	Connecting to Existing Catch Basin a) 250 mm	CW 2130-R8	2.0	each		
I.8	Connecting to Existing Sewer a) 250mm PVC connecting pipe to 375mm sewer	CW 2130-R8	1.0	each		
I.9	Partial Slab Patches a) 150 mm Concrete Pavement	CW 2130-R8 & CW 3230-R4	43.0	sm		
I.10	Construction of Asphaltic Concrete Pavement, Type II a) Main Line Paving	CW 2130-R8 & CW 3410 R5	10.0	tonne		
I.11	Patching Existing Manholes	CW 2130-R8	1.0	vm		
	Total - Luxton Av (ROW) - (Sewer ID 17256) - One EPR					

 Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
J.	EPR - MONTAGUE AV - (SEWER ID # 18843) - 1ST MH W OF NASSAU ST (MH ID # 18842) TO MH AT CHURCHILL DR (MH ID # 18839)					
J.1	Sewer Repair - Up to 3.0 m long a) 300 mm i) Class 3 Backfill	CW 2130-R8	1.0	each		
J.2	Manhole Inspection	CW 2145-R1	1.0	each		
J.3	Sewer Inspection a) Combined Sewer i) 300 mm	CW 2145-R1	90.3	lm		
J.4	Reform Benching (SD-010)	CW 2130-R8	1.0	each		
J.5	Partial Slab Patches a) 150 mm Concrete Pavement	CW 2130-R8 & CW 3230-R4	9.0	sm		
J.6	Construction of Asphaltic Concrete Pavement, Type II a) Main Line Paving	CW 2130-R8 & CW 3410 R5	2.0	tonne		
	Total - Montague Av - (Sewer ID 18843) - One EPR					

 Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
K.	EPR'S - ST. JAMES ST - (SEWER ID # 19061) - 5TH MH S OF MAROONS RD (MH ID # 19062) TO 4TH MH S OF MAROONS RD (MH ID # 19063)					
K.1	Sewer Repair - Up to 3.0 m long a) 300 mm i) Class 1 Backfill	CW 2130-R8	2.0	each		
K.2	Manhole Inspection	CW 2145-R1	2.0	each		
K.3	Sewer Inspection a) Combined Sewer i) 300 mm	CW 2145-R1	86.3	lm		
K.4	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R8	20.0	each		
K.5	Replacing Existing Manhole Frames and Covers i) AP-004 - Manhole Frame ii) AP-005 - Manhole Cover (Solid)	CW 2130-R8	2.0 2.0	each each		
K.6	Connecting Existing Sewer Service to New Sewer a) 150 mm	CW 2130-R8	1.0	each		
K.7	Partial Slab Patches a) 200 mm Concrete Pavement	CW 2130-R8 & CW 3230-R4	18.0	sm		
K.8	Construction of Asphaltic Concrete Pavement, Type II a) Main Line Paving	CW 2130-R8 & CW 3410 R5	4.0	tonne		
	Total - St. James St - (Sewer ID 19061) - Two EPR's					

 Name of Bidder

FORM B: PRICES (Rev 1)
 (See B9)

2004 COMBINED SEWER RENEWALS AND REPAIRS - CONTRACT 10

ITEM NO.	DESCRIPTION	SPEC. REF.	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
L.	PROVISIONAL ITEMS					
	Sewer Installation					
L.1	Sewer Cleaning	CW 2140-R1				
	a) Combined Sewer					
	i) 300 mm		5.0	lm		
	ii) 375 mm		5.0	lm		
	iii) 450 mm		5.0	lm		
L.2	Cement-Stabilized Backfill Material		8.0	cm		
L.3	Miscellaneous Concrete Slab Renewal	CW 3235-R4				
	1) Sidewalk					
	i) Less than or equal to 5 sq. m		5.0	sm		
	ii) Greater than 5 and less than 20 sq. m		10.0	sm		
L.4	Patching Existing Manholes	CW 2130-R8	5.0	vm		
L.5	Patching Existing Catchbasins	CW 2130-R8	5.0	vm		
L.6	Replacing Existing Catch Basin Hoods	CW 2130-R8	5.0	each		
L.7	New Manhole on Existing Sewer	CW 2130-R8				
	a) SD-010		5.0	vm		
L.8	Sodding	CW 2130-R8				
	a) Width < 600 mm	CW 3510-R7	50.0	sm		
L.9	Planing of Pavement	CW 2130-R8				
	a) 0-50 mm Depth (Asphalt)	CW 3510-R7	360.0	sm		
	Total Provisional					
TOTAL BID PRICE (GST extra) (in figures)					\$	
(in words)						

 Name of Bidder