


ROOF FRAMING PLAN – BIOREACTOR 2
SCALE : 1:100

- NOTES:**
- EXISTING CONCRETE SURFACE TO BE INTENTIONALLY ROUGHENED TO A FULL AMPLITUDE OF 5mm & TO BE CLEAN, SOUND & FREE OF LAINTANCE. EXISTING CONC. TO BE IN A S.S.D. CONDITION FOR 24 HOURS PRIOR TO CASTING OF CONCRETE INFILL WALLS/BEAMS (SEE SECTION 1 SHEET SS3.03). TYPICAL AT NEW & EXISTING INTERSECTION POINTS FOR: CB-1, CB-2, CB-3, CC-1, SL-1 & CW-6
 - SHORE EXISTING PRECAST DOUBLE TEE'S AS REQUIRED TO SUIT NEW CONSTRUCTION.



B.M. ELEV.		 A Tyco International Ltd. Company		ENGINEER'S SEAL	
				ORIGINAL SIGNED BY J. BETKE 2006/04/26	
DESIGNED BY	AA/JB	CHECKED BY	AA/JB	CONSULTANT DRAWING NO. SS2.04	
DRAWN BY	WDB	APPROVED BY	JEH		
HOR. SCALE: AS NOTED		RELEASED FOR CONSTRUCTION BY: J. VEILLEUX			
VERTICAL SCALE:					
NO. REVISIONS	DATE	BY	DATE	2005/11/15	2006/04/26

THE CITY OF WINNIPEG
 WATER AND WASTE DEPARTMENT
 ENGINEERING DIVISION

WEWPCB
 BIOLOGICAL NUTRIENT REMOVAL UPGRADE
 CONTRACT 3

STRUCTURAL
 AREA S – BIOREACTOR 2
 ROOF FRAMING PLAN & SCHEDULES

CITY FILE NUMBER
 SHEET OF
 CITY DRAWING NUMBER