



282-2006 ADDENDUM 1

PROVISION OF ROOF REPLACEMENT AT WINNIPEG TRANSIT
DEPARTMENT 421 OSBORNE STREET

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: May 08, 2006
BY: Coleen Groening
TELEPHONE NO. (204) 986-2491

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20050506

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

- Revise: E2.3 (a) to read: "This shall be 2 ply Kraft Laminate with asphalt (reinforced with glass fibre strands)."
- E2.4 (a) to read: "1 ½" Poly-iso insulation and ½" fibreboard."
- E2.7 (a) (i) "Membrane: Four plies of # 15 perforated asphalt felt and gravel."