



## 371-2006 ADDENDUM 1

### SUPPLY AND DELIVERY OF SHELTER GLASS

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: September 22, 2006  
BY: Ken M. Stelmack, C.P.P., C.P.M., C.I.M.  
TELEPHONE NO. (204) 986-2293

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20060821

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.**

---

#### **PART E – SPECIFICATIONS**

Revise: E2.2 to read: Item No's. 1 – 4 in Section A shall be a clear (Armolite) tempered glass five (5) mil in thickness, and all edges shall be flat ground, the sizes are as follows:

- (a) 18  $\frac{3}{4}$ " (w) x 28  $\frac{3}{4}$ " (L)
- (b) 18  $\frac{3}{4}$ " (w) x 31  $\frac{1}{4}$ " (L)
- (c) 18  $\frac{3}{4}$ " (w) x 32  $\frac{3}{4}$ " (L)
- (d) 18  $\frac{3}{4}$ " (w) x 41  $\frac{1}{4}$ " (L)

Revise E2.3 to read: Item No's. 5 - 7 in Section B shall be a clear (Armolite) tempered glass 10 mil, in thickness and all edges shall be flat ground. All material supplied shall have a one (1") inch blue safety stripe across the width of the glass at the midway point, the sizes are as follows:

- (a) 28" (w) x 82" (L)
- (b) 44" (w) x 82" (L)
- (c) 57  $\frac{3}{4}$ " (w) x 82" (L)