



458-2006 ADDENDUM 3

SUPPLY AND INSTALLATION OF CONSOLE WORKSTATION FURNITURE FOR THE CITY OF WINNIPEG EMERGENCY COMMUNICATIONS CENTRE @ 700 ASSINIBOINE PART DRIVE.

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: October 23, 2006
BY: Rachel Eccles
TELEPHONE NO. (204) 986-2451

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20060821

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART D – SUPPLEMENTAL CONDITIONS

Revise: D12.1 to read: The Contractor shall achieve Total Performance by **March 16, 2007**.

PART E – SPECIFICATIONS

Revise: E3.4(c) to read: be minimum height adjustable **to cover the range for the 5th percentile person in the sitting position to the 95th percentile person in the standing position.** The height adjustment shall be continuous through **this** range. **The** monitor surface shall be able to maintain –15 to +20 degree viewing angle throughout the adjustment range. **The Bidder shall provide details on how the proposed solution meets this standard.**