



DESIGN LOADS:

CRAWLSPACE		
A.) DEAD LOADS:	.1) STRUCTURE SELF WEIGHT	0.75 kPa
	.2) SUPERIMPOSED =	
B.) LIVE LOADS:	.1) OCCUPANCY (ELECT., SAMPLE & CONTROL RMS)	4.8 kPa
	.2) OCCUPANCY (BLOWER RM.)	4.8 kPa



NO.	REVISIONS	DATE	BY	DATE	2006/06/16
03	498-2006 ADDENDUM 6	06/10/16	GGP		
02	498-2006 ADDENDUM 4	06/10/10	KK		
01	498-2006 ADDENDUM 2	06/09/22	KK		
00	ISSUED FOR TENDER	06/08/28	KK		

CH2MHILL Frederickson Cooper ARCHITECTS		EarthTech A Tyco International Ltd. Company	
DESIGNED BY:	AP/GGP	CHECKED BY:	MK
DRAWN BY:	KK	APPROVED BY:	AHL
SCALE:	AS SHOWN	RELEASED FOR CONSTRUCTION BY: R. SOROKOWSKI	
DATE	2006/06/16	DATE	2006/08/30

ENGINEER'S SEAL	ORIGINAL SIGNED BY	A. POCHANART
	DATE	2006/08/30
CONSULTANT DRAWING NO.	WG-S0100	

THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENGINEERING DIVISION

Winnipeg

**WATER TREATMENT PLANT
STANDBY POWER GENERATOR**

STRUCTURAL
PILING PLAN AND FOUNDATION PLAN

CITY FILE NUMBER
SHEET OF
CITY DRAWING NUMBER
1-0601G-A-S0100-001-030