

FORM A: BID
(See B8)

1. Contract Title 2013 WATERMAIN RENEWALS - CONTRACT 3

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. _____ Dated _____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part A: Dugald Rd.						
Surface Restorations						
A.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	150 mm reinforced concrete pavement		sq.m.	50		
ii)	200 mm reinforced concrete pavement		sq.m.	50		
A.2	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A		sq. m.	100		
Watermain Renewal						
A.3	Watermain Renewal	CW 2110				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	25		
b)	300 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	110		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	235		
A.4	Hydrant Assembly	CW 2110				
a)	SD-006		each	4		
A.5	Watermain Valve	CW 2110				
a)	150 mm		each	2		
b)	300 mm		each	3		
A.6	Fittings	CW 2110				
a)	Tees					
i)	300x300x150		each	2		
b)	Bends					
i)	300 mm - 11¼° to 45°		each	2		
A.7	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	300 mm watermain		each	2		
b)	Perpendicular Connection - No Plug Existing					
i)	150 mm watermain		each	2		
A.8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19 mm		each	9		
A.9	Water Services	CW 2110				
a)	19 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	20		
A.10	Corporation Stops	CW 2110				
a)	19 mm		each	9		
A.11	Curb Stops	CW 2110				
a)	19 mm		each	1		
A.12	Curb Stop Boxes	CW 2110				
a)	19 mm		each	1		
A.13	Continuity Bonding	CW 2110				
			each	1		
A.14	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	8		
b)	On Metallic Watermains		each	3		
Part A: Dugald Rd.						Subtotal Part A: _____

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part B: Elizabeth Rd.						
Surface Restorations						
B.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	150 mm reinforced concrete pavement		sq.m.	20		
ii)	200 mm reinforced concrete pavement		sq.m.	30		
B.2	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk		sq.m.	100		
B.3	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A		lin.m.	20		
ii)	Modified Barrier Curb SD-206A		lin.m.	5		
iii)	Ramp Curb SD-229C & SD-202B		lin.m.	16.5		
B.4	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A		sq. m.	50		
Watermain Renewal						
B.5	Watermain Renewal	CW 2110				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	10		
b)	200 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	30		
c)	250 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	20		
d)	300 mm On-Line					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	75		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	175		
e)	300 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	25		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	50		
B.6	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
b)	SD-007		each	4		
B.7	Watermain Valve	CW 2110				
a)	150 mm		each	1		
b)	250 mm		each	1		
c)	300 mm		each	3		
B.8	Fittings	CW 2110				
a)	Tees					
i)	300x300x150		each	2		
ii)	300x300x250		each	1		
b)	Crosses					
i)	200x200x300x300		each	1		
c)	Bends					
i)	200 mm - 11¼° to 45°		each	2		
ii)	300 mm - 11¼° to 45°		each	2		
B.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	200 mm watermain		each	2		
ii)	300 mm watermain		each	2		
b)	Perpendicular Connection - No Plug Existing					
i)	150 mm watermain		each	2		
ii)	250 mm watermain		each	1		

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19 mm		each	28		
B.11	Water Services	CW 2110				
a)	19 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	40		
B.12	Corporation Stops	CW 2110				
a)	19 mm		each	28		
B.13	Curb Stops	CW 2110				
a)	19 mm		each	1		
B.14	Curb Stop Boxes	CW 2110				
a)	19 mm		each	1		
B.15	Continuity Bonding	CW 2110				
			each	1		
B.16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	28		
b)	On Metallic Watermains		each	1		
Part B: Elizabeth Rd.		Subtotal Part B: _____				

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part C: Government Ave.						
Surface Restorations						
C.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	150 mm reinforced concrete pavement		sq.m.	80		
ii)	200 mm reinforced concrete pavement		sq.m.	25		
C.2	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk		sq.m.	100		
C.3	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A		lin.m.	75		
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	20		
C.4	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A		sq. m.	100		
Watermain Renewal						
C.5	Watermain Renewal	CW 2110				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	230		
b)	200 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	25		
C.6	Hydrant Assembly	CW 2110				
a)	SD-007		each	3		
C.7	Watermain Valve	CW 2110				
a)	150 mm		each	4		
b)	200 mm		each	1		
C.8	Fittings	CW 2110				
a)	Bends					
i)	150 mm - 11¼° to 45°		each	4		
ii)	200 mm - 11¼° to 45°		each	4		
b)	Crosses					
i)	150x150x200x200		each	1		
C.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150 mm watermain		each	2		
ii)	200 mm watermain		each	2		
C.10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19 mm		each	24		
C.11	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	30		
C.12	Corporation Stops	CW 2110				
a)	19 mm		each	24		
C.13	Curb Stops	CW 2110				
a)	19 mm		each	1		
C.14	Curb Stop Boxes	CW 2110				
a)	19 mm		each	1		
C.15	Continuity Bonding	CW 2110				
			each	1		
C.16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	24		
b)	On Metallic Watermains		each	4		
Part C: Government Ave.						
Subtotal Part C:						

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part D: Kildare Ave. E.						
Surface Restorations						
D.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	150 mm reinforced concrete pavement		sq.m.	10		
ii)	200 mm reinforced concrete pavement		sq.m.	10		
D.2	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk		sq.m.	20		
D.3	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A		lin.m.	10		
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	5		
D.4	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A		sq. m.	20		
Watermain Renewal						
D.5	Watermain Renewal	CW 2110				
a)	200 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	20		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	5		
b)	300 mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	185		
D.6	Hydrant Assembly	CW 2110				
a)	SD-006		each	2		
D.7	Watermain Valve	CW 2110				
a)	300 mm		each	2		
D.8	Fittings	CW 2110				
a)	Bends					
i)	300 mm - 11¼° to 45°		each	4		
b)	Tees					
i)	300x300x200		each	1		
D.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	200 mm watermain		each	1		
ii)	300 mm watermain		each	2		
D.10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19 mm		each	13		
D.11	Water Services	CW 2110				
a)	19 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	25		
D.12	Corporation Stops	CW 2110				
a)	19 mm		each	13		
D.13	Curb Stops	CW 2110				
a)	19 mm		each	1		
D.14	Curb Stop Boxes	CW 2110				
a)	19 mm		each	1		
D.15	Continuity Bonding	CW 2110				
			each	1		
D.16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	14		
Part D: Kildare Ave. E.			Subtotal Part D: _____			

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part E: Lagimodiere Blvd.						
	Surface Restorations					
E.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	200mm reinforced concrete pavement for early opening (24hours)		sq.m.	15		
E.2	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A		sq. m.	15		
	Watermain Renewal					
E.3	Watermain Renewal	CW 2110				
a)	300 mm On-Line					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	10		
E.4	Watermain Valve	CW 2110				
a)	300 mm		each	1		
E.5	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	300mm watermain		each	2		
Part E: Lagimodiere Blvd.					Subtotal Part E: _____	

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part F: Sydney Ave.						
Surface Restorations						
F.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	150mm reinforced concrete pavement		sq.m.	150.0		
ii)	200mm reinforced concrete pavement		sq.m.	5.0		
F.2	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk		sq.m.	75.0		
F.3	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A		lin.m.	80.0		
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	10.0		
F.4	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A		sq. m.	150.0		
Watermain Renewal						
F.5	Watermain Renewal	CW 2110				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	255.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	65.0		
F.6	Hydrant Assembly	CW 2110				
a)	SD-006		each	5.0		
F.7	Watermain Valve	CW 2110				
a)	150 mm		each	6.0		
F.8	Fittings	CW 2110				
a)	Bends					
i)	150mm - 11¼° to 45°		each	8.0		
F.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		each	3.0		
F.10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	31.0		
F.11	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	25.0		
F.12	Corporation Stops	CW 2110				
a)	19mm		each	31.0		
F.13	Curb Stops	CW 2110				
a)	19mm		each	1.0		
F.14	Curb Stop Boxes	CW 2110				
a)	19mm		each	1.0		
F.15	Continuity Bonding	CW 2110				
			each	1.0		
F.16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	30.0		
Part F: Sydney Ave.						Subtotal Part F: _____

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part G: Watt St.						
Surface Restorations						
G.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	150 mm reinforced concrete pavement		sq.m.	10.0		
ii)	200 mm reinforced concrete pavement		sq.m.	50.0		
G.2	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk		sq.m.	50.0		
G.3	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A		lin.m.	25.0		
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	10.0		
G.4	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A		sq. m.	60.0		
Watermain Renewal						
G.5	Watermain Renewal	CW 2110				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	20.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	10.0		
b)	200 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	100.0		
G.6	Hydrant Assembly	CW 2110				
a)	SD-007		each	1.0		
G.7	Watermain Valve	CW 2110				
a)	150 mm		each	2.0		
b)	200 mm		each	1.0		
G.8	Fittings	CW 2110				
a)	Bends					
i)	150 mm - 11¼° to 45°		each	4.0		
ii)	200 mm - 11¼° to 45°		each	2.0		
b)	Crosses					
i)	200x200x150x150		each	1.0		
G.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150 mm watermain		each	2.0		
ii)	200 mm watermain		each	2.0		
G.10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19 mm		each	5.0		
G.11	Water Services	CW 2110				
a)	19 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	20.0		
G.12	Corporation Stops	CW 2110				
a)	19 mm		each	5.0		
G.13	Curb Stops	CW 2110				
a)	19 mm		each	1.0		
G.14	Curb Stop Boxes	CW 2110				
a)	19 mm		each	1.0		
G.15	Continuity Bonding	CW 2110				
			each	1.0		
G.16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	4.0		
b)	On Metallic Watermains		each	2.0		
Part G: Watt St.						
						Subtotal Part G: _____

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part H: Winterton Ave / Roch St.						
Surface Restorations						
H.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	150mm reinforced concrete pavement		sq.m.	120.0		
ii)	200mm reinforced concrete pavement		sq.m.	25.0		
H.2	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk		sq.m.	75.0		
H.3	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A		lin.m.	75.0		
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	20.0		
H.4	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A		sq. m.	60.0		
H.5	Watermain Renewal	CW 2110				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	205.0		
b)	250 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	35.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	65.0		
c)	300 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	5.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	5.0		
H.6	Hydrant Assembly	CW 2110				
a)	SD-007		each	3.0		
H.7	Watermain Valve	CW 2110				
a)	150 mm		each	3.0		
b)	250 mm		each	2.0		
c)	300 mm		each	1.0		
H.8	Fittings	CW 2110				
a)	Bends					
i)	150mm - 11¼° to 45°		each	4.0		
ii)	250mm - 11¼° to 45°		each	2.0		
H.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		each	2.0		
ii)	250mm watermain		each	2.0		
iii)	300mm watermain		each	2.0		
H.10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	30.0		
H.11	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	30.0		
H.12	Corporation Stops	CW 2110				
a)	19mm		each	30.0		
H.13	Curb Stops	CW 2110				
a)	19mm		each	2.0		
H.14	Curb Stop Boxes	CW 2110				
a)	19mm		each	2.0		
H.15	Continuity Bonding	CW 2110				
			each	1.0		
H.16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	29.0		
b)	On Metallic Watermains		each	3.0		
Part H: Winterton Ave / Roch St.					Subtotal Part H: _____	

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part I: Dunrobin Ave.						
Surface Restorations						
I.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	150 mm reinforced concrete pavement		50	sq.m.		
I.2	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk		75	sq.m.		
I.3	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A		50	lin.m.		
ii)	Modified Barrier Curb SD-206A		20	lin.m.		
iii)	Ramp Curb SD-229C & SD-202B		10	lin.m.		
I.4	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A		30	sq. m.		
I.5	Watermain Renewal	CW 2110				
a)	150 mm On-Line					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		190	lin. m.		
I.6	Hydrant Assembly	CW 2110				
a)	SD-007		2	each		
I.7	Watermain Valve	CW 2110				
a)	150 mm		1	each		
I.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150 mm watermain		2	each		
I.10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19 mm		28	each		
I.11	Water Services	CW 2110				
a)	19 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		35	lin.m.		
I.12	Corporation Stops	CW 2110				
a)	19 mm		28	each		
I.13	Curb Stops	CW 2110				
a)	19 mm		1	each		
I.14	Curb Stop Boxes	CW 2110				
a)	19 mm		1	each		
I.15	Continuity Bonding	CW 2110				
			1	each		
I.16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		27	each		
Part I: Dunrobin Ave.						
Subtotal Part I:						

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part J: Provisional						
J.1	Cement Stabilized Fill	CW 2030	cu m	50.0		
J.2	Sodding	CW 3510	sq.m.	60.0		
J.3	Watermain Renewal	CW 2110				
	Watermain renewal					
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	15.0		
J.4	Watermain Valve	CW 2110				
a)	150 mm		each	1.0		
J.5	Fittings	CW 2110				
a)	Tees					
i)	300x300x150		each	1.0		
b)	Vertical Bends					
i)	150 mm - 11¼° to 45°		each	1.0		
ii)	200 mm - 11 1/4° - 45° bend		each	1.0		
iii)	250 mm - 11 1/4° - 45° bend		each	1.0		
iv)	300 mm - 11 1/4° - 45° bend		each	1.0		
J.6	Connection To Existing Watermain	CW 2110				
a)	Perpendicular Connection - No Plug Existing					
i)	150 mm watermain		each	1.0		
J.7	Connect Existing Copper Water Services to New Watermains	CW 2110				
a)	38 mm		each	1.0		
b)	50 mm		each	1.0		
J.8	Water Services	CW 2110				
a)	38 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	20.0		
b)	50 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	20.0		
J.9	Corporation Stops	CW 2110				
a)	38 mm		each	1.0		
b)	50 mm		each	1.0		
J.10	Watermain & Service Insulation	CW 2110				
a)	In a Trench - 50 mm thick		lin.m.	10.0		
J.11	Regrading of Existing Sewer Services - up to 1.5 metres long	CW 2130 & CW 2110				
a)	150 mm Class 5 Backfill		each	10.0		
b)	250 mm Class 3 Backfill		each	2.0		
J.12	Regrading Existing Interlocking Paving Stone Installations	CW 3330	sq.m.	50.0		
J.13	Street Light Cable Installation	E3				
a)	Trenching		lin.m.	150.0		
b)	Coring		lin.m.	100.0		
J.14	Supply & Installation of Precast Sidewalk Blocks	CW 3234	sq.m.	50.0		
J.15	Hydro Vac excavation		each	10.0		
J.16	Remove and Replace Existing Catchbasins	CW 2130				
a)	SD-024		each	4.0		
J.17	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Overlays Type 1A		tonne	40.0		
J.18	Maintaining Curb Stop Excavations	CW 2110	day	2.0		
Part J: Provisional						
Subtotal Part I:						_____

FORM B(R1): PRICES (See B9) 2013 WATERMAIN RENEWALS - CONTRACT NO. 3						
UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
TOTAL BID PRICE (GST extra) (in figures)\$ _____						
(in words) _____						
						_____ Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 175-2013 - ADDENDUM 1

2013 WATERMAIN RENEWALS - CONTRACT 3

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 175-2013 - ADDENDUM 1

2013 WATERMAIN RENEWALS - CONTRACT 3

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 175-2013 - ADDENDUM 1
2013 WATERMAIN RENEWALS - CONTRACT 3

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 16th, 2013.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)