

FORM A: BID
Ú^ ÓÍ D

FÈ Ô[] dæóÁváj^

GEFHÁÜÖÖWÞCSÁPEÖÁŠUÔCSÁUVÜÖÖNVÁÚÜUÖÜCEÉ
ÚUÛVCEÖÖKOPWÓÖEJVÓUWÞÖÉUVÉUPÞÚÁCEÓVŠCEÖÖÁYCEY
VUÁUPÖÜÖWÞÁUVÜÖÖNVÉÜOPÖÖSQCEWÞ

GÈ Óæá^!

.....
Þæ^Á-Óæá^!
.....
W~æÁÓ~}á^••Áæ^Á-Óæá^!ÁæÁ}^æ•Á}ÁQç[æ^Áæá^!^}Á{Áæ[ç^D
.....
Úd^^c
.....
Óæ Ú[] çã &^ Ú[] •æÁÖ[] á^

Q æã *Áæá!^••Áæá^!^}D

.....
Ö[] æÁÓæá!^••Á-Óæá^!
.....
Öæã æÁ^~{à!
.....
Úd^^ç!ÁÜEÖÖ[] ç

ØQ[•^Á]^D

.....
Óæ Ú[] çã &^ Ú[] •æÁÖ[] á^

V@ÁÓæá^!ÁK
 æÁ[^Á![]!æç!
 æÁæç^!•@
 æ&[]![]!æã}
ææ!^æ*Á}Á~}á^••Á}á^!Á@Áæ[ç^Áæ^É

HÈ Ô[] æóÁ^!•[]

V@ÁÓæá^!Á@!^à^ÁæçQ!á^•Á@Á[]||,æ*Á&[]æóÁ^!•[]}Á[Á^!^•^}c
c@ÁÓæá^!Á[Á^![]!••Á-Á@ÁÓæÉ
.....
Ô[] æóÁ^!•[] Váj^
.....
V^[]Q]^Á^~{à! Öæã æÁ^~{à!

IÈ Ö^æ æã}•

ØÁ&æææá^Ác!{•Á~}á^ÁæÁc@ÁÖ[] dæóÁ•@Á@æ^Ác@Á{^ææ*•
æ&æá^Á[Ác{ÁÁc@ÁÖ]^!æÁÖ[] áæã}•É

ÍÈ U~!

V@ÁÓæá^!Á@!^à^Á~!^Á[Á^![]!Ác@ÁY[]!Áæ&[]!áæ&^Áæ@Ác@
Ô[] dæóÁ[Ác@ÁV]æÁÓæÁÚ!æ^ÉÁÓææææÁ~}á^É^ç~ç[]ÁQ!{ÁOK
Ú!æ^Éæ]^}á^!Á@!^çÉ

Î È ÓäÁÚ^&|ä

QÁä&|!ää &^Á ä@ÓFÉÉÄ@ÁÓäá^! ^) &|[•^•ÁääÁ^&|ä Ää Ác@ÁÍ|{
[-K

Q@[•^Á]^D

- äääÁ[}áÁQ|{| ÁÖKÁÓÁ[}áä}áÁÉ|^^{ ^) öÍ Á[]áD
- ä Áá!^ç| &ä|Á•ä} äá^ Á|c|Á[-Á&^ääÁQ|{| ÁÖGÁQ|c| &ä|
Üä} äá^ Á^c|Á[-Ö|^ää} äÁM, á^|ä ä *D
- ä&|äá äÁ@~^Á|Á|äc

ä}áÁä|^•Ác@ä äÁ• @|Áá^Á@|áÁá^Ác@ÁÖä Ää Áä&|!ää &^Á ä@Ác@
Ö[]dä&É

Ï È Öc^& ä}Á-Ö[]dä&c

V@ÁÓäá^!Áä|^•Ác|Á^c^&^c^Áä}áÁ^c|!}Ác@ÁÖ[]dä&cÁ|Á|äe|Ác@ä
•^c^}ÁçDÖä^}äáÁÖä•Áäe|Á^&^ä}c|Ác@ÁÖ[]dä&cÄä Ác@Á| ä}^|
•|^äáá^Á ÖI È

Ì È Ô[{ { ^} &{ ^}c
[-Ác@Á|]

V@ÁÓäá^!Áä|^•Ác@ä|ÁY[|!Á• @|Á&|{ { ^} &^Á^}äÁc@D@ äÁä
|^&^ä}c|Á-Áá|c|Á[-Áä}c|Á^|{| Ác@ÁcÉ äáÁcÉ c|{|ä Ää c|{|ä ä *Ác@
&|{ { ^} &{ ^}c|Á-Ác@Á|]È

JÈ Ô[]dä&c

V@ÁÓäá^!Áä|^•Ác@äÁc@ÁÓäÁÚ]]|c}ä Ää Ää Á^Á^}c|c^Á• @|Áá^
á^^{ ^áäç Áá^Áä &|]|{|ä äÁä Áä}áÁç Á-|{| Áä} äc|[-Ác@Á| -!
}|ç ä@cä} ää *Ác@ä|Á|c|Á| äcÁc|Á[-Áä^Á^&•• ää} Áä&@áÁç Á|
ä&|{]ä^Ác@ÁÖäÈ

FEÈ Öäá^}äæ

V@ÁÓäá^!Áä|^•Ác@äÁc@ÁÍ||, ä *Áäá^}äá^}Á^&^}Á^&^}áÁä}á
ä|^•Ác@ä^Á @| á^Á^} ^áÁç Á|{| Ää} äc|Ác@ÁÖ[]dä&cK

P[È Öä^á

FFÈ Vä ^

V@Á| -!Á• @|Áá^Á| ^}Á|Áä&|}ä} &^Éä} ää *Áä}áÁ^c| &ä|Á|Áäe
|!ä}áÁ~äc ÇÉDÖä^}äáÁÖä•Á| ||, ä *Ác@ÁÚ" à(ä•ä) ÁÖä|ä^È

V@ÁÖä Á-Á }ä ^*
Öä Á]] [í } ä Á [ÈUHÈÈFHÖä á } ä { Á
V(] äè & ^* } KÖI ÈFHÈÈF ÈUY

Öä Á } ä (ä * ä }
Üä è ^ H [- Á]

FGÈ Üä } ä è } ^ *

V@ÁÖä á } ä } Á } Á @ Á Ö ä á } q ä è c q i ä ^ á } - ä ä } Á } - ä ä } Á } - ä ä } Á } ^ á } Á }
..... Ä ä } Á - Á Á } Ö Ä

Üä } ä è } ^ Á - Á Ö ä á } ä } Á }
Ö ä á } q ä è c q i ä ^ á } - ä ä } Á } - ä ä }

.....

.....

Üä } ä è } ^ Á } ä è } ^ Á } - ä ä } Á } - ä ä } Á } ä ä } ä } @ * ^ Á } ä è } ^ Á } ^ ä è } Á } [ç ^ D

.....

.....

Üä } ä è } ^ Á } ä è } ^ Á } - ä ä } Á } - ä ä } Á } ä ä } ä } @ * ^ Á } ä è } ^ Á } ^ ä è } Á } [ç ^ D

FORM B (R1) : PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>PORTAGE AVENUE - EASTBOUND FROM ST. JOHNS AMBULANCE WAY TO SHERBURN ST, Reconstruction</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R17	m ³	50		
A.2	Sub-Grade Compaction	CW 3110-R17	m ²	115		
A.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	80		
A.4	Supplying and Placing Base Course Material	CW 3110-R17	m ³	10		
A.5	Grading of Boulevards	CW 3110-R17	m ²	975		
A.6	Removal of Existing Concrete Bases	CW 3110-R17				
i)	600 mm Diameter or Less		each	2		
A.7	Imported Fill Material	CW 3110-R17	m ³	50		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m ²	240		
A.9	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Reinforced)		m ²	350		
A.10	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m ²	100		
ii)	200 mm Concrete Pavement (Type B)		m ²	250		
iii)	200 mm Concrete Pavement (Type C)		m ²	50		
iv)	200 mm Concrete Pavement (Type D)		m ²	100		
A.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Reinforced)		m ²	1400		

FORM B (R1) : PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m ²	15		
ii)	200 mm Concrete Pavement (Type B)		m ²	850		
iii)	200 mm Concrete Pavement (Type C)		m ²	100		
iv)	200 mm Concrete Pavement (Type D)		m ²	385		
A.13	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	910		
A.14	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	250		
ii)	20 M Deformed Tie Bar		each	1600		
iii)	25 M Deformed Tie Bar		each	1025		
A.15	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	10		
A.16	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m ²	20		
ii)	Bullnose	SD-227C	m ²	7		
A.17	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m ²	5		
ii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	25		
b)	5 sq.m. to 20 sq.m.		m ²	125		
c)	Greater than 20 sq.m.		m ²	3500		
iii)	Bullnose	SD-227C	m ²	40		

FORM B (R1) : PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier, Seperate		m	40		
A.19	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	45		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	25		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	10		
iv)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	55		
A.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	100		
c)	Greater than 30 m		m	475		
ii)	Barrier (125 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	35		
b)	3 m to 30 m		m	50		
c)	Greater than 30 m		m	130		
iii)	Modified Barrier (125 mm reveal ht, Dowelled)	SD-203B	m	290		
iv)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	280		
v)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	35		
vi)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 900 mm width)	SD-223A	m	40		
A.21	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	210		

FORM B (R1) : PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.22	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	5000		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	350		
A.23	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	1950		
ii)	50 - 100 mm Depth (Asphalt)		m ²	22650		
iii)	0 - 50 mm Depth (Concrete)		m ²	20		
A.24	Detectable Warning Surface Tiles	CW 3326				
i)	610 mm X 1220 mm		each	57		
A.25	Detectable Bar Tiles	E15				
i)	305 mm X 610 mm tiles		each	7		
	ROADWORKS - NEW CONSTRUCTION					
A.26	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 hr (Reinforced)		m ²	75		
A.27	Interlocking Paving Stones	CW 3335-R1, E12				
i)	Holland Blue Pavers (100 x 200)		m²	15		
ii)	Holland Charcoal Pavers (200 x 200)		m²	50		
	JOINT AND CRACK SEALING					
A.28	Joint Sealing	CW 3250-R7	m	200		
A.29	Crack Sealing	CW 3250-R7				
i)	2 mm to 10 mm Wide		m	30		
A.30	Reflective Crack Maintenance	CW 3250-R7	m	7500		

FORM B (R1) : PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.31	Catch Basin	CW 2130-R12				
	i) SD-024, 1800 mm deep		each	13		
	ii) SD-024, 1200 mm deep		each	1		
	iii) SD-025, 1800 mm deep		each	4		
A.32	Catch Pit	CW 2130-R12				
	i) SD-023, c/w AP-004 and AP-006		each	1		
A.33	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC					
	a) In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	15		
	b) Trenchless Installation, Class B Bedding with Sand, Class 3 Backfill		m	115		
A.34	Drainage Connection Pipe	CW 2130-R12	m	15		
A.35	Sewer Service Risers	CW 2130-R12				
	i) 250 mm					
	a) SD-015		vert m	25		
A.36	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	14		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	13		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	v) AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		

FORM B (R1) : PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.37	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
A.38	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm Conc Combined Sewer		each	1		
b)	Connecting to 600 mm Conc Combined Sewer		each	1		
c)	Connecting to 750 mm Conc Combined Sewer		each	2		
d)	Connecting to 900 mm Conc Combined Sewer		each	2		
e)	Connecting to 2790 x 2160 mm Conc Combined Sewer		each	1		
A.39	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	14		
A.40	Removal of Existing Catch Basins	CW 2130-R12	each	17		
A.41	Removal of Existing Catch Pit	CW 2130-R12	each	3		
A.42	Relocation of Existing Catch Basins	CW 2130-R12	each	2		
A.43	Relocation of Existing Catch Pit	CW 2130-R12	each	1		
A.44	Abandoning Existing Drainage Inlets	CW 2130-R12	each	13		
A.45	Catch Basin Cleaning	CW 2140-R3	each	3		
A.46	Cement-Stabilized Backfill Material	CW 2030-R7	m ³	10		
A.47	Abandoning Existing Sewer Service Under Pavement c/w Video Inspection	CW 2130-R12				
i)	Existing Catchbasin Leads (250mm or smaller)		each	6		
A.48	Sewer Inspection	CW 2145-R3				
i)	250 mm Sewer Service Pipe		m	126		

FORM B (R1) : PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ADJUSTMENTS						
A.49	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
A.50	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	3		
A.51	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	4		
iii)	64 mm		each	4		
iv)	76 mm		each	4		
A.52	Adjustment of Valve Boxes	CW 3210-R7	each	16		
A.53	Valve Box Extensions	CW 3210-R7	each	5		
A.54	Adjustment of Curb Stop Boxes	CW 3210-R7	each	40		
A.55	Curb Stop Extensions	CW 3210-R7	each	10		
A.56	Replacing Existing Flat Top Reducer (900x750)	CW 2110-R11	each	1		
A.57	Patching Existing Manholes	CW 2130-R12	vert. m	1		
LANDSCAPING						
A.58	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	125		
ii)	width > or = 600 mm		m ²	850		
MISCELLANEOUS						
A.59	Remove and Reinstall Bike Racks	E14	each	3		
A.60	Remove and Salvage Aluminium Balanced Barrier	E13	each	25		
A.61	Install Salvaged Aluminium Balanced Barrier	E13	each	25		
A	<u>PORTAGE AVENUE - EASTBOUND FROM ST. JOHNS AMBULANCE WAY TO SHERBURN ST, Reconstruction</u>				Subtotal:	

FORM B (R1) : PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
B	<u>PORTAGE AVENUE - WESTBOUND FROM ST JOHNS AMBULANCE WAY TO SHERBURN STREET, Installation of Detecable Warning Tiles</u>						
	ROADWORKS - RENEWALS						
B.1	Removal of Existing Concrete Bases	CW 3110-R17					
i)	600 mm Diameter or Less		each	2			
B.2	Miscellaneous Concrete Slab Renewal	CW 3235-R9					
i)	100 mm Sidewalk	SD-228A					
a)	Less than 5 sq.m.		m ²	30			
b)	5 sq.m. to 20 sq.m.		m ²	300			
B.3	Concrete Curb Removal	CW 3240-R10					
i)	Barrier, Seperate		m	120			
ii)	Curb Ramp		m	100			
B.4	Concrete Curb Installation	CW 3240-R10					
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	20			
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	50			
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	150			
B.5	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5			
B.6	Detectable Warning Surface Tiles	CW 3326					
i)	610 mm X 1220 mm		each	43			
B.7	Adjustment of Valve Boxes	CW 3210-R7	each	4			
B.8	Valve Box Extensions	CW 3210-R7	each	1			
	LANDSCAPING						
B.9	Sodding	CW 3510-R9					
i)	width < 600 mm		m ²	10			
ii)	width > or = 600 mm		m ²	30			
B	<u>PORTAGE AVENUE - WESTBOUND FROM ST JOHNS AMBULANCE WAY TO SHERBURN STREET, Installation of Detecable Warning Tiles</u>					Subtotal:	

FORM B (R1) : PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>PORTAGE AVENUE - EASTBOUND FROM ST. JOHNS AMBULANCE WAY TO SHERBURN ST, Reconstruction</u>				Subtotal:	
B	<u>PORTAGE AVENUE - WESTBOUND FROM ST JOHNS AMBULANCE WAY TO SHERBURN STREET, Installation of Detecable Warning Tiles</u>				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words) _____						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 393-2013

2013 REGIONAL AND LOCAL STREETS PROGRAM, PORTAGE AVENUE EASTBOUND, ST. JOHN'S AMBULANCE WAY TO SHERBURN STREET, REHABILITATION

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 393-2013

**2013 REGIONAL AND LOCAL STREETS PROGRAM, PORTAGE AVENUE EASTBOUND, ST. JOHN'S
AMBULANCE WAY TO SHERBURN STREET, REHABILITATION**

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 393-2013

2013 REGIONAL AND LOCAL STREETS PROGRAM, PORTAGE AVENUE EASTBOUND, ST.
JOHN'S AMBULANCE WAY TO SHERBURN STREET, REHABILITATION

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 29, 2013

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)