

FORM A: BID
(See B8)

1. **Contract Title** 2013 LOCAL STREET RENEWAL PROGRAM, AINSLIE STREET,
MANILA ROAD AND VARIOUS OTHER LOCATIONS
2. **Bidder**
- _____
Name of Bidder
- _____
Usual Business Name of Bidder as it appears on Invoice (if different from above)
- _____
Street
- _____
City Province Postal Code
- (Mailing address if different)
- _____
Email Address of Bidder
- _____
Facsimile Number
- _____
Street or P.O. Box
- (Choose one)
- _____
City Province Postal Code
- The Bidder is:
- a sole proprietor
- a partnership
- a corporation
- carrying on business under the above name.
3. **Contact Person** The Bidder hereby authorizes the following contact person to represent
the Bidder for purposes of the Bid.
- _____
Contact Person Title
- _____
Telephone Number Facsimile Number
4. **Definitions** All capitalized terms used in the Contract shall have the meanings
ascribed to them in the General Conditions
5. **Offer** The Bidder hereby offers to perform the Work in accordance with the
Contract for the Total Bid Price, in Canadian funds, set out on Form B:
Prices, appended hereto.

6. **Bid Security** In accordance with B11.1, the Bidder encloses bid security in the form of:
- (Choose one)
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
 - an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
 - a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. **Execution of Contract** The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. **Commencement of the Work** The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. **Contract** The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. **Addenda** The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | | | | |
|-----|-------|-------|-------|
| No. | _____ | Dated | _____ |
| | _____ | | _____ |
| | _____ | | _____ |
11. **Time** This offer shall be open for acceptance, binding and irrevocable for a period of forty five (45) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES						
2013 RESIDENTIAL STREETS RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS (See B9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 - CITY FUNDED WORK						
A	<u>Ainslie Street - Ness Avenue to Bruce Avenue - Local Street Reconstruct</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R17	m ³	1100		
A.2	Sub-Grade Compaction	CW 3110-R17	m ²	3000		
A.3	Crushed Sub-base Material	CW 3110-R17				
	i) 50 mm - Limestone		tonne	2500		
A.4	Supplying and Placing Base Course Material	CW 3110-R17	m ³	250		
A.5	Grading of Boulevards	CW 3110-R17	m ²	2000		
A.6	Separation Geotextile Fabric	CW 3130-R4	m ²	3000		
	ROADWORK - REMOVALS/RENEWALS					
A.7	Pavement Removal	CW 3110-R17				
	i) Concrete Pavement		m ²	2500		
A.8	Drilled Dowels	CW 3230-R7				
	i) 19.1 mm Diameter		each	50		
A.9	Drilled Tie Bars	CW 3230-R7				
	i) 20 M Deformed Tie Bar		each	350		
A.10	Miscellaneous Concrete Slab Removal	CW 3235-R9				
	i) 100 mm Sidewalk		m ²	940		
A.11	Detectable Warning Surface Tiles	CW 3326				
	i) 300 mm x 300 mm		each	2		
	ROADWORK - NEW CONSTRUCTION					
A.12	Concrete Pavements for Early Opening	CW 3310-R14				
	i) Construction of 150 mm Concrete Pavement Early Opening 72 Hour (Reinforced)		m ²	800		
A.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
A.14	Construction of Barrier (180 mm ht, Integral) Early Opening 72 Hour	SD-204	m	25		
	i) Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) For Early Opening 72 Hour	SD-200 SD-203B	m	430		
	ii) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) For Early Opening 72 Hour	SD-200 SD-202B	m	195		
	iii) Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement) For Early Opening 72 Hour	SD-200 SD-229E	m	20		
A.15	Construction of Curb Ramp (8 -12 mm ht, Integral) Early Opening 72 Hour					
A.16	100 mm Concrete Sidewalk	CW 3325-R5	m ²	800		

FORM B: PRICES						
2013 RESIDENTIAL STREETS RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS (See B9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
	i) Main Line Paving					
	a) Type IA		tonne	460		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	30		
	JOINT AND CRACK SEALING					
A.18	Reflective Crack Maintenance	CW 3250-R7	m	50		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.19	Catch Basin	CW 2130-R12				
	i) SD-024, 1800 mm deep		each	2		
A.20	Remove and Replace Existing Catch Basin	CW 2130-R12				
	i) SD-024, 1800 mm deep		each	2		
A.21	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC					
	a) In a Trench, Class B Sand Bedding, Class 3 Backfill		m	15		
A.22	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	2		
A.23	Connecting to Existing Manhole	CW 2130-R12				
	i) 250 mm Catch Basin Lead		each	2		
A.24	Removal of Existing Catch Basins	CW 2130-R12	each	2		
A.25	Abandoning Existing Drainage Inlet (Under Pavement)	CW 2130-R12	each	2		
A.26	Installation of Subdrains	CW 3120-R4	m	50		
	ADJUSTMENTS					
A.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
A.28	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	0.5		
A.29	Lifter Rings	CW 3210-R7				
	i) 51 mm		each	2		
A.30	Adjustment of Valve Boxes	CW 3210-R7	each	6		
A.31	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
	LANDSCAPING					
A.32	Sodding	CW 3510-R9				
	i) width < 600 mm		m ²	200		
	ii) width > or = 600 mm		m ²	2000		
A	<u>Ainslie Street - Ness Avenue to Bruce Avenue - Local Street Reconstruct</u>				SUBTOTAL	

FORM B: PRICES						
2013 RESIDENTIAL STREETS RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS (See B9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<i>Allard Avenue - Sumach Street to Bedson Street - Local Street Renewal</i>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R17	m ³	45		
B.2	Supplying and Placing Base Course Material	CW 3110-R17	m ³	35		
B.3	Grading of Boulevards	CW 3110-R17	m ²	400		
	ROADWORK - REMOVALS/RENEWALS					
B.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	230		
B.5	Partial Slab Patches - Early Opening (72 Hour)	CW 3230-R7				
	i) 150 mm Concrete Pavement (Type A)		m ²	2		
	ii) 150 mm Concrete Pavement (Type B)		m ²	80		
	iii) 150 mm Concrete Pavement (Type D)		m ²	200		
B.6	Drilled Dowels	CW 3230-R7				
	i) 19.1 mm Diameter		each	350		
B.7	Drilled Tie Bars	CW 3230-R7				
	i) 20 M Deformed Tie Bar		each	550		
B.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
	i) 100 mm Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	15		
	b) 5 sq.m. to 20 sq.m.		m ²	140		
	c) Greater than 20 sq.m.		m ²	210		
B.9	Concrete Curb Renewal	CW 3240-R10				
	i) Barrier (75 mm reveal ht, Dowelled) Early Opening 72 Hour	SD-205				
	a) Less than 3 m		m	30		
	b) 3 m to 30 m		m	100		
	c) Greater than 30 m		m	70		
	ii) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229D	m	30		
	iii) Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C	m	25		
B.10	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
	i) Main Line Paving					
	a) Type IA		tonne	640		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	75		
B.11	Planing of Pavement	CW 3450-R5				
	i) 50 - 100 mm Depth (Asphalt)		m ²	2900		

FORM B: PRICES						
2013 RESIDENTIAL STREETS RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS						
(See B9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
JOINT AND CRACK SEALING						
B.12	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	400		
B.13	Reflective Crack Maintenance	CW 3250-R7	m	1100		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.14	Remove and Replace Existing Catch Basin	CW 2130-R12				
	i) SD-024		each	1		
B.15	Remove and Replace Existing Catch Pit	CW 2130-R12				
	i) SD-023		each	3		
B.16	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
	i) 200 mm					
	a) Class 1 Backfill		each	1		
B.17	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
	i) 200 mm					
	a) Class 1 Backfill		m	4		
ADJUSTMENTS						
B.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
B.19	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	1		
B.20	Lifter Rings	CW 3210-R7				
	i) 51 mm		each	1		
	ii) 64 mm		each	1		
B.21	Adjustment of Valve Boxes	CW 3210-R7	each	2		
B.22	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
B.23	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	9		
LANDSCAPING						
B.24	Sodding	CW 3510-R9				
	i) width < 600 mm		m ²	300		
	ii) width > or = 600 mm		m ²	100		
B	Allard Avenue - Sumach Street to Bedson Street - Local Street Renewal				SUBTOTAL	

FORM B: PRICES							
2013 RESIDENTIAL STREETS RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS (See B9)							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
C	<i>Farimont Road - Oakfield Place to Grant Avenue - Local Street Renewal</i>						
	EARTH AND BASE WORKS						
C.1	Excavation	CW 3110-R17	m ³	20			
C.2	Supplying and Placing Base Course Material	CW 3110-R17	m ³	5			
C.3	Grading of Boulevards	CW 3110-R17	m ²	160			
	ROADWORK - REMOVALS/RENEWALS						
C.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R7					
	i) 150 mm Concrete Pavement (Reinforced)		m ²	45			
C.5	Partial Slab Patches - Early Opening (72 Hour)	CW 3230-R7					
	i) 150 mm Concrete Pavement (Type B)		m ²	45			
C.6	Drilled Dowels	CW 3230-R7					
	i) 19.1 mm Diameter		each	50			
C.7	Drilled Tie Bars	CW 3230-R7					
	i) 20 M Deformed Tie Bar		each	125			
C.8	Concrete Curb Removal	CW 3240-R10					
	i) 75 mm Lip Curb by Planing		m	77			
C.9	Concrete Curb Installation	CW 3240-R10					
	i) Barrier (150 mm reveal ht, Dowelled) Early Opening 72	SD-206A	m	77			
C.10	Construction of Asphaltic Concrete Overlay	CW 3410-R9					
	i) Main Line Paving						
	a) Type IA		tonne	80			
C.11	Planing of Pavement	CW 3450-R5					
	i) 0 - 50 mm Depth (Asphalt)		m ²	25			
	JOINT AND CRACK SEALING						
C.12	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	45			
C.13	Reflective Crack Maintenance	CW 3250-R7	m	125			
	ADJUSTMENTS						
C.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3			
C.15	Replacing Existing Risers	CW 2130-R12					
	i) Pre-cast Concrete Risers		vert. m	1			
C.16	Lifter Rings	CW 3210-R7					
	i) 51 mm		each	1			
	LANDSCAPING						
C.17	Sodding	CW 3510-R9					
	i) width > or = 600 mm		m ²	160			
C	<i>Farimont Road - Oakfield Place to Grant Avenue - Local Street Renewal</i>					SUBTOTAL	

FORM B: PRICES							
2013 RESIDENTIAL STREETS RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS (See B9)							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
D	<u>Oakfield Place - Fairmont Road to End of Cul-De-Sac - Local Street Renewal</u>						
	EARTH AND BASE WORKS						
D.1	Excavation	CW 3110-R17	m ³	30			
D.2	Supplying and Placing Base Course Material	CW 3110-R17	m ³	10			
D.3	Grading of Boulevards	CW 3110-R17	m ²	190			
	ROADWORK - REMOVALS/RENEWALS						
D.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R7					
	i) 150 mm Concrete Pavement (Reinforced)		m ²	20			
D.5	Partial Slab Patches - Early Opening (72 Hour)	CW 3230-R7					
	i) 150 mm Concrete Pavement (Type A)		m ²	2			
	ii) 150 mm Concrete Pavement (Type B)		m ²	65			
D.6	Drilled Dowels	CW 3230-R7					
	i) 19.1 mm Diameter		each	120			
D.7	Drilled Tie Bars	CW 3230-R7					
	i) 20 M Deformed Tie Bar		each	180			
D.8	Concrete Curb Removal	CW 3240-R10					
	i) 75 mm Lip Curb by Planing		m	91			
D.9	Concrete Curb Installation	CW 3240-R10					
	i) Barrier (150 mm reveal ht, Dowelled) Early Opening 72	SD-206A	m	91			
D.10	Construction of Asphaltic Concrete Overlay	CW 3410-R9					
	i) Main Line Paving						
	a) Type IA		tonne	65			
	ii) Tie-ins and Approaches						
	a) Type IA		tonne	70			
	JOINT AND CRACK SEALING						
D.11	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	130			
D.12	Reflective Crack Maintenance	CW 3250-R7	m	400			
	ADJUSTMENTS						
D.13	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3			
D.14	Lifter Rings	CW 3210-R7					
	i) 64 mm		each	1			
	LANDSCAPING						
D.15	Sodding	CW 3510-R9					
	i) width > or = 600 mm		m ²	190			
D	<u>Oakfield Place - Fairmont Road to End of Cul-De-Sac - Local Street Renewal</u>					SUBTOTAL	

FORM B: PRICES						
2013 RESIDENTIAL STREETS RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS (See B9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>Manila - Cartwright Road to Jefferson Avenue - Local Street Renewal</u>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R17	m ³	20		
E.2	Supplying and Placing Base Course Material	CW 3110-R17	m ³	20		
	ROADWORK - REMOVALS/RENEWALS					
E.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
	i) 200 mm Concrete Pavement (Reinforced)		m ²	235		
	ii) 150 mm Concrete Pavement (Reinforced)		m ²	110		
E.4	Partial Slab Patches - Early Opening (72 Hour)	CW 3230-R7				
	i) 200 mm Concrete Pavement (Type A)		m ²	3		
	ii) 200 mm Concrete Pavement (Type B)		m ²	265		
	iii) 200 mm Concrete Pavement (Type D)		m ²	30		
E.5	Drilled Dowels	CW 3230-R7				
	i) 19.1 mm Diameter		each	720		
E.6	Drilled Tie Bars	CW 3230-R7				
	i) 20 M Deformed Tie Bar		each	780		
E.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
	i) 100 mm Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	15		
	b) 5 sq.m. to 20 sq.m.		m ²	80		
	c) Greater than 20 sq.m.		m ²	61		
E.8	Concrete Curb Renewal	CW 3240-R10				
	i) Modified Lip Curb (50 mm reveal ht, Dowelled) Early Opening 72 Hour	SD-202C	m	150		
	ii) Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C	m	25		
E.9	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
	i) Main Line Paving					
	a) Type IA		tonne	570		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	55		
E.10	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	240		
	JOINT AND CRACK SEALING					
E.11	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	240		
E.12	Reflective Crack Maintenance	CW 3250-R7	m	850		

FORM B: PRICES						
2013 RESIDENTIAL STREETS RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS						
(See B9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
E.13	Catch Basin	CW 2130-R12				
	i) SD-024, 1800 mm deep		each	4		
E.14	Remove and Replace Existing Catch Basin	CW 2130-R12				
	i) SD-024		each	1		
E.15	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC					
	a) In a Trench, Class B Sand Bedding, Class 3 Backfill		m	5		
	b) Trenchless Installation, Class B with Sand Bedding, Class 3 Backfill		m	25		
E.16	Sewer Service Risers	CW 2130-R12	vt.m	1		
	i) 250 mm	SD-015				
E.17	Replacing Existing Manhole and Catch Basin Frame & Cover					
	i) AP-011 - Mountable Curb and Gutter Inlet		each	4		
E.18	Connecting to Existing Sewer	CW 2130-R12				
	i) 250 mm (Type PVC) Connecting Pipe					
	a) Connecting to 900 mm (LDS) Sewer		each	5		
E.19	Abandoning Existing Catch Basins	CW 2130-R12	each	3		
LANDSCAPING						
E.20	Sodding	CW 3510-R9				
	i) width < 600 mm		m ²	150		
E	<u>Manila - Cartwright Road to Jefferson Avenue - Local Street Renewal</u>				SUBTOTAL	

FORM B: PRICES
2013 RESIDENTIAL STREETS RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
------	-------------	------------	------	------------------	------------	--------

PART 2: MANITOBA HYDRO FUNDED WORK

F	STREET LIGHT INSTALLATION					
	AINSLIE STREET - NESS AVENUE TO BRUCE AVENUE					
	NEW STREET LIGHT INSTALLATION					
F.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E16.	each	6.0		
F.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E16.	lin.m	297.5		
F.3	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E16.	lin.m	40.6		
F.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E16.	each	6.0		
F.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E16.	each	1.0		
F.6	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E16.	each	1.0		
F.7	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9 or CD310-10.	E16.	each	6.0		
F	STREET LIGHT INSTALLATION				Sub-Total:	

FORM B: PRICES 2013 RESIDENTIAL STREETS RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS (See B9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 - CITY FUNDED WORK						
A	Ainslie Street - Ness Avenue to Bruce Avenue - Local Street Reconstruct				Sub-Total:	
B	Allard Avenue - Sumach Street to Bedson Street - Local Street Renewal				Sub-Total:	
C	Farimont Road - Oakfield Place to Grant Avenue - Local Street Renewal				Sub-Total:	
D	Oakfield Place - Fairmont Road to End of Cul-De-Sac - Local Street Renewal				Sub-Total:	
E	Mainila - Cartwright Road to Jefferson Avenue - Local Street Renewal				Sub-Total:	
TOTAL PRICE - PART 1						
PART 2 - MANITOBA HYDRO FUNDED WORK						
F	STREET LIGHT INSTALLATION				Sub-Total:	
TOTAL PRICE - PART 2						
TOTAL BID PRICE (GST extra)					(in figures)	_____
(in words)					_____	

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 738-2013

2013 LOCAL STREET RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 738-2013

2013 LOCAL STREET RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND VARIOUS OTHER LOCATIONS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 738-2013

2013 LOCAL STREET RENEWAL PROGRAM, AINSLIE STREET, MANILA ROAD AND
VARIOUS OTHER LOCATIONS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 25, 2013

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)