FORM A: BID (See B8)

1.	Contract Title	AVENUE PAVEMENT RI FROM SHERBURN STR	GIONAL STREET PROGRAM EHABILITATION: PART A – E EET TO MARYLAND STREE IPRESS STREET TO MINTO	EASTBOUND T; PART B –
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different	from above)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province	Postal Code
		The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	rizes the following contact perfetcher.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms us ascribed to them in the G	ed in the Contract shall ha eneral Conditions.	ve the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.


12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	PAVEMENT REHABILITATION: EASTBOUN		VENUE:		STREET TO MA	ARYLAND STREET
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R18	m³	265		
A.2	Supplying and Placing Base Course Material	CW 3110-R18	m³	450		
A.3	Grading of Boulevards	CW 3110-R18	m²	40		
A.4	Removal of Existing Concrete Bases	CW 3110-R18				
i)	600 mm Diameter or Less		each	1		
	ROADWORKS - REMOVALS/RENEWALS					
A.5	Pavement Removal	CW 3110-R18				
i)	Concrete Pavement		m²	915		
ii)	Asphalt Pavement		m²	680		
A.6	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	330		
A.7	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	150		
iii)	200 mm Concrete Pavement (Type C)		m²	40		
iv)	200 mm Concrete Pavement (Type D)		m²	20		
A.8	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	160		


ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ROADWORKS - REMOVALS/RENEWALS (Cont'd)					
A.9	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type C)		m²	20		
ii)	200 mm Concrete Pavement (Type D)		m²	15		
A.10	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	170		
A.11	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type C)		m²	20		
A.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	450		
A.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	540		
ii)	25 M Deformed Tie Bar		each	450		
A.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	5145		
A.15	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk c/w Paving Stone Band (Paving Stones Paid Separately in A.26 ii)		m²	5145		
A.16	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	220		
	1					<u> </u>

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ROADWORKS - REMOVALS/RENEWALS (Cont'd)					
A.17	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	30		
b)	3 m to 30 m		m	425		
c)	Greater than 30 m		m	225		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	290		
A.18	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	200		
A.19	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	3700		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	290		
٨.20	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	3315		
ii)	50 - 100 mm Depth (Asphalt)		m²	15200		
A.21	Pavement Repair Fabric	E10	m²	150		
A.22	Detectable Warning Surface Tiles	CW 3326-R1				
i)	610 mm X 1220 mm		each	75		


ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ROADWORK - NEW CONSTRUCTION					
A.23	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R15				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	520		
A.24	Concrete Pavements for Early Opening	CW 3310-R15				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m²	260		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m²	260		
A.25	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (100 mm ht, Separate)	SD-203A	m	210		
ii)	Construction of Modified Barrier (100 mm ht, Dowelled)	SD-203B	m	220		
A.26	Interlocking Paving Stones	CW 3335-R1, E11				
i)	100 x 200 Blue Holland Pavers in Soldier Course		m²	1.6		
ii)	200 x 200 Holland Stone Charcoal (Sidewalk Paving Band)		m²	195		
	JOINT AND CRACK SEALING					
A.27	Reflective Crack Maintenance	CW 3250-R7	m	4970		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.28	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	12		
A.29	Catch Pit	CW 2130-R12				
i)	SD-023		each	3		
A.30	Drainage Connection Pipe	CW 2130-R12	m	18		
		J				



ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ASSOCIATED DRAINAGE AND					
A.31	UNDERGROUND WORKS (Cont'd) Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
Α.51	Sewer Repair - Op to 3.0 Weters Long	OW 2130-1(12				
i)	250 mm					
a)	Class 1 Backfill		each	1		
A.32	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	5		
A.33	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
A.34	Removal of Existing Catch Basins	CW 2130-R12	each	11		
A.35	Abandoning Existing Drainage Inlets	CW 2130-R12	each	9		
A.36	Catch Basin Cleaning	CW 2140-R3	each	3		
	ADJUSTMENTS					
A.37	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
i)	Pre-cast Concrete Risers		vert. m	1		
A.38	Lifter Rings	CW 3210-R7				
i)	51 mm		each	3		
ii)	76 mm		each	2		
A.39	Adjustment of Valve Boxes	CW 3210-R7	each	4		
A.40	Valve Box Extensions	CW 3210-R7	each	13		
A.41	Adjustment of Curb Stop Boxes	CW 3210-R7	each	4		
		<u> </u>				



ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS (Cont'd)					
A.42	Curb Stop Extensions	CW 3210-R7	each	2		
A.43	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	4		
A.44	Adjustment of MTS Frame / Installaiton of 50mm Steel Ring Riser	E13	each	10		
	LANDSCAPING					
A.45	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	120		
ii)	width > or = 600 mm		m²	55		
A.46	Tree Well Curbing	E14	m	13		
A.47	Supply and Install Precast Concrete Tree Covers	E14	each	2		
A.48	Install Planting Medium Soil	E14	m³	5		
	MISCELLANEOUS					
A.49	Remove and Reinstall Bike Racks	E12	each	4		
A.50	Hydro-Excavation	E16	hour	10		
Α	PAVEMENT REHABILITATION: EASTBOUN	⊔ ND PORTAGE A	VENUE:	SHERBURN		
	STREET TO MARYLAND STREET				Subtotal:	




DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PAVEMENT REHABILITATION: WESTBOUL	ND PORTAGE A	VENUE:		TREET TO MIN	ITO STREET
Excavation	CW 3110-R18	m³	545		
Supplying and Placing Base Course Material	CW 3110-R18	m³	680		
Grading of Boulevards	CW 3110-R18	m²	165		
Removal of Existing Concrete Bases	CW 3110-R18				
600 mm Diameter or Less		each	1		
ROADWORKS - REMOVALS/RENEWALS					
Pavement Removal	CW 3110-R18				
Concrete Pavement		m²	2250		
Asphalt Pavement		m²	220		
Slab Replacement	CW 3230-R8				
200 mm Concrete Pavement (Reinforced)		m²	580		
Partial Slab Patches	CW 3230-R8				
200 mm Concrete Pavement (Type A)		m²	5		
200 mm Concrete Pavement (Type B)		m²	15		
200 mm Concrete Pavement (Type C)		m²	65		
200 mm Concrete Pavement (Type D)		m²	80		
Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
200 mm Concrete Pavement (Reinforced)		m²	290		
Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
200 mm Concrete Pavement (Type C)		m²	30		
200 mm Concrete Pavement (Type D)		m²	40		
	Excavation Supplying and Placing Base Course Material Grading of Boulevards Removal of Existing Concrete Bases 600 mm Diameter or Less ROADWORKS - REMOVALS/RENEWALS Pavement Removal Concrete Pavement Asphalt Pavement Slab Replacement 200 mm Concrete Pavement (Reinforced) Partial Slab Patches 200 mm Concrete Pavement (Type A) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type C) 200 mm Concrete Pavement (Reinforced) Slab Replacement - Early Opening (24 hour) 200 mm Concrete Pavement (Reinforced) Partial Slab Patches - Early Opening (24 hour) 200 mm Concrete Pavement (Type C)	Excavation CW 3110-R18 Supplying and Placing Base Course Material CW 3110-R18 Grading of Boulevards CW 3110-R18 Removal of Existing Concrete Bases CW 3110-R18 600 mm Diameter or Less ROADWORKS - REMOVALS/RENEWALS Pavement Removal CW 3110-R18 Concrete Pavement Asphalt Pavement Slab Replacement CW 3230-R8 200 mm Concrete Pavement (Reinforced) Partial Slab Patches CW 3230-R8 200 mm Concrete Pavement (Type A) 200 mm Concrete Pavement (Type D) Slab Replacement - Early Opening (24 hour) Partial Slab Patches - Early Opening (24 hour) Partial Slab Patches - Early Opening (24 hour) Partial Slab Patches - Early Opening (24 hour) 200 mm Concrete Pavement (Reinforced)	Excavation CW 3110-R18 m³ Supplying and Placing Base Course Material CW 3110-R18 m³ Grading of Boulevards CW 3110-R18 m² Removal of Existing Concrete Bases CW 3110-R18 FROADWORKS - REMOVALS/RENEWALS Pavement Removal CW 3110-R18 Concrete Pavement CW 3110-R18 Concrete Pavement CW 3110-R18 CON 3110-R18 CW 3230-R8 CW 3230-R8	PAVEMENT REHABILITATION: WESTBOUND PORTAGE AVENUE: EMPRESS S Excavation CW 3110-R18 m³ 545 Supplying and Placing Base Course Material CW 3110-R18 m³ 680 Grading of Boulevards CW 3110-R18 m² 165 Removal of Existing Concrete Bases CW 3110-R18 m² 165 Removal of Existing Concrete Bases CW 3110-R18 each 1 ROADWORKS - REMOVALS/RENEWALS CW 3110-R18 m² 2250 Pavement Removal CW 3110-R18 m² 2250 Asphalt Pavement m² 220 Slab Replacement CW 3230-R8 m² 580 Partial Slab Patches CW 3230-R8 m² 580 200 mm Concrete Pavement (Type A) m² 5 200 mm Concrete Pavement (Type B) m² 65 200 mm Concrete Pavement (Type C) m² 80 Slab Replacement - Early Opening (24 hour) CW 3230-R8 m² 290 Partial Slab Patches - Early Opening (24 hour) CW 3230-R8 m² 290 Partial Slab Patch	REF. QUANTITY

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ROADWORKS - REMOVALS/RENEWALS (Cont'd)					
B.10	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	290		
B.11	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	15		
iii)	200 mm Concrete Pavement (Type C)		m²	30		
iv)	200 mm Concrete Pavement (Type D)		m²	40		
B.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	385		
B.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1505		
ii)	25 M Deformed Tie Bar		each	575		
B.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Median Slab		m²	70		
ii)	100 mm Sidewalk		m²	3820		
B.15	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk c/w Paving Stone Band (Paving Stones Paid Separately in B.26 ii)		m²	3820		
B.16	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	135		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ROADWORKS - REMOVALS/RENEWALS (Cont'd)					
3.17	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	35		
b)	3 m to 30 m		m	265		
c)	Greater than 30 m		m	210		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	150		
3.18	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	105		
3.19	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	3450		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	465		
3.20	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	2515		
ii)	50 - 100 mm Depth (Asphalt)		m²	14245		
3.21	Pavement Repair Fabric	E10	m²	450		
3.22	Detectable Warning Surface Tiles	CW 3326-R1				
i)	610 mm X 1220 mm		each	28		

DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	REF.		QUANTITY		
ROADWORK - NEW CONSTRUCTION					
Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R15				
Construction of 200 mm Concrete Pavement (Reinforced)		m²	1120		
Construction of Concrete Safety Medians	SD-226B	m²	45		
Construction of Monolithic Concrete Bull- noses	SD-227C	m²	1		
Concrete Pavements for Early Opening	CW 3310-R15				
Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m²	560		
Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m²	560		
Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
Construction of Barrier (100 mm ht, Dowelled)	SD-205	m	215		
Construction of Modified Barrier (100 mm ht, Dowelled)	SD-203B	m	130		
Construction of Modified Barrier (100 mm ht, Integral)	SD-203B	m	20		
Interlocking Paving Stones	CW 3335-R1, E11				
100 x 200 Blue Hollard Pavers in Soldier Course		m²	0.9		
200 x 200 Holland Stone Charcoal (Sidewalk Paving Band)		m²	155		
JOINT AND CRACK SEALING					
Reflective Crack Maintenance	CW 3250-R7	m	6050		
	ROADWORK - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 200 mm Concrete Pavement (Reinforced) Construction of Concrete Safety Medians Construction of Monolithic Concrete Bullnoses Concrete Pavements for Early Opening Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced) Concrete Curbs, Curb and Gutter, and Splash Strips Construction of Barrier (100 mm ht, Dowelled) Construction of Modified Barrier (100 mm ht, Dowelled) Construction of Modified Barrier (100 mm ht, Integral) Interlocking Paving Stones 100 x 200 Blue Hollard Pavers in Soldier Course 200 x 200 Holland Stone Charcoal (Sidewalk Paving Band) JOINT AND CRACK SEALING	ROADWORK - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 200 mm Concrete Pavement (Reinforced) Construction of Concrete Safety Medians Construction of Monolithic Concrete Bullnoses Concrete Pavements for Early Opening Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced) Construction of Barrier (100 mm ht, Dowelled) Construction of Modified Barrier (100 mm ht, Dowelled)	ROADWORK - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 200 mm Concrete Pavement (Reinforced) Construction of Concrete Safety Medians Construction of Monolithic Concrete Bullnoses Concrete Pavements for Early Opening Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced) Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced) Concrete Curbs, Curb and Gutter, and Splash Strips Construction of Barrier (100 mm ht, Dowelled) Construction of Modified Barrier (100 mm ht, Dowelled)	REF. QUANTITY ROADWORK - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 200 mm Concrete Pavement (Reinforced) Construction of Concrete Safety Medians Construction of Monolithic Concrete Bullnoses Concrete Pavements for Early Opening Concrete Pavements for Early Opening Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced) Construction of 200 mm Concrete Pavement for Early Opening 27 hour (Reinforced) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced) Concrete Curbs, Curb and Gutter, and Splash Strips Construction of Barrier (100 mm ht, SD-205 m 215 Dowelled) Construction of Modified Barrier (100 mm ht, SD-203B m 130 Dowelled) Construction of Modified Barrier (100 mm ht, SD-203B m 20 ht, Integral) Interlocking Paving Stones CW 3335-R1, E11 M2 O.9 OON 2000 Holland Pavers in Soldier COUrse 200 x 2000 Holland Stone Charcoal (Sidewalk Paving Band) JOINT AND CRACK SEALING	ROADWORK - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 200 mm Concrete Pavement (Reinforced) Construction of Concrete Safety Medians Construction of Monolithic Concrete Bullnoses Concrete Pavements for Early Opening Construction of 200 mm Concrete Pavement for Early Opening Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced) Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced) Concrete Curbs, Curb and Gutter, and Splash Strips Construction of Barrier (100 mm ht, SD-205 m 215 Dowelled) Construction of Modified Barrier (100 mm ht, SD-203B m 130 Dowelled) Construction of Modified Barrier (100 mm ht, SD-203B m 20 Interlocking Paving Stones CW 3335-R1, E11 m² 0.9 CON 200 Blue Hollard Pavers in Soldier Course COURSE CON 200 Holland Stone Charcoal (Sidewalk Paving Band) JOINT AND CRACK SEALING

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.28	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	10		
ii)	SD-024, 1200 mm deep		each	2		
B.29	Sewer Service	CW 2130-R12				
i)	375 mm, PVC					
;	Trenchless Installation, Class 3 Type B Bedding, Class 1 Backfill		m	12		
B.30	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
;	Class 1 Backfill		each	3		
ii)	300 mm					
;	Class 1 Backfill		each	2		
B.31	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	16		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	13		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	3		
B.32	Connecting to Existing Manhole	CW 2130-R12				
i)	375 mm Catch Basin Lead		each	1		
B.33	Connecting to Existing Catch Basin	CW 2130-R12				
i)	375 mm Drainage Connection Pipe		each	1		
B.34	Removal of Existing Catch Basins	CW 2130-R12	each	12		
		<u> </u>				



ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY	1	
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
3.35	Abandoning Existing Catch Basins	CW 2130-R12	each	1		
3.36	Abandoning Existing Drainage Inlets	CW 2130-R12	each	11		
3.37	Catch Basin Cleaning	CW 2140-R3	each	6		
	ADJUSTMENTS					
3.38	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	19		
i)	Pre-cast Concrete Risers		vert. m	1		
3.39	Lifter Rings	CW 3210-R7				
i)	51 mm		each	15		
ii)	76 mm		each	5		
3.40	Adjustment of Valve Boxes	CW 3210-R7	each	8		
3.41	Valve Box Extensions	CW 3210-R7	each	15		
3.42	Adjustment of Curb Stop Boxes	CW 3210-R7	each	15		
3.43	Curb Stop Extensions	CW 3210-R7	each	9		
3.44	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	6		
3.45	Adjustment of MTS Frame / Installation of 50mm Steel Ring Riser	E13	each	8		
	LANDSCAPING					
3.46	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	115		
ii)	width > or = 600 mm		m²	50		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	MISCELLANEOUS					
B.47	Installation of Barrier Posts	CW 3650-R6	each	4		
B.48	Installation of Barrier Rails	CW 3650-R6	m	42		
B.49	Salvaging Existing Barrier Rail	CW 3650-R6	m	42		
B.50	Salvaging Existing Barrier Posts	CW 3650-R6	each	4		
B.51	Remove and Reinstall Bide Racks	E12	each	2		
B.52	Tree Well Curbing	E14	m	20.1		
B.53	Supply and Install Precast Concrete Tree Covers	E14	each	3		
B.54	Install Planting Medium Soil	E14	m³	7.2		
B.55	Remove Concrete/I Beam Pile	E15	each	2.0		
B.56	Hydro-Excavation	E16	hour	15		
В	PAVEMENT REHABILITATION: WESTBOUI	ND PORTAGE A	VENUE	: EMPRESS		
В	STREET TO MINTO STREET				Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	SUMMARY					
Α	PAVEMENT REHABILITATION: EASTBOUN STREET TO MARYLAND STREET	D PORTAGE A	VENUE:	SHERBURN		
	STREET TO WARTEAND STREET				Subtotal:	
В	PAVEMENT REHABILITATION: WESTBOUN	ID PORTAGE A	VENUE:	EMPRESS		
	STREET TO MINTO STREET				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures		n figures)				

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT
(hereinafter called the "Principal") and
(hereinafter called the "Surety"), are held and firmly bound unto THE CITY OF WINNIPEG (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
WHEREAS the Principal has submitted a Bid to the Obligee for
BID OPPORTUNITY NO. 1109-2014
CITY OF WINNIPEG REGIONAL STREET PROGRAM - PORTAGE AVENUE PAVEMENT REHABILITATION: PART A $-$ EASTBOUND FROM SHERBURN STREET TO MARYLAND STREET; PART B $-$ WESTBOUND FROM EMPRESS STREET TO MINTO STREET
as more fully set out in the Bid Opportunity.
NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.
IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the
day of , 20

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 1109-2014 CITY OF WINNIPEG REGIONAL STREET PROGRAM - PORTAGE AVENUE PAVEMENT REHABILITATION: PART A - EASTBOUND FROM SHERBURN STREET TO MARYLAND STREET; PART B - WESTBOUND FROM EMPRESS STREET TO MINTO STREET in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Mater 185 K	City of Winnipeg prate Finance Department praise Management Division processing Street, Main Floor processing R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 1109-2014
	CITY OF WINNIPEG REGIONAL STREET PROGRAM - PORTAGE AVENUE PAVEMENT REHABILITATION: PART A — EASTBOUND FROM SHERBURN STREET TO MARYLAND STREET; PART B — WESTBOUND FROM EMPRESS STREET TO MINTO STREET
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
WE H	es of Bidder) IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon rou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	es)
and w	ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on February 9, 2015.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	